



CORPORATION

**MALLEABLE  
IRON  
THREADED  
FITTINGS**

<b>PRICE SCHEDULE:</b>	
<b>M-2021-4</b>	
<b>EFFECTIVE:</b>	OCT 10th  2021
Subject to change without notice.	

**GENERAL NOTES**

**MINIMUM INVOICE:** \$50.00 net

**PRICES:** All prices are each.  
Taxes extra as applicable

**F.O.B. :** Our plant, stocking warehouse.  
Any single order having a total order value of \$1000 or more for shipment to a single destination, will have full freight allowed at the lowest published rate for the most economical way. Shipments to remote locations may, at our option, be subject to less than full freight allowance.

**PAYMENT TERMS:** Net 30 days.

**OTHER TERMS:** The "General Terms and Conditions" apply to all orders.

<b>ONTARIO</b> 4151 North Service Road Unit #2 Burlington, ON L7L 4X6 PHONE <b>905-335-5320</b> FAX <b>905-335-3140</b> TOLL FREE <b>1-888-399-CCTF (2283)</b>	<b>ALBERTA WAREHOUSE</b> 5407 – 53 <sup>rd</sup> Avenue NW Edmonton, AB T6B 3G2 PHONE <b>780-463-8700</b> FAX <b>780-463-7433</b> TOLL FREE <b>1-800-661-3633</b>  <b>HALIFAX SALES OFFICE</b> PHONE <b>902-466-CCTF (2283)</b>	<b>BRITISH COLUMBIA WAREHOUSE</b> #4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE <b>604-540-6177</b> FAX <b>604-540-2836</b> TOLL FREE <b>1-866-540-6177</b>  <b>QUEBEC</b> TOLL FREE <b>1-888-399-CCTF (2283)</b>
---	---	---

Class 150 Malleable Iron Threaded Fittings											ASTM A197		ANSI B16.3	
	NPS ▲ DN	1/8" 3	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100	6" 150
90° Eblows	\$ BLACK	29.57	29.57	29.57	24.07	34.81	53.44	80.26	106.97	160.51	311.45	474.55	860.45	3411.67
	\$ GALV	35.83	35.83	35.83	29.33	42.35	65.22	97.72	130.34	195.56	376.27	573.44	1039.34	
	WEIGHT	0.07	0.11	0.15	0.22	0.35	0.55	0.93	1.1	1.8	2.9	3.9	8.2	8.6
	CRTN QTY	50	35	45	50	30	20	20	10	8	15	10	5	2
45° Elbows	\$ BLACK	32.55	32.55	32.55	24.07	36.20	53.44	87.10	106.97	160.51	370.79	563.75	964.29	5471.36
	\$ GALV	39.49	39.49	39.49	29.33	43.92	65.22	105.90	130.34	195.56	448.06	681.13	1164.63	
	WEIGHT	0.07	0.11	0.15	0.22	0.31	0.51	0.75	0.97	1.6	2.4	3.3	6.2	6.4
	CRTN QTY	50	35	50	50	40	20	20	15	9	15	10	6	2
Tees	\$ BLACK	37.23	37.23	37.23	30.79	44.05	69.48	104.40	133.78	200.69	474.55	623.01	1127.41	4004.97
	\$ GALV	44.86	44.86	44.86	37.35	53.81	84.71	127.03	163.01	244.36	573.44	752.62	1361.81	
	WEIGHT	0.09	0.11	0.2	0.24	0.42	0.66	1.1	1.3	2	3.6	5	9.3	11.2
	CRTN QTY	75	50	45	40	35	20	14	11	6	10	6	4	1
Coupling	\$ BLACK	22.23	22.23	22.23	18.75	25.39	42.91	60.27	73.61	113.76	222.54	326.31	533.89	1631.69
	\$ GALV	26.97	26.97	26.97	22.93	30.89	52.12	73.32	89.68	138.58	268.94	394.13	645.20	
	WEIGHT	0.07	0.07	0.11	0.18	0.26	0.44	0.62	0.9	1.2	1.9	2.6	4.6	6
	CRTN QTY	60	40	50	60	50	25	32	18	12	16	12	7	1
Caps	\$ BLACK	20.77	20.77	20.77	18.75	22.83	32.09	46.95	61.46	85.49	193.03	267.05	444.94	1702.15
	\$ GALV	25.39	25.39	25.39	22.93	27.66	39.09	57.10	75.05	104.16	233.09	322.61	537.61	
	WEIGHT	0.04	0.04	0.09	0.11	0.18	0.31	0.53	0.57	0.88	1.5	1.9	3.5	4
	CRTN QTY	100	200	50	50	40	35	25	25	18	30	20	14	2
Square Head Plugs	\$ BLACK	25.27	25.27	25.27	20.11	26.04	26.81	40.15	46.95	67.06	148.48	207.78	370.79	1215.85
	\$ GALV	32.55	32.55	32.55	28.58	37.92	42.91	49.00	57.10	81.66	179.10	250.78	448.06	
	WEIGHT	0.02	0.02	0.04	0.09	0.11	0.15	0.26	0.35	0.55	0.97	1.4	2.5	3.4
	CRTN QTY	100	100	100	40	25	40	25	24	15	40	30	8	5
Unions Brass To Iron	\$ BLACK	133.50	133.50	133.50	#####	153.86	180.77	240.81	320.88	481.44	890.08	1483.41	2942.42	
	\$ GALV	161.29	161.29	161.29	#####	187.73	219.94	293.51	384.89	586.33	1075.09	1789.31	3578.50	
	WEIGHT	0.1	0.2	0.31	0.42	0.56	0.93	1.3	1.7	2.6	4.6	5.7	10.1	
	CRTN QTY	30	30	35	30	25	20	18	12	8	10	5	3	
Crosses	\$ BLACK	74.26	74.26	74.26	74.26	103.71	140.83	207.78	281.84	385.71	839.03	1191.69	2212.84	
	\$ GALV	89.68	89.68	89.68	89.68	125.47	170.18	250.78	340.53	465.93				
	WEIGHT	0.15	0.17	0.31	0.3	0.49	0.79	1.3	1.5	2.4	4.6	6.1	6.7	
	CRTN QTY	80	80	60	45	30	16	9	8	5	6	4	2	
Floor Flanges	\$ BLACK			77.10	77.10	106.90	124.75	177.88	207.78	252.10				
	\$ GALV			93.22	93.22	129.15	150.49	214.98	250.78	304.67				
	WEIGHT			0.5	0.57	0.68	0.82	1.2	1.5	2.1				
	CRTN QTY			25	25	20	20	15	12	8				
Locknuts	\$ BLACK	24.32	24.32	24.32	24.32	19.37	23.92	31.11	39.94	62.30				
	\$ GALV	30.61	30.61	30.61	23.36	23.36	28.81	37.74	58.75	75.24				
	WEIGHT	0.1	0.1	0.1	0.57	0.68	0.82	1.2	1.5	2.1				
	CRTN QTY	250	125	100	100	60	40	30	45	25				

▲ = Diameter Nominal, metre equivalent of NPS

\* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 150 Malleable Iron Threaded Fittings											ASTM A197		ANSI B16.3	
	NPS ▲ DN	1/8" 3	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100	6" 150
90° Street Elbows	\$ BLACK	32.55	32.55	32.55	29.57	43.04	63.94	111.33	136.46	193.03	430.30	667.47	1112.51	
	\$ GALV	39.49	39.49	39.49	35.83	51.96	77.19	134.44	164.99	233.09	519.67	806.47	1344.05	
	WEIGHT	0.07	0.09	0.13	0.22	0.33	0.55	0.88	1.1	1.8	2.9	3.9	8.4	
	CRTN QTY	50	35	40	60	30	30	20	13	7	13	8	4	
45° Street Elbows	\$ BLACK	44.53	44.53	44.53	44.53	68.24	90.42	148.48	177.88	296.67	593.23	890.08	1334.94	
	\$ GALV	66.82	66.82	66.82	53.87	82.41	109.35	179.10	214.98	358.44				
	WEIGHT	0.06	0.09	0.13	0.17	0.29	0.46	0.79	0.93	1.5	2.3	3.3	6.2	
	CRTN QTY	50	35	45	100	60	30	20	15	9	15	10	6	

Class 150 Malleable Iron Reducing Threaded Fittings					ASTM A197		ANSI B16.3		
<b>Reducing 90° Elbows</b>					<b>Reducing 90° Elbows</b>				
Size	Wt	Blk	Galv		Size	Wt	Blk	Galv	
1/4" -- 3/8" -- 1/2"					1-1/2 x 3/4	1.4	130.57	157.62	
1/4 x 1/8	0.11	35.43	51.96		1-1/2 x 1/2	1.4	130.57	157.62	
3/8 x 1/4	0.19	35.43	51.96		<b>2"</b>				
3/8 x 1/8	0.19	35.43	51.96		2 x 1-1/2	3.6	193.03	233.09	
1/2 x 3/8	0.29	32.55	39.49		2 x 1-1/4	2.3	193.03	233.09	
1/2 x 1/4	0.29	32.55	39.49		2 x 1	2.3	193.03	233.09	
1/2 x 1/8	0.29	32.55	39.49		2 x 3/4	2.3	193.03	233.09	
<b>3/4"</b>					2 x 1/2	2.3	193.03	233.09	
3/4 x 1/2	0.46	43.04	51.96		<b>2-1/2"</b>				
3/4 x 3/8	0.46	43.04	51.96		2-1/2 x 2	3.6	400.52	587.40	
3/4 x 1/4	0.46	43.04	51.96		2-1/2 x 1-1/2	3.6	400.52	587.40	
3/4 x 1/8	0.46	43.04	51.96		2-1/2 x 1-1/4	3.6	400.52	587.40	
<b>1"</b>					2-1/2 x 1	3.6	400.52	587.40	
1 x 3/4	0.71	65.39	78.96		2-1/2 x 3/4	3.6	400.52	587.40	
1 x 1/2	0.71	65.39	78.96		2-1/2 x 1/2	3.6	400.52	587.40	
1 x 3/8	0.71	65.39	78.96						
1 x 1/4	0.71	65.39	78.96		<b>3"</b>				
<b>1-1/4"</b>					3 x 2-1/2	4.4	668.84	1335.39	
1-1/4 x 1	0.95	105.36	127.14		3 x 2	4.4	668.84	1335.39	
1-1/4 x 3/4	0.95	105.36	127.14		3 x 1-1/2	4.4	668.84	1335.39	
1-1/4 x 1/2	0.95	105.36	127.14		<b>4"</b>				
<b>1-1/2"</b>					4 x 3	6.2	933.41		
1-1/2 x 1-1/4	1.4	130.57	157.62		4 x 2-1/2	6.2	1159.40		
1-1/2 x 1	1.4	130.57	157.62		4 x 2	6.2	1159.40		

▲ = Diameter Nominal, metre equivalent of NPS

\* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 150 Malleable Iron Reducing Threaded Fittings				ASTM A197				ANSI B16.3			
Reducing Couplings				Reducing Couplings				Reducing Couplings			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4" -- 3/8" -- 1/2"				1-1/4 x 3/4	0.55	69.70	84.17	2-1/2 x 1-1/4	1.6	237.23	286.66
1/4 x 1/8	0.08	25.21	30.54	1-1/4 x 1/2	0.55	69.70	84.17	2-1/2 x 1	1.6	237.23	286.66
3/8 x 1/4	0.11	25.21	30.54	1-1/4 x 3/8	0.55	69.70	84.17	2-1/2 x 3/4	1.6	237.23	286.66
3/8 x 1/8	0.11	25.21	30.54	1-1/2"				2-1/2 x 1/2	1.6	237.23	286.66
1/2 x 3/8	0.18	25.21	30.54	1-1/2 x 1-1/4	0.7	83.16	100.53	3"			
1/2 x 1/4	0.18	25.21	30.54	1-1/2 x 1	0.7	83.16	100.53	3 x 2-1/2	2.4	370.79	448.06
1/2 x 1/8	0.18	25.21	30.54	1-1/2 x 3/4	0.7	83.16	100.53	3 x 2	2.4	370.79	448.06
3/4"				1-1/2 x 1/2	0.7	83.16	100.53	3 x 1-1/2	2.4	370.79	448.06
3/4 x 1/2	0.22	32.09	39.09	1-1/2 x 3/8	0.7	83.16	100.53	3 x 1-1/4	2.4	370.79	448.06
3/4 x 3/8	0.22	35.43	43.01	2"				3 x 1	2.4	370.79	448.06
3/4 x 1/4	0.22	35.43	43.01	2 x 1-1/2	1.0	126.10	152.34	4"			
3/4 x 1/8	0.22	35.43	43.01	2 x 1-1/4	1.0	126.10	152.34	4 x 3	4.2	682.31	824.19
1"				2 x 1	1.0	126.10	152.34	4 x 2-1/2	4.2	682.31	824.19
1 x 3/4	0.35	42.91	52.12	2 x 3/4	1.0	126.10	152.34	4 x 2	4.2	682.31	824.19
1 x 1/2	0.35	47.39	57.22	2 x 1/2	1.0	126.10	152.34	4 x 1-1/2	4.2	682.31	824.19
1 x 3/8	0.35	47.39	57.22	2 x 3/8	1.0	126.10	152.34	4 x 1-1/4	4.2	682.31	824.19
1 x 1/4	0.35	47.39	57.22	2-1/2"				6"			
1-1/4"				2-1/2 x 2	1.6	237.23	286.66	6 x 4	4.9	2310.07	
1-1/4 x 1	0.55	69.70	84.17	2-1/2 x 1-1/2	1.6	237.23	286.66				

Class 150 Malleable Iron Reducing Threaded Fittings				ASTM A197				ANSI B16.3			
Reducing Bushings				Reducing Bushings				Reducing Bushings			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4" -- 3/8" -- 1/2"				1-1/4 x 3/8	0.29	59.41	71.71	2-1/2 x 1	0.7	163.07	197.12
1/4 x 1/8	0.05	38.03	59.43	1-1/4 x 1/4	0.29	59.41	71.71	2-1/2 x 3/4	0.7	163.07	197.12
3/8 x 1/4	0.06	38.03	59.43	1-1/2"				2-1/2 x 1/2	0.7	163.07	197.12
3/8 x 1/8	0.06	38.03	59.43	1-1/2 x 1-1/4	0.31	69.70	84.17	3"			
1/2 x 3/8	0.07	22.23	26.97	1-1/2 x 1	0.31	69.70	84.17	3 x 2-1/2	1.5	237.23	286.66
1/2 x 1/4	0.07	22.23	26.97	1-1/2 x 3/4	0.31	69.70	84.17	3 x 2	1.5	237.23	286.66
1/2 x 1/8	0.07	22.23	26.97	1-1/2 x 1/2	0.31	69.70	84.17	3 x 1-1/2	1.5	237.23	286.66
3/4"				1-1/2 x 3/8	0.31	69.70	84.17	3 x 1-1/4	1.5	237.23	286.66
3/4 x 1/2	0.11	25.21	30.54	1-1/2 x 1/4	0.31	69.70	84.17	3 x 1	1.5	237.23	286.66
3/4 x 3/8	0.11	25.21	30.54	1-1/2 x 1/8	0.31	69.70	84.17	3 x 3/4	1.5	237.23	286.66
3/4 x 1/4	0.11	25.21	30.54	2"				4"			
3/4 x 1/8	0.11	25.21	30.54	2 x 1-1/2	0.7	87.10	105.90	4 x 3	3.1	444.94	537.61
1"				2 x 1-1/4	0.7	87.10	105.90	4 x 2-1/2	3.1	444.94	537.61
1 x 3/4	0.20	33.50	40.68	2 x 1	0.7	96.38	116.30	4 x 2	3.1	444.94	537.61
1 x 1/2	0.20	33.50	40.68	2 x 3/4	0.7	96.38	116.30	4 x 1-1/2	3.1	444.94	537.61
1 x 3/8	0.20	37.23	44.97	2 x 1/2	0.7	96.38	116.30	4 x 1-1/4	3.1	444.94	537.61
1 x 1/4	0.20	37.23	44.97	2 x 3/8	0.7	96.38	116.30	4 x 1	3.1	444.94	537.61
1 x 1/8	0.20	42.60	49.99	2 x 1/4	0.7	96.38	116.30	6"			
1-1/4"				2-1/2"				6 x 4	10.3	1215.85	
1-1/4 x 1	0.29	53.44	65.22	2-1/2 x 2	0.7	163.07	197.12	6 x 3	10.3	1215.85	
1-1/4 x 3/4	0.29	59.41	71.71	2-1/2 x 1-1/2	0.7	163.07	197.12				
1-1/4 x 1/2	0.29	59.41	71.71	2-1/2 x 1-1/4	0.7	163.07	197.12				

Δ = Diameter Nominal, metre equivalent of NPS

\* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

**Class 150 Malleable Iron Reducing Threaded Fittings**

**ASTM A197**

**ANSI B16.3**

Reducing Tees				Reducing Tees				Reducing Tees			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4 -- 3/8 -- 1/2"				1-1/4 x 3/4 x 1-1/4	1.1	140.83	170.18	2 x 1-1/2 x 1-1/2	2.1	252.10	304.67
1/4 x 1/4 x 1/8	0.12	64.72	80.17	1-1/4 x 3/4 x 1	1.1	140.83	170.18	2 x 1-1/2 x 1-1/4	2.1	252.10	304.67
3/8 x 3/8 x 1/4	0.20	59.57	80.17	1-1/4 x 3/4 x 3/4	1.1	140.83	170.18	2 x 1-1/2 x 1	2.1	252.10	304.67
1/2 x 1/2 x 1	0.28	93.41	N/A	1-1/4 x 3/4 x 1/2	1.1	118.54	170.18	2 x 1-1/2 x 3/4	2.1	252.10	304.67
1/2 x 1/2 x 3/4	0.28	60.87	73.46	1-1/4 x 1/2 x 1-1/4	1.1	140.83	170.18	2 x 1-1/2 x 1/2	2.1	252.10	304.67
1/2 x 1/2 x 3/8	0.28	50.50	60.87	1-1/4 x 1/2 x 1	1.1	140.83	170.18	2 x 1-1/4 x 2	2.1	252.10	304.67
1/2 x 1/2 x 1/4	0.28	50.50	60.87	1-1/4 x 1/2 x 3/4	1.1	140.83	170.18	2 x 1-1/4 x 1-1/2	2.1	252.10	304.67
3/4"				1-1/4 x 1/2 x 1/2	1.1	140.83	170.18	2 x 1-1/4 x 1-1/4	2.1	252.10	304.67
3/4 x 3/4 x 1	0.42	93.41	112.92	1-1/2"				2 x 1-1/4 x 1	2.1	252.10	304.67
3/4 x 3/4 x 1/2	0.42	54.91	80.17	1-1/2 x 1-1/2 x 2	1.3	252.10	304.67	2 x 1 x 2	2.1	252.10	304.67
3/4 x 3/4 x 3/8	0.42	63.35	80.17	1-1/2 x 1-1/2 x 1-1/4	1.3	177.88	214.98	2 x 1 x 1-1/2	2.1	252.10	304.67
3/4 x 3/4 x 1/4	0.42	60.87	80.17	1-1/2 x 1-1/2 x 1	1.3	177.88	214.98	2 x 1 x 1	2.1	252.10	304.67
3/4 x 1/2 x 1	0.42	93.41	112.92	1-1/2 x 1-1/2 x 3/4	1.3	160.51	195.56	2 x 3/4 x 2	2.1	252.10	304.67
3/4 x 1/2 x 3/4	0.42	60.87	73.46	1-1/2 x 1-1/2 x 1/2	1.3	177.88	214.98	2 x 1/2 x 2	2.1	252.10	304.67
3/4 x 1/2 x 1/2	0.42	60.87	73.46	1-1/2 x 1-1/4 x 2	1.3	177.88	304.67	2-1/2"			
1"				1-1/2 x 1-1/4 x 1-1/2	1.3	177.88	214.98	2-1/2 x 2-1/2 x 2	3.3	519.27	627.24
1 x 1 x 2	0.62	252.10	304.67	1-1/2 x 1-1/4 x 1-1/4	1.3	177.88	214.98	2-1/2 x 2-1/2 x 1-1/2	3.3	519.27	627.24
1 x 1 x 1-1/2	0.62	177.88	N/A	1-1/2 x 1-1/4 x 1	1.3	177.88	214.98	2-1/2 x 2-1/2 x 1-1/4	3.3	519.27	627.24
1 x 1 x 1-1/4	0.62	140.83	N/A	1-1/2 x 1-1/4 x 3/4	1.3	177.88	214.98	2-1/2 x 2-1/2 x 1	3.3	519.27	627.24
1 x 1 x 3/4	0.62	84.20	102.64	1-1/2 x 1-1/4 x 1/2	1.3	177.88	214.98	2-1/2 x 2-1/2 x 3/4	3.3	519.27	627.24
1 x 1 x 1/2	0.62	84.20	102.64	1-1/2 x 1 x 1-1/2	1.3	177.88	214.98	2-1/2 x 2-1/2 x 1/2	3.3	519.27	627.24
1 x 1 x 3/8	0.62	93.41	112.92	1-1/2 x 1 x 1-1/4	1.3	177.88	214.98	2-1/2 x 2 x 2	3.3	519.27	627.24
1 x 1 x 1/4	0.62	93.41	112.92	1-1/2 x 1 x 1	1.3	177.88	214.98	2-1/2 x 1-1/2 x 2	3.3	519.27	627.24
1 x 3/4 x 1	0.62	93.41	112.92	1-1/2 x 1 x 3/4	1.3	177.88	214.98	3"			
1 x 3/4 x 3/4	0.62	93.41	112.92	1-1/2 x 1 x 1/2	1.3	177.88	214.98	3 x 3 x 2-1/2	4.9	741.64	895.98
1 x 3/4 x 1/2	0.62	93.41	112.92	1-1/2 x 3/4 x 1-1/2	1.3	177.88	214.98	3 x 3 x 2	4.9	741.64	895.98
1 x 1/2 x 1	0.62	93.41	112.92	1-1/2 x 3/4 x 1-1/4	1.3	177.88	214.98	3 x 3 x 1-1/2	4.9	741.64	895.98
1 x 1/2 x 3/4	0.62	93.41	112.92	1-1/2 x 3/4 x 1	1.3	177.88	214.98	3 x 3 x 1-1/4	4.9	741.64	895.98
1 x 1/2 x 1/2	0.62	93.41	112.92	1-1/2 x 3/4 x 3/4	1.3	177.88	214.98	3 x 3 x 1	4.9	741.64	895.98
1-1/4"				1-1/2 x 3/4 x 1/2	1.3	177.88	214.98	3 x 3 x 3/4	4.9	741.64	895.98
1-1/4 x 1-1/4 x 2	1.1	252.10	304.67	1-1/2 x 1/2 x 1-1/2	1.3	177.88	214.98	4"			
1-1/4 x 1-1/4 x 1-1/2	1.1	177.88	214.98	1-1/2 x 1/2 x 1	1.3	177.88	214.98	4 x 4 x 3	9.9	1409.11	1702.48
1-1/4 x 1-1/4 x 1	1.1	140.83	170.18	1-1/2 x 1/2 x 3/4	1.3	177.88	214.98	4 x 4 x 2-1/2	9.9	1409.11	1702.48
1-1/4 x 1-1/4 x 3/4	1.1	140.83	170.18	2"				4 x 4 x 2	9.9	1409.11	1702.48
1-1/4 x 1-1/4 x 1/2	1.1	140.83	170.18	2 x 2 x 2-1/2	2.1	519.27	627.24	4 x 4 x 1-1/2	9.9	1409.11	1702.48
1-1/4 x 1-1/4 x 3/8	1.1	140.83	170.18	2 x 2 x 1-1/2	2.1	252.10	304.67	4 x 4 x 1-1/4	9.9	1409.11	1702.48
1-1/4 x 1-1/4 x 1/4	1.1	140.83	170.18	2 x 2 x 1-1/4	2.1	252.10	304.67	4 x 4 x 1	9.9	1409.11	1702.48
1-1/4 x 1 x 1-1/4	1.1	140.83	170.18	2 x 2 x 1	2.1	227.33	276.97				
1-1/4 x 1 x 1	1.1	140.83	170.18	2 x 2 x 3/4	2.1	227.33	276.97				
1-1/4 x 1 x 3/4	1.1	127.17	170.18	2 x 2 x 1/2	2.1	252.10	304.67				
1-1/4 x 1 x 1/2	1.1	140.83	170.18	2 x 1-1/2 x 2	2.1	252.10	304.67				

Δ = Diameter Nominal, metre equivalent of NPS

\* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 300 Malleable Iron Threaded Fittings										ASTM A197		ANSI B16.3	
	NPS ▲ DN	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100	
90° Eblows	\$ BLACK	38.83	38.83	33.47	39.46	63.10	90.52	129.32	193.93	355.57	610.21		
	\$ GALV			46.74	53.61	82.73	123.01	165.22	654.04		654.04		
	WEIGHT	0.2	0.29	0.5	0.77	1.2	1.8	2.4	3.8	6.3	9.5		
	CRTN QTY	25	25	50	30	25	15	10	6	3	2		
45° Elbows	\$ BLACK	49.20	49.20	54.73	58.40	71.14	110.88	145.89	226.23	435.87	633.98		
	\$ GALV			67.81	75.28	98.71	137.28	174.10	289.77				
	WEIGHT	0.19	0.28	0.44	0.7	1.1	1.7	2.2	3.4	5.6	8.3		
	CRTN QTY	20	50	25	25	10	12	5	15	4	2		
Tees	\$ BLACK	46.86	46.86	49.71	59.18	84.06	135.75	177.76	277.93	554.82	727.14		
	\$ GALV			69.40	82.73	113.17	178.56	238.12	369.84		977.74		
	WEIGHT	0.29	0.42	0.67	1.1	1.7	2.6	3.4	5.3	8.4	12.8		
	CRTN QTY	25	25	25	16	20	14	10	7	15	10		
Coupling	\$ BLACK	29.71	29.71	32.89	35.58	58.62	97.85	126.37	181.01	357.42	523.05		
	\$ GALV			40.91	48.19	53.42	121.42	156.93	249.83		640.97		
	WEIGHT	0.17	0.26	0.44	0.72	1.1	1.7	2.1	3.5	5.4	7.4		
	CRTN QTY	100	50	30	20	15	12	8	16	10	8		
Caps	\$ BLACK			38.05	38.05	50.76	55.52	80.90	112.59				
	\$ GALV			37.36	40.91	53.42	68.87	100.34	139.68				
	WEIGHT			0.26	0.93	0.62	0.98	1.3	1.9				
	CRTN QTY			20	40	25	15	10	6				
Unions Brass To Iron	\$ BLACK	80.80	106.65	86.52	100.15	124.84	202.90	212.63	303.81	836.56	1157.41		
	\$ GALV	145.89	148.46	#####	152.60	202.80	282.77	340.50	408.70	690.90	1268.92		
	WEIGHT	0.3	0.4	0.64	0.97	1.5	2.2	2.6	4.2	7.3	10.5		
	CRTN QTY	50	50	50	35	16	12	10	6	5	7		
90° Street Elbows	\$ BLACK			50.76	72.14	84.82	116.49	152.19	224.71				
	\$ GALV												
	WEIGHT			0.39	0.61	0.98	1.49	2.04	3.24				
	CRTN QTY			30	15	10	8	8	5				
Reducing Coupling	\$ BLACK			47.21	48.36	58.62	90.52	111.45	181.01	307.04	538.81		
	\$ GALV				59.92								
	WEIGHT			0.25	0.55	0.83	1.3	1.8	2.8	4.5	5.9		
	CRTN QTY			10	60	30	15	20	14	8	6		
Reducing Tees	\$ BLACK				89.20	109.02	150.60	194.20	291.69				
	\$ GALV												
	WEIGHT				0.85	1.28	2	2.5	4				
	CRTN QTY				15	10	12	8	6				

▲ = Diameter Nominal, metre equivalent of NPS

\* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45