



**CORPORATION**

# Forged Steel Fittings and Unions

<b>PRICE SCHEDULE:</b>	
<b>C-2011</b>	
<b>EFFECTIVE:</b>	May, 8  2011
Subject to change without notice.	

## GENERAL NOTES

- MINIMUM INVOICE:** \$50.00 net
- PRICES:** All prices are each.  
Taxes extra as applicable
- F.O.B. :** Our plant, stocking warehouse.
- PAYMENT TERMS:** Net 30 days.
- OTHER TERMS:** The "General Terms and Conditions" apply to all orders.

<p><b>ONTARIO</b> 1387 Cornwall Road Oakville, ON L6J 7T5 PHONE <b>905-842-CCTF (2283)</b> FAX <b>905-842-1466</b> TOLL FREE <b>1-888-399-CCTF (2283)</b></p> <p><b>HALIFAX SALES OFFICE</b> PHONE <b>902-466-CCTF (2283)</b></p>	<p><b>ALBERTA</b> 5407 – 53<sup>rd</sup> Avenue NW Edmonton, AB T6B 3G2 PHONE <b>780-463-8700</b> FAX <b>780-463-7433</b> TOLL FREE <b>1-800-661-3633</b></p>	<p><b>BRITISH COLUMBIA</b> #4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE <b>604-540-6177</b> FAX <b>604-540-2836</b> TOLL FREE <b>1-866-540-6177</b></p> <p><b>QUEBEC SALES OFFICE</b> TOLL FREE <b>1-888-399-CCTF (2283)</b></p>
---	---	---

Threaded Forged Steel Fittings											ASME B16.11		
Class 2000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL PIPE SIZE		90° Elbows			45° Elbows			Tees			Crosses		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	----	--	--	----	--	--	----	--	--	----	--	--
1/4"	6	16.73	0.20	25	28.07	0.19	25	23.98	0.26	25	POA	0.52	25
3/8"	10	16.73	0.27	25	28.07	0.22	25	26.88	0.34	25	POA	0.46	25
1/2"	15	22.67	0.52	25	28.07	0.46	25	30.00	0.60	25	POA	0.78	25
3/4"	20	25.15	0.78	25	32.05	0.70	25	41.07	1.01	25	POA	1.13	25
1"	25	31.53	1.14	25	37.50	0.97	25	56.11	1.44	25	102.66	1.58	25
1-1/4"	32	52.50	1.58	25	61.44	1.38	25	82.78	2.00	25	POA	2.45	20
1-1/2"	40	81.15	2.42	25	71.19	1.73	25	117.52	2.87	20	248.31	3.19	10
2"	50	102.50	3.58	10	129.16	3.21	10	145.65	4.46	10	335.46	5.43	8
2-1/2"	65	246.75	6.50	--	POA	7.75	--	380.37	9.53	--	POA	16.44	--
3"	80	455.16	10.50	--	565.11	11.31	--	631.00	12.91	--	1210.32	19.50	--
4"	100	POA	26.67	--	POA	19.13	--	POA	28.70	--	POA	32.69	--

Threaded Forged Steel Fittings											ASME B16.11		
Class 3000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL PIPE SIZE		90° Elbows			45° Elbows			Tees			Crosses		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	22.97	0.20	25	29.01	0.25	25	28.44	0.32	25	51.18	0.44	25
1/4"	6	22.97	0.35	25	29.01	0.29	25	28.44	0.43	25	64.26	0.57	25
3/8"	10	25.80	0.62	25	31.76	0.56	25	30.40	0.75	25	77.77	0.97	25
1/2"	15	25.80	0.97	25	33.13	0.90	25	33.10	1.32	25	77.77	1.51	25
3/4"	20	33.04	1.42	25	37.90	1.28	25	50.85	1.96	25	112.62	2.50	25
1"	25	47.78	2.20	25	52.42	1.94	25	64.53	3.16	20	131.97	3.58	20
1-1/4"	32	81.10	3.06	20	75.36	2.23	25	107.44	3.80	15	219.62	4.13	12
1-1/2"	40	120.36	5.38	10	114.92	4.68	12	147.11	7.31	10	290.62	6.50	8
2"	50	143.54	6.10	9	158.41	4.93	9	194.57	7.50	8	413.50	8.67	7
2-1/2"	65	354.21	11.90	--	392.08	7.38	--	438.32	13.13	--	POA	16.75	--
3"	80	532.48	14.44	--	637.32	13.56	--	878.64	23.10	--	1485.11	25.67	--
4"	100	1120.33	31.97	--	1141.60	19.06	--	1436.40	40.00	--	POA	32.00	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Threaded Forged Steel Fittings													ASME B16.11	
Class 3000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL PIPE SIZE		Couplings			Reducing Couplings			Half Couplings			Pipe Caps			
		LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	
NPS	ΔDN													
1/8"	3	12.14	0.10	25	----	--	--	6.92	0.06	25	13.45	0.08	25	
1/4"	6	12.14	0.10	25	15.27	0.12	25	6.92	0.06	25	13.45	0.08	25	
3/8"	10	12.14	0.11	25	15.27	0.16	25	6.92	0.06	25	13.45	0.09	25	
1/2"	15	11.52	0.27	25	17.24	0.34	25	8.64	0.14	25	14.63	0.24	25	
3/4"	20	15.72	0.39	25	23.94	0.51	25	9.23	0.19	25	20.39	0.36	25	
1"	25	23.65	0.81	25	34.94	1.01	25	14.87	0.42	25	31.17	0.72	25	
1-1/4"	32	45.11	1.57	25	51.57	1.87	25	23.12	0.79	25	36.32	1.00	25	
1-1/2"	40	60.64	2.20	25	70.92	2.49	25	30.95	1.13	25	49.67	1.63	25	
2"	50	78.23	3.15	16	107.05	3.69	16	43.99	1.55	25	77.12	3.13	25	
2-1/2"	65	159.15	4.86	--	551.91	6.00	--	92.71	2.33	--	222.90	5.00	--	
3"	80	347.95	6.66	--	901.46	8.75	--	244.21	3.40	--	419.39	7.19	--	
4"	100	665.41	12.90	--	1410.48	10.00	--	403.35	8.38	--	498.64	14.00	--	

Threaded Forged Steel Fittings													ASME B16.11	
Class 3000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL PIPE SIZE		Street Elbows			Laterals									
		LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY							
NPS	ΔDN													
1/8"	3	35.67	0.26	25	----	--	--							
1/4"	6	35.67	0.22	25	----	--	--							
3/8"	10	35.67	0.35	25	----	--	--							
1/2"	15	38.21	0.58	25	POA	1.75	--							
3/4"	20	48.98	0.97	25	POA	2.75	--							
1"	25	62.67	1.79	25	POA	4.63	--							
1-1/4"	32	105.47	2.34	20	POA	5.50	--							
1-1/2"	40	133.78	4.29	12	POA	9.50	--							
2"	50	190.97	5.46	8	POA	10.81	--							
2-1/2"	65	----	--	--	----	--	--							
3"	80	----	--	--	----	--	--							
4"	100	----	--	--	----	--	--							

Reducing Threaded and Socket Weld Fittings when available are 100% extra  
 Electro-Galvanized Fittings when available are 20% extra

Threaded Forged Steel Fittings											ASME B16.11		
Class 6000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL PIPE SIZE		90° Elbows			45° Elbows			Tees			Crosses		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	POA	0.25	25	POA	0.25	25	POA	0.50	25	POA	0.56	25
1/4"	6	48.25	0.63	25	POA	0.64	25	53.89	0.85	25	POA	1.19	25
3/8"	10	POA	1.02	25	POA	0.50	25	POA	1.41	25	POA	1.50	25
1/2"	15	43.56	1.71	25	58.04	1.44	25	55.74	2.26	25	POA	2.75	25
3/4"	20	55.58	2.63	25	81.02	2.19	25	74.33	3.56	20	POA	4.31	20
1"	25	71.14	3.83	20	82.72	2.78	20	123.04	5.05	15	POA	6.63	20
1-1/4"	32	120.24	6.75	20	POA	4.69	20	POA	7.63	15	POA	10.75	10
1-1/2"	40	187.36	7.50	10	243.28	5.75	10	215.46	9.63	8	POA	11.50	7
2"	50	326.30	13.44	--	339.21	9.50	--	407.99	18.70	--	POA	22.19	--
2-1/2"	65	POA	20.88	--	POA	15.00	--	POA	28.06	--	POA	19.50	--
3"	80	POA	39.05	--	POA	30.56	--	POA	47.50	--	POA	54.00	--
4"	100	POA	40.00	--	POA	--	--	POA	--	--	POA	--	--

Threaded Forged Steel Fittings											ASME B16.11		
Class 6000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL PIPE SIZE		Pipe Caps			Couplings			Reducing Couplings			Half Couplings		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	POA	0.13	25	28.69	0.16	25	----	--	--	POA	0.07	25
1/4"	6	28.40	0.13	25	28.70	0.25	25	232.03	0.25	25	25.82	0.09	25
3/8"	10	POA	0.19	25	28.70	0.25	25	POA	0.43	25	POA	0.13	25
1/2"	15	32.08	0.31	25	22.44	0.68	25	232.03	0.75	25	20.64	0.33	25
3/4"	20	48.73	0.44	25	24.38	0.91	25	232.03	1.05	25	20.64	0.47	25
1"	25	51.83	0.75	25	37.98	1.93	25	278.43	2.00	25	25.56	0.95	25
1-1/4"	32	POA	1.31	25	87.85	2.38	20	POA	3.70	20	60.79	1.19	25
1-1/2"	40	134.00	1.69	25	87.85	4.15	16	POA	4.60	16	62.99	2.19	25
2"	50	159.27	3.25	20	151.91	6.25	--	639.95	7.00	--	112.10	3.08	--
2-1/2"	65	POA	8.10	--	POA	10.75	--	POA	11.00	--	POA	5.38	--
3"	80	POA	11.70	--	1400.89	13.50	--	POA	15.00	--	POA	6.75	--
4"	100	POA	14.25	--	POA	24.50	--	POA	26.00	--		7.00	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

<b>Threaded Forged Steel Fittings</b>										<b>ASME B16.11</b>			
<b>Class 6000</b>										<b>Carbon Steel ASTM A-105-N / ASME SA-105-N</b>			
NOMINAL PIPE SIZE		Street Elbows			Laterals								
		LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY						
NPS	ΔDN												
1/8"	3	POA	0.37	--	----	--	--						
1/4"	6	POA	0.38	--	----	--	--						
3/8"	10	POA	0.44	--	----	--	--						
1/2"	15	POA	1.00	--	POA	2.38	--						
3/4"	20	POA	1.63	--	POA	3.25	--						
1"	25	POA	3.03	--	POA	5.44	--						
1-1/4"	32	POA	3.69	--	POA	7.19	--						
1-1/2"	40	POA	7.12	--	POA	12.31	--						
2"	50	----	--	--	----	--	--						
2-1/2"	65	----	--	--	----	--	--						
3"	80	----	--	--	----	--	--						
4"	100	----	--	--	----	--	--						

<b>Threaded Forged Steel Fittings</b>										<b>ASME B16.11</b>			
<b>Class 3000/6000</b>										<b>Carbon Steel ASTM A-105-N / ASME SA-105-N</b>			
NOMINAL PIPE SIZE		Hexagon Plugs			Hexagon Bushings			Round Head Plugs			Square Head Plugs		
		LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
NPS	ΔDN												
1/8"	3	4.63	0.01	25	----	--	--	9.77	0.03	25	5.75	0.02	25
1/4"	6	5.32	0.05	25	6.83	0.03	25	9.77	0.09	25	6.11	0.03	25
3/8"	10	5.83	0.07	25	6.83	0.03	25	9.77	0.14	25	6.93	0.04	25
1/2"	15	6.26	0.14	25	6.83	0.06	25	7.79	0.23	25	7.12	0.09	25
3/4"	20	9.01	0.28	25	8.89	0.11	25	9.05	0.39	25	9.48	0.16	25
1"	25	13.18	0.44	25	15.07	0.21	25	13.82	0.71	25	13.24	0.33	25
1-1/4"	32	23.65	0.91	25	22.80	0.41	25	33.66	1.13	25	21.68	0.57	25
1-1/2"	40	31.71	1.31	25	29.19	0.41	25	34.12	1.56	25	29.81	0.81	25
2"	50	54.69	2.19	25	49.06	0.92	25	49.93	3.10	20	47.83	1.35	25
2-1/2"	65	125.63	3.72	--	146.47	1.29	--	POA	4.75	--	132.84	2.25	--
3"	80	224.85	5.87	--	240.69	2.13	--	153.88	7.62	--	222.09	2.87	--
4"	100	328.80	13.00	--	359.84	4.50	--	POA	12.87	--	327.44	7.18	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Socket Welding Forged Steel Fittings											ASME B16.11		
Class 3000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL PIPE SIZE		90° Elbows			45° Elbows			Tees			Crosses		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	POA	0.13	25	POA	0.13	25	30.68	0.25	25	POA	0.25	25
1/4"	6	23.85	0.18	25	29.10	0.20	25	30.68	0.25	25	61.19	0.25	25
3/8"	10	25.04	0.27	25	29.10	0.21	25	31.76	0.34	25	71.36	0.38	25
1/2"	15	27.42	0.48	25	27.31	0.43	25	30.98	0.58	25	104.07	0.81	25
3/4"	20	28.28	0.69	25	32.66	0.68	25	45.46	0.92	25	107.39	1.13	25
1"	25	36.50	1.10	25	42.83	0.85	25	53.10	1.38	25	109.99	1.55	25
1-1/4"	32	57.28	1.54	25	59.96	1.36	25	72.13	1.95	25	143.15	2.25	14
1-1/2"	40	75.94	2.33	25	74.09	1.63	25	112.18	2.90	20	233.70	3.06	12
2"	50	113.26	3.43	10	129.06	2.97	10	157.51	4.48	10	287.21	5.13	8
2-1/2"	65	256.22	6.61	--	334.72	6.75	--	362.78	8.75	--	POA	18.00	--
3"	80	462.28	10.87	--	560.68	10.50	--	952.09	12.50	--	POA	23.00	--
4"	100	1095.61	25.00	--	1108.93	18.19	--	1433.58	27.80	--	POA	40.00	--

Socket Welding Forged Steel Fittings											ASME B16.11		
Class 3000											Carbon Steel ASTM A-105-N / ASME SA-105-N		
NOMINAL PIPE SIZE		Couplings			Reducing Couplings			Half Couplings			Pipe Caps		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	27.42	0.13	25	----	--	--	POA	0.13	25	POA	0.06	25
1/4"	6	27.42	0.13	25	POA	0.12	25	24.48	0.13	25	27.38	0.06	25
3/8"	10	27.42	0.13	25	46.86	0.18	25	25.66	0.13	25	27.38	0.13	25
1/2"	15	15.48	0.22	25	49.93	0.34	25	15.61	0.30	25	19.66	0.21	25
3/4"	20	20.42	0.39	25	59.66	0.50	25	18.06	0.45	25	22.44	0.34	25
1"	25	22.51	0.55	25	59.66	0.73	25	20.26	0.72	25	34.36	0.53	25
1-1/4"	32	38.96	0.88	25	117.78	1.35	25	44.74	0.81	25	40.11	0.81	25
1-1/2"	40	49.80	1.28	25	123.44	1.58	25	48.61	1.00	25	54.63	1.13	25
2"	50	79.46	1.79	25	140.60	3.50	20	65.97	2.00	25	84.95	1.69	25
2-1/2"	65	143.44	2.55	--	631.09	6.20	--	POA	2.63	--	432.00	3.00	--
3"	80	342.69	4.04	--	1049.63	6.50	--	389.86	3.88	--	472.82	3.63	--
4"	100	485.58	6.63	--	POA	7.00	--	POA	6.63	--	674.26	6.69	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Socket Welding Forged Steel Fittings										ASME B16.11			
Class 3000										Carbon Steel ASTM A-105-N / ASME SA-105-N			
NOMINAL PIPE SIZE		Inserts			Lateral								
		LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY						
NPS	ΔDN												
1/8"	3	----	--	--	----	--	--						
1/4"	6	----	--	--	----	--	--						
3/8"	10	29.81	0.20	25	----	--	--						
1/2"	15	29.81	0.20	25	POA	1.00	--						
3/4"	20	33.13	0.31	25	POA	1.50	--						
1"	25	40.24	0.42	25	POA	2.38	--						
1-1/4"	32	46.63	0.69	25	POA	3.75	--						
1-1/2"	40	58.80	0.82	25	POA	4.13	--						
2"	50	79.50	0.93	25	POA	6.28	--						
2-1/2"	65	552.38	1.60	--	----	--	--						
3"	80	699.90	3.85	--	----	--	--						
4"	100	POA	6.25	--	----	--	--						

Unions - Threaded & Socket Welding										MSS-SP83			
Steel to Steel										Carbon Steel ASTM A-105-N / ASME SA-105-N			
NOMINAL PIPE SIZE		Unions - Threaded						Unions - Socket Welding					
		3000			6000			3000			6000		
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY
1/8"	3	43.10	0.38	25	----	--	--	48.49	0.38	25	----	--	--
1/4"	6	43.10	0.38	25	85.70	0.56	25	48.49	0.38	25	103.97	0.56	25
3/8"	10	43.10	0.50	25	POA	0.75	25	48.49	0.50	25	POA	0.75	25
1/2"	15	43.10	0.73	25	95.99	1.25	25	48.49	0.70	25	103.97	1.25	25
3/4"	20	48.49	1.20	25	114.55	1.75	25	55.01	1.17	25	118.83	1.75	25
1"	25	63.11	1.73	25	142.43	3.17	20	70.83	1.70	25	165.35	3.17	20
1-1/4"	32	111.40	2.61	18	POA	3.75	15	119.50	2.48	18	267.05	3.75	15
1-1/2"	40	114.84	3.42	14	288.48	6.00	9	123.16	3.37	14	312.76	6.00	9
2"	50	148.45	5.32	9	355.61	10.50	5	175.31	5.22	9	408.23	10.50	5
2-1/2"	65	265.38	8.75	--	----	--	--	408.18	8.75	--	----	--	--
3"	80	420.51	13.00	--	----	--	--	520.83	12.63	--	----	--	--
4"	100	POA	18.00	--	----	--	--	POA	17.25	--	----	--	--

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra

Socket Welding Forged Steel Fittings													ASME B16.11	
Class 6000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL PIPE SIZE		90° Elbows			45° Elbows			Tees			Couplings			
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	
1/8"	3	----	--	--	----	--	--	----	--	--	----	--	--	
1/4"	6	----	--	--	----	--	--	----	--	--	----	--	--	
3/8"	10	37.04	0.80	25	----	--	--	----	--	--	----	--	--	
1/2"	15	37.04	0.90	25	45.05	0.88	25	45.74	1.38	25	26.42	0.78	25	
3/4"	20	43.18	1.44	25	49.14	0.88	25	63.64	1.96	25	27.84	1.26	25	
1"	25	59.24	2.37	25	69.65	1.91	25	79.68	3.22	20	37.40	1.44	25	
1-1/4"	32	86.49	3.19	18	176.59	2.27	20	205.69	3.75	18	113.92	1.63	25	
1-1/2"	40	128.80	5.81	10	185.24	4.31	12	207.22	7.48	7	113.92	2.00	20	
2"	50	192.70	6.90	--	230.89	4.81	--	260.94	8.24	--	150.92	3.88	--	
2-1/2"	65	POA	11.88	--	POA	9.63	--	POA	16.63	--	POA	5.50	--	
3"	80	POA	19.25	--	POA	14.25	--	POA	23.50	--	POA	6.63	--	
4"	100	POA	32.70	--	POA	27.25	--	POA	33.00	--	POA	13.13	--	

Socket Welding Forged Steel Fittings													ASME B16.11	
Class 6000													Carbon Steel ASTM A-105-N / ASME SA-105-N	
NOMINAL PIPE SIZE		Half Couplings			Reducing Couplings			Pipe Caps			Reducing Inserts			
NPS	ΔDN	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	LIST PRICE	WGT LBS	CTN QTY	
1/8"	3	----	--	--	----	--	--	----	--	--	----	--	--	
1/4"	6	----	--	--	----	--	--	----	--	--	----	--	--	
3/8"	10	----	--	--	----	--	--	----	--	--	----	--	--	
1/2"	15	47.17	0.38	25	POA	0.78	25	36.88	0.38	25	POA	0.15	--	
3/4"	20	54.04	0.56	25	POA	1.26	25	53.81	0.50	25	61.46	0.20	--	
1"	25	57.50	1.00	25	245.30	1.44	25	57.00	1.13	25	81.93	0.50	--	
1-1/4"	32	POA	1.44	25	POA	1.63	25	POA	1.13	25	POA	0.83	--	
1-1/2"	40	505.86	2.00	20	390.51	2.00	20	172.34	2.25	20	169.29	0.95	--	
2"	50	569.10	3.88	12	514.66	3.88	12	256.81	3.50	12	238.92	1.97	--	
2-1/2"	65	POA	5.50	--	POA	5.50	--	POA	5.63	--	POA	2.20	--	
3"	80	POA	6.00	--	POA	6.63	--	POA	6.00	--	POA	3.10	--	
4"	100	POA	--	--	POA	13.13	--	POA	14.25	--	POA	--	--	

Reducing Threaded and Socket Weld Fittings when available are 100% extra

Electro-Galvanized Fittings when available are 20% extra