



CORPORATION

# Shurjoint Grooved Piping Products

<b>Price Schedule:</b> <b>G-2011</b>	
<b>Effective Date:</b>	<b>March 28, 2010</b>
Subject to Change Without Notice	

## GENERAL NOTES

**MINIMUM INVOICE:** \$50.00 net

**PRICES:** All prices are each.  
Taxes extra as applicable

**F.O.B. :** Our plant, stocking warehouse.  
Any single order having a total order value of \$7500 or more for shipment to a single destination, will have full freight allowed at the lowest published rate for the most economical way. Shipments to remote locations may, at our option, be subject to less than full freight allowance.

**PAYMENT TERMS:** Net 30 days.

**OTHER TERMS:** The "General Terms and Conditions" apply to all orders.

<b>ONTARIO WAREHOUSE</b>	<b>ALBERTA WAREHOUSE</b>	<b>BRITISH COLUMBIA WAREHOUSE</b>
1387 Cornwall Road Oakville, ON L6J 7T5 PHONE <b>905-842-CCTF (2283)</b> FAX <b>905-842-1466</b> TOLL FREE <b>1-888-399-CCTF (2283)</b>	5407 – 53rd Avenue NW Edmonton, AB T6B 3G2 PHONE <b>780-463-8700</b> FAX <b>780-463-7433</b> TOLL FREE <b>1-800-661-3633</b>	#4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE <b>604-540-6177</b> FAX <b>604-540-2836</b> TOLL FREE <b>1-866-540-6177</b>
<b>HALIFAX SALES OFFICE</b> PHONE <b>902-466-CCTF (2283)</b>		<b>QUEBEC SALES</b> TOLL FREE <b>1-888-399-CCTF (2283)</b>

---

# Contents

## **Section 1.0 Grooved Couplings, Flanges & Mech Tees**

Couplings -Installation Ready	Page 3
-Rigid	Page 3
-Extra Heavy	Page 4, 8
-Flexible	Page 4, 5
-Large Diameter	Page 5
-Reducing	Page 6
-Hinged	Page 6
-Outlet	Page 7
Flanges -ANSI 125/150	Page 8
-ANSI 300	Page 8
Sandwich Plates	Page 9
Flange Adapters	Page 9, 10
Threaded Mechanical Tees	Page 10, 11
Grooved Mechanical Tees	Page 11, 12
Saddle-let	Page 12

## **Section 2.0 Cast & Wrought Grooved Fittings**

Elbows	Page 13, 14, 15, 21, 24
Tee	Page 15, 24
Cross	Page 16
Laterals	Page 16
Reducing Tees	Page 17, 18
True Wye	Page 18
Concentric Reducers	Page 19
Eccentric Reducers	Page 20
Adapters	Page 22
Caps	Page 23
End-All	Page 24
Adapter Nipples	Page 25, 26, 27

## **Section 3.0 Stainless Steel**

Couplings	Page 28, 29
Elbows	Page 30
Tee	Page 31
Caps	Page 31
Reducing Tees	Page 32
Concentric Reducers	Page 33
Flanges and Flange Adapters	Page 34
Ball Valve	Page 34
Butterfly Valves	Page 35

## **Section 4.0 Flow Control**

Y-Strainer	Page 36
Suction Diffuser	Page 36
Expansion Joints	Page 36
Check Valves	Page 37, 39
Ball Valves	Page 38
Butterfly Valves	Page 38

## **Section 6.0 Plain End Products**

Plain-End Piping System (Wildcat)	Page 40
-----------------------------------	---------

## **Section 8.0 HDP Series**

Couplings	Page 41
Flanges	Page 42

## **Section 8.0 Copper Series**

Couplings -Rigid	Page 43
-Reducing	Page 43
-Transition	Page 43
Flanges	Page 44
Elbows	Page 44
Tees	Page 45
Caps	Page 45
Reducing Tees	Page 45, 46
Concentric Reducers	Page 46, 47
Adapters	Page 47
Y-Strainer	Page 47
Butterfly Valves	Page 47
Dielectric Fittings	Page 48
Mechanical Tees	Page 48

## **Section 9.0 AWWA Ductile Iron Series**

Couplings-AWWA	Page 49
Couplings-Transition	Page 49
Flange Adapters	Page 49
Sandwich Plates	Page 49
Elbows	Page 50, 51
Tees	Page 50
Caps	Page 50
Reducing Tees	Page 51
Concentric Reducers	Page 51

## **Section 11.0 Spare Parts**

Gaskets -Couplings Standard	Page 52
-Gap Seal	Page 52
-Reducing Cplgs	Page 53
-Flange Standard	Page 53
-Outlet Coupling	Page 54
-Mech Tees	Page 54, 55
-Wildcat	Page 55
-HDPE	Page 55, 56
-Couplings Extra Heavy	Page 56
-Couplings Copper	Page 56
-Flange Copper	Page 57
-Couplings AWWA	Page 57
-Flange AWWA	Page 57, 58
Bolts and Nuts	Page 58, 59
Lubricant	Page 59
Wrenches	Page 59

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #M-7 Installation Ready Rigid Coupling

Nom. Size	Approx. Weight	Inner carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.		
2	2.10	-	-	POA	POA	2.00	3/8 x 2-1/8
2 ½	2.50	-	-	POA	POA	2.00	3/8 x 2-1/8
3	3.60	-	-	POA	POA	2.00	3/8 x 2-1/8
4	5.00	-	-	POA	POA	2.00	3/8 x 2-1/8
5	6.60	-	-	POA	POA	2.00	1/2 x 3
6	8.10	-	-	POA	POA	2.00	1/2 x 3

## SHURJOINT #Z-05 Angle Pad Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Cplg.with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt/Nut	
				(CAN\$)		(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.		
1 ¼	1.4	50	1200	12.18	17.99	POA	POA	2	3/8 x 2-1/8
1 ½	1.5	40	960	12.60	17.99	POA	POA	2	3/8 x 2-1/8
2	1.7	30	720	13.69	20.14	POA	POA	2	3/8 x 2-3/4
2 ½	2.1	24	576	15.90	23.52	POA	POA	2	3/8 x 2-3/4
3	2.6	20	480	18.53	27.55	POA	POA	2	3/8 x 2-3/4
4	4.1	12	350	26.20	38.80	POA	POA	2	3/8 x 3
5	5.7	10	230	44.52	55.71	POA	POA	2	1/2 x 3
6	6.8	7	170	44.52	66.02	POA	POA	2	1/2 x 3
8	13.4	-	80	72.00	106.57	POA	POA	2	5/8 x 4-3/4

## SHURJOINT #Z-07 Rigid Coupling

Nom. Size	Approx.	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Cplg.with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.		
1 ¼	1.6	48	1152	16.82	24.93	POA	POA	2	3/8 x 2-1/8
1 ½	2	40	960	16.82	24.93	POA	POA	2	3/8 x 2-3/4
2	2.4	36	864	17.03	25.13	POA	POA	2	3/8 x 2-3/4
2 ½	2.4	34	576	19.34	28.63	POA	POA	2	3/8 x 2-3/4
3	3.1	20	550	22.52	33.35	POA	POA	2	1/2 x 3
4	4.4	12	330	32.55	48.23	POA	POA	2	1/2 x 3
5	6.6	7	230	41.82	61.77	POA	POA	2	5/8 x 3-1/2
6	7.1	6	150	55.99	82.92	POA	POA	2	5/8 x 3-1/2
8	15.7	-	80	88.54	131.09	POA	POA	2	3/4 x 4-3/4
10	22.9	-	50	157.79	233.54	POA	POA	2	7/8 x 6-1/2
12	26	-	40	189.26	280.30	POA	POA	2	7/8 x 6-1/2
14	32.8	-	-	405.72	600.73	POA	POA	3	7/8 x 5-1/2
16	41.2	-	-	529.19	783.41	POA	POA	3	7/8 x 5-1/2
18	54.2	-	-	611.64	905.54	POA	POA	3	7/8 x 5-1/2
20	67.2	-	-	728.20	1,078.17	POA	POA	4	1 x 3-1/2
24	46.2	-	-	1,072.46	1,587.84	POA	POA	4	1 x 3-1/2

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #XH-1000 Extra Heavy Rigid Coupling

Nom. Size (in)	Approx. (lbs)	Inner carton (pcs)	Crate Qty. (pcs)	Cplg.with "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & (in)	
				Painted	Galv.	(pcs)	(in)
2	3.3	25	600	51.32	POA	2	5/8 x 2-3/4
2 ½	34	20	480	58.36	POA	2	5/8 x 2-3/4
3	4.8	-	440	64.84	POA	2	5/8 x 2-3/4
4	8.8	-	230	95.83	POA	2	3/4 x 4-3/4
6	17.6	-	120	174.52	POA	2	7/8 x 5-1/2
8	24.2	-	-	280.53	POA	2	1 x 5-1/2
10	30.8	-	-	519.57	POA	2	1 x 5-1/2
12	36.7	-	-	758.73	POA	2	1 x 5-1/2

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

## SHURJOINT #7705 Flexible Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg.with "E" or "T" Gasket (CAN\$)		Cplg. with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (in)	
				Painted	Galv.	Painted	Galv.	(pcs)	(in)
1	1.3	30	1440	13.07	19.17	POA	POA	2	3/8 x 1-3/4
1 ¼	1.5	50	1200	13.07	19.17	POA	POA	2	3/8 x 2-1/8
1 ½	1.6	40	960	13.07	19.17	POA	POA	2	3/8 x 2-1/8
2	1.8	30	720	13.07	19.17	POA	POA	2	3/8 x 2-1/8
2 ½	2	24	576	15.92	20.18	POA	POA	2	3/8 x 2-1/8
3	2.8	20	550	18.49	27.37	POA	POA	2	1/2 x 3
3 ½	3.3	-	-	23.96	35.52	POA	POA	2	1/2 x 3
4	4.1	12	350	27.22	36.73	POA	POA	2	1/2 x 3
5	5.7	7	230	48.73	58.55	POA	POA	2	5/8 x 3-1/2
6	7	6	170	48.41	64.29	POA	POA	2	5/8 x 3-1/2
8	12.8	-	80	76.29	105.77	POA	POA	2	5/8 x 3-1/2
10	18	-	50	130.07	192.54	POA	POA	2	3/4 x 4-3/4
12	23.8	-	40	185.81	275.20	POA	POA	2	7/8 x 6-1/2

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #7707 Flexible Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Cplg. with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(CAN\$)			
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.	(pcs)	(in)
¾	1.3	30	1440	17.13	24.17	POA	POA	2	3/8 x 1-3/4
1	1.7	26	1248	17.13	24.17	POA	POA	2	3/8 x 2-1/8
1 ¼	2.1	18	864	17.13	24.17	POA	POA	2	3/8 x 2-1/8
1 ½	2.1	18	864	18.41	26.01	POA	POA	2	1/2 x 2-3/8
2	2.6	28	672	22.19	26.34	POA	POA	2	1/2 x 3
2 ½	2.9	22	528	27.06	31.48	POA	POA	2	1/2 x 3
3	3.3	20	550	29.44	34.71	POA	POA	2	1/2 x 3
4	4.6	12	300	42.88	50.28	POA	POA	2	5/8 x 3-1/2
5	7.2	7	220	69.83	98.54	POA	POA	2	5/8 x 3-1/2
6	8.1	6	150	75.08	90.61	POA	POA	2	3/4 x 4-3/4
8	14.5	-	80	127.44	179.62	POA	POA	2	7/8 x 5-1/2
10	22.4	-	50	211.43	298.08	POA	POA	2	1 x 6-1/2
12	26.4	-	36	241.29	340.12	POA	POA	2	1 x 6-1/2

## SHURJOINT #7707N Flexible Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Cplg. with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(CAN\$)			
14	34.5	-	32	425.94	600.61	POA	POA	2	7/8 x 6-1/2
16	40.5	-	24	558.66	787.78	POA	POA	2	1 x 6-1/2
18	47.1	-	20	654.42	922.69	POA	POA	2	1 x 6-1/2
20	54	-	20	978.80	1,159.39	POA	POA	2	1 x 6-1/2
22	63	-	-	1,098.06	1,300.64	POA	POA	2	1-1/8 x 6-1/2
24	65.1	-	12	1,073.44	1,271.56	POA	POA	2	1-1/8 x 6-1/2
26	143	-	-	POA	POA	POA	POA	4	7/8 x 9-5/8

## SHURJOINT #7707L Large Diameter Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)			
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
28	180	-	-	POA	POA	12	7/8 x 3-15/16
30	209	-	-	POA	POA	12	7/8 x 3-15/16
32	207	-	-	POA	POA	12	7/8 x 3-15/16
34	198	-	-	POA	POA	12	7/8 x 3-15/16
36	211	-	-	POA	POA	12	7/8 x 3-15/16
40	271	-	-	POA	POA	16	1 x 3-15/16
42	308	-	-	POA	POA	16	1 x 3-1/2

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #7706 Reducing Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)			
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
1 ½ x 1 ¼	2	30	720	25.51	37.24	2	3/8 x 2-1/8
2 x 1 ½	2	30	720	25.51	37.24	2	3/8 x 2-1/8
2 ½ x 2	2.6	25	600	33.22	48.63	2	3/8 x 2-1/8
3 x 2	3.3	20	480	38.11	55.56	2	1/2 x 3
3 x 2 ½	3.7	20	480	32.55	47.67	2	1/2 x 3
4 x 2	5.3	12	330	60.50	88.54	2	1/2 x 3
4 x 2 ½	5.7	12	330	POA	POA	2	1/2 x 3
4 x 3	5.3	10	330	50.78	74.22	2	1/2 x 3
5 x 4	8.4	8	220	96.61	141.22	2	5/8 x3-1/2
6 x 3	10.1	6	170	103.77	151.86	2	5/8 x3-1/2
6 x 4	9.9	6	170	103.77	151.86	2	5/8 x3-1/2
6 x 6	9.8	6	170	143.78	POA	2	5/8 x3-1/2
8 x 6	16.7	-	80	155.55	227.57	2	3/4 x 4-3/4

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

## SHURJOINT #G-28 Hinged Lever Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Cplg.with GapSeal "E" or "T" Gasket	
				(CAN\$)		(CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.
1-1/2"	2.5	-	-	POA	POA	POA	POA
2	2.58	25	600	55.32	63.28	POA	POA
2 ½	3.1	20	560	60.11	68.86	POA	POA
3	4.01	16	384	72.59	82.83	POA	POA
4	6.06	8	250	93.74	107.08	POA	POA
5	11.1	5	160	185.92	212.24	POA	POA
6	13.63	4	120	201.80	230.61	POA	POA
8	22.12	-	80	350.62	400.56	POA	POA
10	27.36	-	-	522.52	POA	POA	POA

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #C-7 Outlet Coupling

Nom. Size (in)	Approx. Weight (Lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (in)	
				Painted	Galv.	(pcs)	
1 1/2 x 1/2 NPT-F	2.6	18	-	POA	POA	2	3/8 x 2-1/8
1 1/2 x 3/4 NPT-F	2.6	18	-	POA	POA	2	3/8 x 2-1/8
1 1/2 x 1 NPT-F	2.9	18	-	POA	POA	2	3/8 x 2-1/8
2 x 1/2 NPT-F	3.1	15	-	POA	POA	2	3/8 x 2-1/8
2 x 3/4 NPT-F	3.1	15	-	POA	POA	2	3/8 x 2-1/8
2 x 1 NPT-F	3.3	15	-	POA	POA	2	3/8 x 2-1/8
2 x 1 NPT-M	3.3	12	-	POA	POA	2	3/8 x 2-1/8
2 x (1) GRV	3.3	12	-	POA	POA	2	3/8 x 2-1/8
2 1/2 x 1/2 NPT-F	4.8	10	250	POA	POA	2	1/2 x 2-3/8
2 1/2 x 3/4 NPT-F	4.6	10	250	POA	POA	2	1/2 x 2-3/8
2 1/2 x 1 NPT-F	6.4	10	250	POA	POA	2	1/2 x 2-3/8
2 1/2 x 1 1/4 NPT-M	5.1	8	225	POA	POA	2	1/2 x 2-3/8
2 1/2 x (1 1/4) GRV	5.1	8	225	POA	POA	2	1/2 x 2-3/8
2 1/2 x 1 1/2 NPT-M	5.9	8	225	POA	POA	2	1/2 x 2-3/8
2 1/2 x (1 1/2) GRV	5.9	8	225	POA	POA	2	1/2 x 2-3/8
3 x 3/4 NPT-F	5.9	8	200	POA	POA	2	1/2 x 3
3 x 1 NPT-F	6.2	8	200	POA	POA	2	1/2 x 3
3 x 1 NPT-M	6.2	6	180	POA	POA	2	1/2 x 3
3 x (1) GRV	6.2	6	180	POA	POA	2	1/2 x 3
3 x 1 1/2 NPT-M	6.4	6	180	POA	POA	2	1/2 x 3
3 x (1 1/2) GRV	6.4	6	180	POA	POA	2	1/2 x 3
4 x 3/4 NPT-F	9.2	4	110	POA	POA	2	5/8 x 3-1/2
4 x 1 NPT-F	9.5	4	110	POA	POA	2	5/8 x 3-1/2
4 x 1 1/2 NPT-M	9.5	4	100	POA	POA	2	5/8 x 3-1/2
4 x (1 1/2) GRV	9.5	4	100	POA	POA	2	5/8 x 3-1/2
4 x 2 NPT-M	9.9	4	100	POA	POA	2	5/8 x 3-1/2
4 x (2) GRV	9.9	4	100	POA	POA	2	5/8 x 3-1/2
6 x 1 NPT-F	13.2	2	72	POA	POA	2	5/8 x 3-1/2
6 x 1 1/2 NPT-F	13.6	2	72	POA	POA	2	5/8 x 3-1/2
6 x 1 1/2 NPT-M	13.6	2	65	POA	POA	2	5/8 x 3-1/2
6 x (1 1/2) GRV	13.6	2	65	POA	POA	2	5/8 x 3-1/2
6 x 2 NPT-M	14.3	2	65	POA	POA	2	5/8 x 3-1/2
6 x (2) GRV	14.3	2	65	POA	POA	2	5/8 x 3-1/2

\*GRV: Grooved Outlet, NPT-F: NPT Female pipe threaded outlet, NPT-M: NPT Male pipe threaded outlet

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #XH-70EP Extra Heavy Rigid Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "EP" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.		
2	3.3	25	600	68.86	POA	2	5/8 x 2-3/4
2 ½	4	20	480	80.84	POA	2	5/8 x 2-3/4
3	4.8	-	440	90.41	POA	2	5/8 x 2-3/4
4	8.8	-	230	128.21	POA	2	3/4 x 4-3/4
6	17.6	-	120	222.77	POA	2	7/8 x 5-1/2
8	26.2	-	-	344.63	POA	2	1 x 5-1/2
10	30.8	-	-	648.84	POA	2	1 x 5-1/2
12	46	-	-	818.82	POA	2	1 x 5-1/2

\*Couplings with-out gaskets may be subject to surcharge.

\*\*For special bolts and special gaskets not listed please see Section 13.0

## SHURJOINT #7041 Flange, ANSI 125/150

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	#7041 Flange with "E" or "T" Gasket	
				(CAN\$)	
(in)	(Lbs)	(pcs)	(pcs)	Painted	Galv.
2	4.4	-	300	50.48	63.19
2 ½	5.5	-	260	60.73	76.01
3	7.5	-	240	82.46	103.21
4	8.8	-	220	107.67	134.90
5	9.9	-	180	129.84	162.79
6	12.1	-	135	141.19	176.83
8	17.6	-	90	177.80	222.78
10	30.4	-	40	361.67	452.98
12	41.8	-	30	482.97	604.93
14	70	-	-	1,081.19	1,354.26
16	91	-	-	1,233.84	1,545.40
18	98	-	-	1,521.77	1,906.10
20	115	-	-	POA	POA
24	165	-	-	POA	POA

## SHURJOINT #7043 Flange, ANSI 300

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	#7043 Flange with "E" or "T" Gasket	
				(CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	4.8	-	-	69.86	POA
2 ½	7.4	-	-	78.24	POA
3	9.1	-	-	134.58	POA
4	15.3	-	-	175.07	POA
5	17.7	-	-	POA	POA
6	23.4	-	-	239.79	POA
8	34.3	-	-	306.94	POA
10	48.3	-	-	627.75	POA
12	70.5	-	-	684.45	POA

# 1.0 Grooved Couplings, Flanges & Mech Tees

## Shurjoint #49 Sandwich Plate for #7041 & #7043 Flanges

Nom. Size	Approx Weight	Inner Carton	Crate Qty.	Sandwich Plate Electro-Zinc Plated	Sandwich Plate Stainless Steel Type 304	Sandwich Plate Stainless Steel Type 316
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	0.46	-	-	13.86	POA	POA
2 ½	0.46	-	-	16.58	POA	POA
3	0.57	-	-	19.82	POA	POA
4	0.66	-	-	22.10	POA	POA
5	0.82	-	-	27.55	POA	POA
6	1.25	-	-	59.59	POA	POA
8	1.39	-	-	83.78	POA	POA
10	4.56	-	-	110.20	POA	POA
12	5.7	-	-	154.16	POA	POA
14	6.38	-	-	P.O.A.	POA	POA
16	7.98	-	-	P.O.A.	POA	POA
18	8.44	-	-	P.O.A.	POA	POA
20	8.89	-	-	P.O.A.	POA	POA
24	11.63	-	-	P.O.A.	POA	POA

## SHURJOINT #7180 Universal Flange Adapter ANSI 125/150, PN 10/16, JIS-10K

Nom. Size	Approx.Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	5.1	-	250	56.13	86.50
2 ½	6.4	-	180	56.71	94.78
3	7.4	-	150	68.19	145.15
4	8.5	-	120	95.00	154.58
5	13.20	-	100	129.03	213.33
6	13.9	-	85	135.00	123.33
8	30	-	35	290.00	418.44

## SHURJOINT #7181 Reducing Flange Adapter ANSI 150 \*Groove

Nom. Size	Approx.Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
3 X 2	7.4	-	250	129.22	POA
4 X 3	8.5	-	180	178.11	POA
6 X 4	13.9	-	150	244.69	POA

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #7170 Flange Adapters

Nom. Size	Approx.Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
10	57.2	-	-	POA	POA
12	83.6	-	-	POA	POA
14	112.9	-	-	POA	POA

## SHURJOINT #M21 Mechanical Tee, Threaded Outlet, NPT

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#M21Mech. Tee with "E" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
				Painted	Zinc Plated	(pcs)	(in)
2 x 1/2	2.18			27.65	33.60	2	3/8 x 2-1/8
2 x 3/4	2.22			27.65	33.60	2	3/8 x 2-1/8
2 x 1	2.4			27.65	33.60	2	3/8 x 2-1/8
2 x 1 1/4	2.77			33.38	38.55	2	3/8 x 2-1/8
2 x 1 1/2	3.01			33.38	38.55	2	3/8 x 2-1/8
2 1/2 x 1/2	2.6			30.98	38.94	2	1/2 x 2-3/8
2 1/2 x 3/4	2.7			30.98	38.94	2	1/2 x 2-3/8
2 1/2 x 1	2.86			30.98	38.94	2	1/2 x 2-3/8
2 1/2 x 1 1/4	3.21			33.71	44.75	2	1/2 x 2-3/8
2 1/2 x 1 1/2	3.43			33.71	44.75	2	1/2 x 2-3/8
3 x 1/2	3.17			33.27	39.51	2	1/2 x 3
3 x 3/4	3.21			33.27	39.51	2	1/2 x 3
3 x 1	3.37			33.27	39.51	2	1/2 x 3
3 x 1 1/4	3.98			38.68	49.57	2	1/2 x 3
3 x 1 1/2	4.14			38.68	49.57	2	1/2 x 3
3 x 2	4.55			45.48	55.57	2	1/2 x 3
4 x 1/2	3.59			47.47	56.93	2	1/2 x 3
4 x 3/4	3.61			47.47	56.93	2	1/2 x 3
4 x 1	3.74			47.47	56.93	2	1/2 x 3
4 x 1 1/4	4.18			46.54	57.03	2	1/2 x 3
4 x 1 1/2	4.49			46.54	57.03	2	1/2 x 3
4 x 2	5			49.70	61.62	2	1/2 x 3
4 x 2 1/2	5.43			49.70	61.62	2	1/2 x 3
4 x 3	6.41			63.23	78.37	2	1/2 x 3
5 x 2	6.38			81.79	92.51	2	5/8 x 3-1/2
5 x 2 1/2	7.46			81.79	92.51	2	5/8 x 3-1/2
5 x 3	8.4			81.79	92.51	2	5/8 x 3-1/2
6 x 1 1/4	6.41			70.08	90.56	2	5/8 x 3-1/2
6 x 1 1/2	6.58			70.08	90.56	2	5/8 x 3-1/2
6 x 2	7			70.08	90.56	2	5/8 x 3-1/2
6 x 2 1/2	7.88			78.78	94.58	2	5/8 x 3-1/2
6 x 3	9.02			92.19	110.76	2	5/8 x 3-1/2
6 x 4	10.47			101.67	122.21	2	5/8 x 3-1/2

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #7721 Mechanical Tee, Threaded Outlet, NPT

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#M21Mech. Tee with "E" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	Painted	Zinc Plated
8 x 2	13.6			119.21	147.56	2	3/4 x 4-3/4
8 x 2 1/2	13.9			119.21	147.56	2	3/4 x 4-3/4
8 x 3	15.6			124.52	147.62	2	3/4 x 4-3/4
8 x 4	17.6			128.76	159.32	2	3/4 x 4-3/4

## SHURJOINT #M22 Mechanical Tee, Grooved Outlet

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#M22 Mech. Tee with "E" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	Painted	Galv.
2 x 1	2.27			38.38	45.64	2	3/8x2-1/8
2 x 1 1/4	2.44			38.38	45.64	2	3/8x2-1/8
2 x 1 1/2	2.6			38.38	45.64	2	3/8x2-1/8
2 1/2 x 1	2.71			46.12	57.41	2	3/8x2-1/8
2 1/2 x 1 1/4	3.06			46.12	57.41	2	3/8x2-1/8
2 1/2 x 1 1/2	3.12			46.12	57.41	2	3/8x2-1/8
3 x 1	3.19			38.68	49.57	2	1/2 x 3
3 x 1 1/4	3.7			38.68	49.57	2	1/2 x 3
3 x 1 1/2	3.74			38.68	49.57	2	1/2 x 3
3 x 2	4.03			44.18	55.57	2	1/2 x 3
4 x 1	3.63			46.54	57.03	2	1/2 x 3
4 x 1 1/4	3.96			46.54	57.03	2	1/2 x 3
4 x 1 1/2	3.98			64.80	72.68	2	1/2 x 3
4 x 2	4.25			51.01	62.96	2	1/2 x 3
4 x 2 1/2	5.85			51.01	62.96	2	1/2 x 3
4 x 3	5.3			64.88	80.06	2	1/2 x 3
5 x 2	5.79			75.39	92.51	2	5/8 x 3-1/2
5 x 2 1/2	6.34			81.14	95.12	2	5/8 x 3-1/2
5 x 3	6.78			81.14	95.12	2	5/8 x 3-1/2
6 x 1 1/4	6.05			76.61	103.60	2	5/8 x 3-1/2
6 x 1 1/2	6.12			76.61	103.60	2	5/8 x 3-1/2
6 x 2	6.42			76.61	103.60	2	5/8 x 3-1/2
6 x 2 1/2	7.08			78.78	98.50	2	5/8 x 3-1/2
6 x 3	8.1			83.80	104.77	2	5/8 x 3-1/2
6 x 4	8.91			92.64	115.83	2	5/8 x 3-1/2

# 1.0 Grooved Couplings, Flanges & Mech Tees

## SHURJOINT #M7722 Mechanical Tee, Grooved Outlet

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#7722 Mech. Tee with "E" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
(in)	(lbs)			(pcs)	(pcs)	Painted	Galv.
8 x 2	12.8			119.21	147.56	2	3/4 x 4-3/4
8 x 2 1/2	13.2			119.21	147.56	2	3/4 x 4-3/4
8 x 3	15.8			123.30	137.53	2	3/4 x 4-3/4
8 x 4	16.5			127.53	138.18	2	3/4 x 4-3/4

## SHURJOINT #723 Saddle-Let (Small Mechanical Tee), NPT

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Saddle-Let With "E" Gasket (CAN\$)	
(in)	(lbs)			(pcs)	(pcs)
1 1/4 x 1/2	0.9	65	1560	12.79	P.O.A.
1 1/4 x 3/4	0.9	65	1560	12.79	P.O.A.
1 1/4 x 1	0.9	65	1560	12.79	P.O.A.
1 1/2 x 1/2	0.9	65	1560	13.09	P.O.A.
1 1/2 x 3/4	0.9	65	1560	13.09	P.O.A.
1 1/2 x 1	0.9	65	1560	13.09	P.O.A.
2 x 1/2	0.9	65	1560	13.67	P.O.A.
2 x 3/4	0.9	65	1560	13.67	P.O.A.
2 x 1	0.9	65	1560	13.67	P.O.A.
2 1/2 x 1/2	0.9	55	1320	15.14	P.O.A.
2 1/2 x 3/4	0.9	55	1320	15.14	P.O.A.
2 1/2 x 1	1.1	55	1320	15.14	P.O.A.

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7110 90 Degree Elbow

Nom. Size	C – E	Approx.Wt.	Inner Carton	Crate Qty.	90 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	0.7	75	1800	10.83	18.12
1 ¼	2.75	1.1	48	1152	11.98	17.02
1 ½	2.75	1.5	48	1152	12.09	17.02
2	3.25	2	24	576	12.76	18.95
2 ½	3.75	2.6	12	288	18.16	25.23
3	4.25	4.6	9	270	28.22	37.04
3 ½	4.5	6	-	-	POA	POA
4	5	6.2	5	135	38.29	50.03
5	5.5	11	3	80	111.83	135.73
6	6.5	14.1	-	60	113.96	155.93
8	7.75	27.5	-	24	211.94	287.07
10	9	52.8	-	12	418.01	543.15
12	10	77	-	8	671.60	889.28
14	11	77	-	6	852.00	1,065.00
16	12	94.6	-	3	1,001.10	1,278.00
18	15.5	222.2	-	2	1,917.00	2,502.75
20	17.25	279.4	-	-	2,577.30	POA
22	20	283.8	-	-	4,579.50	POA
24	20	462	-	-	4,153.50	POA

### SHURJOINT #7111 45 Degree Elbow

Nom. Size	C - E	Approx.Wt.	Inner Carton	Crate Qty.	45 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	1.75	0.4	96	2304	11.29	18.12
1 ¼	1.75	0.7	96	2304	11.82	17.02
1 ½	1.75	0.9	80	1920	11.82	17.02
2	2	1.5	32	768	11.18	18.95
2 ½	2.25	2	18	432	15.44	21.45
3	2.5	2.9	14	390	20.50	28.56
4	3	4.4	6	230	31.42	40.56
5	3.25	7.7	4	100	74.55	103.84
6	3.5	9.7	-	72	84.08	114.83
8	4.25	19.8	-	45	165.08	218.15
10	4.75	37.4	-	20	426.00	559.13
12	5.25	49.5	-	12	692.25	873.30
14	6	48.4	-	10	745.50	958.50
16	7.25	96.8	-	5	958.50	1,278.00
18	8	102.7	-	-	1,704.00	2,236.50
20	9	104.7	-	-	2,130.00	POA
22	11	176	-	-	2,343.00	POA
24	11	176	-	-	2,556.00	POA

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7112 22-1/2 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	22-1/2 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1.75	0.7	-	-	21.63	35.38
1 ½g	1.75	1.3	60	-	21.63	35.38
2g	3.75	1.8	36	-	21.63	35.38
2 ½g	4	2.2	24	576	21.63	35.38
3g	4.5	3.1	15	360	31.49	40.47
4g	5	4.4	6	240	42.26	54.32
5g	2.88	7.3	4	140	130.93	159.75
6g	6.25	11	3	96	119.61	159.75
8g	7.75	22	-	45	250.25	287.55
10	4.38	29.9	-	24	362.10	404.70
12	4.88	40.3	-	-	464.34	639.00
14sw	5	46.2	-	-	POA	POA
16sw	5	52.8	-	-	POA	POA
18sw	5.5	66	-	-	POA	POA
20sw	6	79.9	-	-	POA	POA
22sw	7	112.2	-	-	POA	POA
24sw	7	112.2	-	-	POA	POA

sw = Segment Welded Steel. g = Gooseneck design.

\* 2", 2-1/2", 3", 4", 6" & 8" #7112 are also available in standard pattern

### SHURJOINT #7113 11-1/4 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	11-1/4 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1.38	0.4	-	-	21.63	31.95
1 ½	1.38	0.7	-	-	21.63	31.95
2	1.38	1.8	72	1728	21.63	31.95
2 ½	1.5	2.2	28	672	21.63	31.95
3	1.5	2.4	24	576	31.49	42.60
4	1.75	3.3	15	380	38.94	53.25
5	2	5.9	6	220	130.93	170.40
6	2	7.5	-	120	119.61	170.40
8	2	12.1	-	75	213.75	276.90
10	2.13	14.5	-	50	320.50	413.22
12	2.25	18.7	-	-	464.34	596.40
14sw	3.5	32.1	-	-	POA	POA
16sw	4	41.8	-	-	POA	POA
18sw	4.5	52.8	-	-	POA	POA
20sw	5	66	-	-	POA	POA
22sw	6	101.2	-	-	POA	POA
24sw	6	101.2	-	-	POA	POA

sw = Segment Welded Steel.

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7118 Groove x Thread 90 Degree Elbow

Nom. Size	C – Gr E	C – Th E	Approx .Wt.	Inner Carton	Crate Qty.	#7118 Gr x Thr 90 Degree Elbow (CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	3.25	4.25	2.4	-	-	42.89	55.21
2 ½	3.75	4.75	3.3	-	-	72.54	93.32
3	4.25	6	5.7	-	-	104.23	134.30
4	5	7.25	11.9	-	-	216.83	279.16

### SHURJOINT #7120 Tee

Nom. Size	C-E	Approx Wt.	Inner Carton	Crate Qty.	Tee (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	0.9	36	864	15.00	21.20
1 ¼	2.75	1.5	36	864	18.22	23.65
1 ½	2.75	2	24	576	19.45	25.25
2	3.25	2.9	14	336	24.79	31.90
2 ½	3.75	4.89	8	192	34.42	43.35
3	4.25	6.8	6	160	52.30	66.51
3 ½	4.5	9.5	-	-	POA	POA
4	5	10.1	3	90	80.34	102.40
5	5.5	14.3	-	52	189.84	245.12
6	6.5	22	-	28	214.64	280.68
8	7.75	44	-	12	420.09	546.24
10	9	68.2	-	8	994.50	1,285.99
12	10	99	-	5	1,306.81	1,641.17
14	11	118.8	-	4	1,422.25	1,979.58
16	12	145.2	-	2	1,666.99	2,360.89
18sw	15.5	273.5	-	-	POA	POA
20sw	17.25	338.6	-	-	POA	POA
22sw	19	330	-	-	POA	POA
24sw	20	473.2	-	-	POA	POA

## 2.0 Cast & Wrought Grooved Fittings

### Shurjoint #7135 Cross

Nom. Size	C-E	Approx.	Inner Carton	Crate Qty.	Cross	
		Wt.			(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	1.3	-	-	62.38	96.52
1 ¼ sw	2.75	2.2	-	-	62.38	96.52
1 ½ sw	2.75	2.5	-	-	62.38	96.52
2	3.25	3.8	6	200	62.38	96.52
2 ½	3.75	6.2	6	200	62.38	96.52
3	4.25	10.6	-	-	112.29	174.58
4	5	15.9	-	55	192.82	282.91
5sw	5.5	20	-	-	396.98	577.43
6	6.5	27.9	-	25	499.06	725.16
8	7.75	48.4	-	-	646.51	951.07
10sw	9	70.4	-	-	1,701.34	2,424.60
12sw	10	110	-	-	2,381.87	3,289.25
14sw	11	200.2	-	-	POA	POA
16sw	12	250.4	-	-	POA	POA
18sw	15.5	364.5	-	-	POA	POA
20sw	17.25	451.4	-	-	POA	POA
22sw	19	534.2	-	-	POA	POA
24sw	20	631	-	-	POA	POA

### SHURJOINT #7130 45 Degree Lateral

Nom. Size	C-LE	C-SE	Approx.	Inner Carton	Crate Qty.	45 Degree Lateral	
			Wt.			(CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼ sw	5.75	2.5	2.4	-	-	171.66	220.97
1 ½ sw	6.25	2.75	3.5	-	-	174.46	224.65
2	7	2.75	5.1	7	-	123.90	159.61
2 ½	7.75	3	6.2	4	-	179.75	231.49
3	8.5	3.25	9.2	-	85	198.33	255.36
4	10.5	3.75	17.6	-	50	260.80	335.75
5sw	12.5	4	27.5	-	24	POA	POA
6	14	4.5	40.7	-	20	545.26	702.01
8	18	6	70.4	-	9	887.70	1,142.92
10	20.5	6.5	104.7	-	-	1,480.44	1,906.06
12	23	7	165	-	-	1,748.43	2,297.51
14sw	26.5	7.5	275	-	-	POA	POA
16sw	29	8	343.2	-	-	POA	POA
18sw	32	8.5	429	-	-	POA	POA
20sw	35	9	499.4	-	-	POA	POA
22sw	38	9.5	616	-	-	POA	POA
24sw	40	10	712.8	-	-	POA	POA

\* SW=segmently welded

# 2.0 Cast & Wrought Grooved Fittings

## SHURJOINT #7121 Grooved-End Reducing Tees

Nom. Size (in)	C-E	Approx. Wt.	Inner Carton	Crate	Red. Tee (CAN\$)	
	(Standard) (in)	(bs)	(pcs)	Qty. (pcs)	Painted	Galv.
2 x 3/4sw	3.25	2.5	16	384	47.93	60.32
2 x 1sw	3.25	2.7	16	384	47.93	60.32
2 x 1 1/4sw	3.25	2.6	16	384	47.93	60.32
2 x 1 1/2	3.25	2.6	16	384	47.93	60.32
2 1/2 x 3/4sw	3.75	4.1	-	260	47.93	60.32
2 1/2 x 1	3.75	3.8	-	260	47.93	60.32
2 1/2 x 1 1/4sw	3.75	4.35	-	260	47.93	60.32
2 1/2 x 1 1/2	3.75	3.9	-	260	47.93	60.32
2 1/2 x 2	3.75	4.4	-	260	47.93	60.32
3 x 3/4sw	4.25	6	-	160	53.25	70.69
3 x 1	4.25	6.1	-	160	53.25	70.69
3 x 1 1/4sw	4.25	6.2	-	160	53.25	70.69
3 x 1 1/2	4.25	6.5	-	160	53.25	70.69
3 x 2	4.25	6.2	-	160	53.25	70.69
3 x 2 1/2	4.25	6.2	-	160	53.25	70.69
4 x 1sw	5	7.8	-	98	79.88	111.40
4 x 1 1/4sw	5	8.2	-	98	79.88	111.40
4 x 1 1/2sw	5	8.5	-	98	79.88	111.40
4 x 2	5	9.2	-	98	79.88	111.40
4 x 2 1/2	5	9.5	-	98	79.88	111.40
4 x 3	5	9.9	-	98	79.88	111.40
6 x 2	6.5	17.6	-	38	181.05	270.44
6 x 2 1/2	6.5	18.7	-	38	181.05	270.44
6 x 3	6.5	20.2	-	38	181.05	270.44
6 x 4	6.5	19.4	-	38	181.05	270.44
8 x 2	7.75	37	-	15	399.38	529.62
8 x 2 1/2	7.75	37	-	15	399.38	529.62
8 x 3	7.75	37	-	15	399.38	529.62
8 x 4	7.75	44	-	15	399.38	529.62
8 x 6	7.75	46.2	-	15	399.38	529.62
10 x 6	9	66	-	15	798.75	1076.43
10 x 8	9	69.3	-	8	798.75	1076.43
12 x 4sw	10	79.2	-	8	1118.25	1480.80
12 x 6sw	10	83.6	-	-	1118.25	1480.80
12 x 8	10	83.6	-	-	1118.25	1480.80
12 x 10	10	88	-	-	1118.25	1480.80
14 x 8sw	11	126.5	-	-	POA	POA
14 x 10sw	11	137.3	-	-	POA	POA
14 x 12sw	11	145.6	-	-	POA	POA
16 x 8sw	12	153.8	-	-	POA	POA
16 x 10sw	12	165.7	-	-	POA	POA
16 x 12sw	12	174.7	-	-	POA	POA
16 x 14sw	12	179.74	-	-	POA	POA
18 x 10sw	15.5	234.5	-	-	POA	POA
18 x 12sw	15.5	246.4	-	-	POA	POA
18 x 14sw	15.5	252.8	-	-	POA	POA
18 x 16sw	15.5	263.1	-	-	POA	POA
20 x 14sw	17.25	304	-	-	POA	POA
20 x 16sw	17.25	315.7	-	-	POA	POA
20 x 18sw	17.25	327.1	-	-	POA	POA
24 x 8sw	20	363.4	-	-	POA	POA
24 x 10sw	20	382.8	-	-	POA	POA
24 x 12sw	20	398	-	-	POA	POA
24 x 14sw	20	406.3	-	-	POA	POA
24 x 16sw	20	419.8	-	-	POA	POA
24 x 18sw	20	433	-	-	POA	POA
24 x 20sw	20	446.4	-	-	POA	POA

\* SW=segmently welded

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7121M Male End Reducing Tees

Nom. Size	C-E	Approx.	Inner Carton	Crate	Red. Tee	
	(Standard)	Wt.			(CAN\$)	
(in)	(in)	(bs)	(pcs)	(pcs)	Painted	Galv.
2 x ¾sw	3.25	2.5	16	384	64.20	POA
2 x 1sw	3.25	2.7	16	384	64.20	POA
2 x 1 ¼sw	3.25	2.6	16	384	64.20	POA
2 x 1 ½	3.25	2.6	16	384	64.20	POA
2 1/2 x ¾sw	3.75	4.1		260	64.20	POA
2 1/2 x 1	3.75	3.8		260	64.20	POA
2 1/2 x 1 ¼sw	3.75	4.35		260	64.20	POA
2 1/2 x 1 ½	3.75	3.9		260	64.20	POA
2 1/2 x 2	3.75	4.4		260	64.20	POA
3 x ¾sw	4.25	6		160	74.44	POA
3 x 1	4.25	6.1		160	74.44	POA
3 x 1 ¼sw	4.25	6.2		160	74.44	POA
3 x 1 ½	4.25	6.5		160	74.44	POA
3 x 2	4.25	6.2		160	74.44	POA
3 x 2 ½	4.25	6.2		160	74.44	POA
4 x 1	5	7.8		98	109.43	POA
4 x 1 ¼	5	8.2		98	109.43	POA
4 x 1 ½	5	8.5		98	109.43	POA
4 x 2	5	9.2		98	109.43	POA
4 x 2 ½	5	9.5		98	109.43	POA
4 x 3	5	9.9		98	109.43	POA
6 x 2	6.5	17.6		38	259.00	POA
6 x 2 ½	6.5	18.7		38	259.00	POA
6 x 3	6.5	20.2		38	259.00	POA
6 x 4	6.5	19.4		38	259.00	POA
8 x 2 ½	7.75	37		15	540.51	POA
8 x 3	7.75	37		15	540.51	POA
8 x 4	7.75	44		15	540.51	POA

\* SW=segmently welded

### SHURJOINT #7137 True-Y

Nom. Size	C-LE	C-SE	Approx.	Inner Carton	Crate	True-Y	
			Wt.			(CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	3.25	2.75	2.5	-	-	162.47	POA
2 ½	3.75	3	4.3	-	-	162.47	POA
3	4.25	3.25	6.1	-	-	194.26	POA
4	5	3.75	10	-	-	254.45	POA
5	5.5	4	15	-	-	364.37	POA
6	6.5	4.5	22.3	-	-	527.01	POA
8	7.75	6	36	-	-	649.50	POA
10	9	6.5	70	-	-	1,120.76	POA
12	10	7	80	-	-	1,238.11	POA

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7150 Concentric Reducer

Nom. Size	E-E	Approx.	Inner Carton	Crate	#7150	
		Wt.		Qty.	Conc. Reducer	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼ x 1	2.5	0.75	75	1800	22.34	34.03
1 ½ x 1	2.5	0.8	75	1800	22.34	34.03
1 ½ x 1 ¼	2.5	0.8	75	1800	22.34	34.03
2 x 1	2.5	0.84	75	1800	22.34	37.23
2 x 1 ¼	2.5	0.8	75	1800	22.34	37.23
2 x 1 ½	2.5	0.77	75	1800	22.34	37.23
2 ½ x 1 ¼	2.5	1.1	60	1440	22.34	37.23
2 ½ x 1 ½	2.5	1.1	60	1440	22.34	37.23
2 ½ x 2	2.5	1.1	45	1080	22.34	37.23
3 x 1	2.5	1.32	48	1152	27.73	45.73
3 x 1 ¼	2.5	1.32	48	1152	27.73	45.73
3 x 1 ½	2.5	1.32	48	1152	27.73	45.73
3 x 2	2.5	1.32	48	1152	27.73	45.73
3 x 2 ½	2.5	1.32	36	864	27.73	45.73
4 x 2	3	2.2	24	800	33.98	54.67
4 x 2 ½	3	2.2	24	800	33.98	54.67
4 x 3	3	2.2	24	800	33.98	54.67
5 x 4	3.5	4.4	12	300	46.79	60.11
6 x 2	4	4.18	6	280	60.30	99.63
6 x 2 ½	4	4.4	6	280	68.80	111.52
6 x 3	4	4.4	6	280	60.30	100.76
6 x 4	4	4.62	6	280	55.52	90.70
6 x 5	4	5.5	6	280	81.66	130.22
8 x 3	-	9.46	-	135	108.83	179.91
8 x 4	5	11.22	-	135	108.83	179.91
8 x 6	5	11.44	-	135	108.83	179.91
10 x 4	6	19.8	-	75	254.83	415.24
10 x 6	6	19.8	-	75	276.49	442.22
10 x 8	6	20.9	-	75	276.49	442.22
12 x 6	7	31	-	75	500.14	802.63
12 x 8	7	30.8	-	32	500.14	802.63
12 x 10	7	33	-	30	500.14	802.63
14 x 6sw	8	42.9	-	-	POA	POA
14 x 8	8	41.8	-	-	POA	POA
14 x 10	8	71.5	-	-	POA	POA
14 x 12	8	50.6	-	-	POA	POA
16 x 6sw	9	64.9	-	-	POA	POA
16 x 8	9	64.9	-	-	POA	POA
16 x 10sw	9	64.9	-	-	POA	POA
16 x 12	9	66	-	-	POA	POA
16 x 14	9	63.8	-	-	POA	POA
18 x 10sw	9.5	79.2	-	-	POA	POA
18 x 12	9.5	78.1	-	-	POA	POA
18 x 14sw	9.5	79.2	-	-	POA	POA
18 x 16sw	9.5	79.2	-	-	POA	POA
20 x 12	10	94.6	-	-	POA	POA
20 x 14sw	10	98.45	-	-	POA	POA
20 x 16	10	101.2	-	-	POA	POA
20 x 18sw	10	127.6	-	-	POA	POA
24 x 12	12	154	-	-	POA	POA
24 x 14sw	12	154	-	-	POA	POA
24 x 16	12	154	-	-	POA	POA
24 x 18sw	12	154	-	-	POA	POA
24 x 20	12	156.2	-	-	POA	POA

\*SW = segmently welded

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7151 Eccentric Reducer

Nom. Size (in)	E-E (in)	Approx.	Inner Carton (pcs)	Crate Qty. (pcs)	Ecc. Reducer (CAN\$)	
		Wt. (lbs)			Painted	Galv.
2 ½ x 2	3.5	1.5	36	864	51.31	82.69
3 x 2	3.5	2.2	36	864	59.08	95.10
3 x 2 ½	3.5	2.2	24	576	59.08	95.10
4 x 2	4	3.1	12	560	72.28	116.36
4 x 2 ½	4	3.3	12	480	72.28	116.36
4 x 3	4	3.5	12	480	72.28	116.36
6 x 3	4	7.7	7	250	130.96	210.88
6 x 4	4	8.4	7	250	114.72	184.73
8 x 4sw	5	17.6	-	95	232.35	374.14
8 x 6	5	17.6	-	95	232.35	374.14
10 x 4	6	26.4	-	75	1,061.54	1,708.28
10 x 6	6	25.3	-	75	1,061.54	1,708.28
10 x 8sw	6	26.4	-	75	1,592.36	2,562.54
12 x 6	7	39.6	-	32	1,007.42	1,621.85
12 x 8	7	53.5	-	32	1,007.42	1,621.85
12 x 10	11	44	-	30	879.22	1,415.16
14 x 6sw	8	62	-	-	POA	POA
14 x 8sw	8	62	-	-	POA	POA
14 x 10sw	8	62	-	-	POA	POA
14 x 12sw	8	62	-	-	POA	POA
16 x 8sw	10	77	-	-	POA	POA
16 x 10sw	10	77	-	-	POA	POA
16 x 12	10	68.2	-	-	POA	POA
16 x 14	10	77	-	-	POA	POA
18 x 10sw	11	99	-	-	POA	POA
18 x 12sw	11	99	-	-	POA	POA
18 x 14sw	11	99	-	-	POA	POA
18 x 16sw	11	99	-	-	POA	POA
20 x 12sw	12	149.6	-	-	POA	POA
20 x 14sw	12	149.6	-	-	POA	POA
20 x 16sw	12	149.6	-	-	POA	POA
20 x 18sw	12	149.6	-	-	POA	POA
24 x 12	14	173.8	-	-	POA	POA
24 x 14	14	173.8	-	-	POA	POA
24 x 16sw	14	173.8	-	-	POA	POA
24 x 18sw	14	173.8	-	-	POA	POA
24 x 20sw	14	173.8	-	-	POA	POA

\*SW = segmently welded

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7110LR 1.5D Long Radius 90 Degree Elbow

Nom. Size	C - E	Approx.Wt.	Inner Carton	Crate Qty.	1.5D Long Radius	
					90 Degree Elbow	
(CAN\$)						
(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	4.38	2.5	-	-	63.02	POA
2 ½	5	4.3	-	-	63.02	POA
3	5.88	6.1	-	-	63.02	POA
4	7.5	10	-	80	94.28	POA
5	9.5	15	-	-	200.87	POA
6	10.75	22.3	-	30	275.70	POA
8	14.25	36	-	12	661.36	POA
10	17.25	70	-	-	1,371.26	POA
12	20.5	80	-	4	2,235.27	POA
14	-	-	-	-	POA	POA
16	-	-	-	-	POA	POA
18	-	-	-	-	POA	POA
20	-	-	-	-	POA	POA
24	-	-	-	-	POA	POA
30	-	-	-	-	POA	POA

### SHURJOINT #7111LR 1.5D Long Radius 45 Degree Elbow

Nom. Size	C - E	Approx Wt.	Inner Carton	Crate Qty.	1.5D Long Radius	
					90 Degree Elbow	
(CAN\$)						
(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	2.75	1.8	-	5	53.48	68.05
2 ½	3	2.9	-	-	53.48	68.05
3	3.38	4.9	-	-	53.48	68.05
4	4	7.7	-	160	65.15	83.93
5	5	14.7	-	-	439.07	567.11
6	5.5	18	-	48	197.21	260.87
8	7.25	36	-	-	336.86	431.01
10	8.5	57	-	-	1,005.23	1,304.36
12	10	90	-	-	1,164.27	1,474.49
14	-	-	-	-	POA	POA
16	-	-	-	-	POA	POA
18	-	-	-	-	POA	POA
20	-	-	-	-	POA	POA
24	-	-	-	-	POA	POA

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7150F Reducing Socket (Gr. x Ft.)

Nom. Size Gr. x Th.	L (in)	Approx.	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Socket (CAN\$)	
		Wt. (lbs)			Painted	Zinc Plated
1 ½ x 1	2.5	0.7	120	2880	29.06	POA
2 x 1	2.5	0.92	75	1800	31.26	POA
2 x 1 ¼	2.5	1.1	75	1800	31.26	POA
2 x 1 ½	2.5	1.1	75	1800	31.26	POA
2 ½ x 1 ¼	2.5	1.1	75	1800	43.54	POA
2 ½ x 1 ½	2.5	1.1	60	1440	43.54	POA
2 ½ x 2	2.5	1.5	45	1080	43.54	POA
3 x 1	2.5	1.6	48	1152	45.77	POA
3 x 1 ¼	2.5	1.8	48	1152	45.77	POA
3 x 1 ½	2.5	1.5	48	1152	45.77	POA
3 x 2	2	1.5	36	864	45.77	POA
3 x 2 ½	3	1.8	16	384	45.77	POA
4 x 1 ½	3	2	24	576	64.81	POA
4 x 2	3	2.4	20	480	64.81	POA
4 x 2 ½	3	2.4	16	384	64.81	POA
5 x 1 ½	3.5	6	-	-	64.81	POA
6 x 1 ½	4	4.8	8	192	101.58	POA
6 x 2	4	5.3	8	192	101.58	POA
6 x 2 ½	4	5.9	-	-	101.58	POA
6 x 4	4	5.9	-	-	101.58	POA

### SHURJOINT #7150M Reducing Socket (Gr. x Mt.)

Nom. Size Gr. x Th.	L (in)	Approx.	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Socket (CAN\$)	
		Wt. (lbs)			Painted	Zinc Plated
1 ½ x 1	2.5	0.9	120	2880	31.48	POA
2 x 1	2.5	0.92	75	1800	33.86	POA
2 x 1 ¼	2.5	1.3	75	1800	33.86	POA
2 x 1 ½	2.5	1.3	75	1800	33.86	POA
2 ½ x 1	2.5	1.5	75	1800	47.17	POA
2 ½ x 1 ¼	2.5	1.5	75	1800	47.17	POA
2 ½ x 1 ½	2.5	1.5	60	1440	47.17	POA
2 ½ x 2	2.5	1.5	45	1080	49.58	POA
3 x 1	2.5	1.6	48	1152	49.58	POA
3 x 1 ¼	2.5	1.6	48	1152	49.58	POA
3 x 1 ½	2.5	1.6	48	1152	49.58	POA
3 x 2	2	1.6	36	864	49.58	POA
3 x 2 ½	2.5	1.8	24	576	49.58	POA
4 x 1 ½	3	2.5	24	576	70.21	POA
4 x 2	3	2.5	20	480	70.21	POA
4 x 2 ½	3	2.5	16	384	70.21	POA
5 x 1 ½	3.5	6	-	-	70.21	POA
6 x 1 ½	4	6	8	192	110.04	POA
6 x 2	4	6	8	192	110.04	POA
6 x 2 ½	4	6	-	-	110.04	POA
6 x 4	4	6	-	-	110.04	POA

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #7160 Cap

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Cap (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1	0.4	150	7200	6.47	9.15
1 ½	1	0.4	110	5280	6.58	9.55
2	1	0.7	75	3600	7.64	10.85
2 ½	1	0.9	50	2400	8.87	12.81
3	1	1.5	40	1920	10.84	15.67
4	1	2.2	20	960	16.51	23.44
5	1	3.7	15	720	34.42	48.64
6	1	6.6	10	480	39.31	54.37
8	1.18	12.1	10	280	77.17	103.65
10	1.25	15.4	-	160	140.00	215.22
12	1.25	22	-	-	233.28	360.65

### SHURJOINT #7160H Domed End Cap

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Cap (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
10	3	12.1	150	7200	233.37	317.58
12	3	16.3	110	5280	381.84	453.69
14	4	25.5	75	3600	697.79	POA
16	4	32.1	50	2400	789.77	POA
18	5	45.1	40	1920	914.72	POA
20	6	53.9	20	1440	1,038.44	POA
22	6	97.00	32	900	1,247.65	POA
24	6	75.9	18	530	1,414.45	POA

### SHURJOINT #7160P Cap with Plug

Nom. Size	E-E	Plug Size	Approx. Wt.	Inner Carton	Crate Qty.	Cap (CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Zinc Plated
2	1	1/2	0.7	75	3600	18.94	POA
2	1	1	0.7	75	3600	18.94	POA
2 ½	1	1/2	0.9	50	2400	20.01	POA
2 ½	1	1	0.9	50	2400	20.01	POA
3	1	1/2	1.5	40	1920	22.04	POA
3	1	1	1.5	40	1920	22.04	POA
4	1	1	2.2	20	960	33.15	POA
5	1	1	3.7	32	900	52.59	POA
6	1	1	6.6	18	530	67.24	POA
8	1.18	1	12.1	10	280	98.80	POA
8	1.18	1 1/2	12.1	10	280	98.80	POA

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #901 Short Radius 90 Degree Elbow

Nom.	C – E	Approx.Wt.	Inner Carton	Crate Qty.	90 deg. Elbow	
Size					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	2.75	1.5	30	720	12.80	18.00
2 ½	3	2	15	360	17.32	23.44
3	3.38	3.1	12	300	22.83	28.75
4	4	3.7	6	175	33.61	45.34
6	5.5	12.1	-	60	94.65	127.79
8	6.94	24.2	-	28	186.65	POA

### SHURJOINT #903 Short Radius Straight Tee

Nom.	C – E	Approx.Wt.	Inner Carton	Crate Qty	Tee	
Size					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	2.75	2.2	20	480	19.81	25.00
2 ½	3	2.9	10	240	26.60	34.50
3	3.38	4.4	8	215	37.33	48.00
4	4	7.9	5	105	56.92	74.00
6	5.5	18.9	-	38	154.19	200.00
8	6.94	36.3	-	16	328.65	430.00

### SHURJOINT #7110DR Drain Elbow with 1” NPT Drain

Nom.	C – E	Approx.	Inner Carton	Crate	Drain Elbow	
Size		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2 ½	3.75	2.8	-	-	60.62	POA
3	4.25	4.4	-	-	77.63	100.00
4	5	6.6	-	-	79.20	103.00
6	6.5	15.4	-	-	139.68	POA

### SHURJOINT #899 End-All Fitting, NPT

Nom.Size	Approx.	Inner Carton	Crate	End-All Fitting	
Gr. X Th.	Wt.		Qty.	(CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼ x ½	0.7	65	2340	13.72	POA
1 ¼ x ¾	0.7	65	2340	13.72	POA
1 ¼ x 1	0.7	65	2340	14.35	POA
1 ½ x ½	0.9	60	2160	14.35	POA
1 ½ x ¾	0.9	60	2160	14.35	POA
1 ½ x 1	0.9	60	2160	14.92	POA
2 x ½	1.1	36	1296	16.22	POA
2 x ¾	1.1	36	1296	16.22	POA
2 x 1	1.1	36	1296	17.22	POA
2 ½ x ½	1.3	18	648	19.96	POA
2 ½ x ¾	1.3	18	648	19.96	POA
2 ½ x 1	1.3	18	648	20.59	POA

## 2.0 Cast & Wrought Grooved Fittings

### SHURJOINT #56 Hose Nipple

Nom.	E-E	Approx.	Inner Carton	Crate	Nipple, Gr. X TH (CAN\$)	Nipple, Gr.X TH
Size		Wt.		Qty.		(CAN\$)
(in)	(in)	(Lbs)	(pcs)	(pcs)	Black	Zinc Plated
1	3.25	0.4	-	-	POA	POA
1 ¼	3.625	0.7	-	-	POA	POA
1 ½	4	0.9	-	-	POA	POA
2	4.625	1.3	-	-	68.43	POA
2 ½	5.5	2.2	-	-	68.43	POA
3	6	3.3	-	-	98.77	POA
4	7.25	5.5	-	-	173.29	POA
5	9.75	8.1	-	-	POA	POA
6	11	13.2	-	-	POA	POA
8	12.5	24	-	-	POA	POA
10	14	29	-	-	POA	POA
12	16	46	-	-	POA	POA

### SHURJOINT #57 Nipple, Grooved x Grooved

Nom.	L	E-E	Approx.	Inner Carton	Crate	Nipple, Gr. X Gr.	Nipple, Gr.XGr.
Size			Wt.		Qty.	(CAN\$)	(CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼	4	4	0.68	-	-	21.38	POA
1 ½	4	4	0.82	-	-	21.38	POA
2	4	4	1.32	50	1200	21.38	POA
2 ½	4	4	1.98	32	768	28.16	POA
3	4	4	2.64	18	432	35.75	POA
1 ¼	6	4	0.99	-	-	34.16	POA
1 ½	6	4	1.32	-	-	34.16	POA
2	6	4	1.98	-	-	34.16	POA
2 ½	6	4	2.97	-	-	45.87	POA
3	6	4	3.96	-	-	58.71	POA
4	6	6	5.5	6	210	73.20	POA
5	6	6	7.26	-	-	POA	POA
6	6	6	9.46	2	84	193.45	POA
8	6	6	14.3	-	-	220.15	POA
10	8	8	27.06	-	-	POA	POA
12	8	8	35.64	-	-	POA	POA

## 2.0 Cast & Wrought Grooved Fittings

## SHURJOINT #58 Nipple, Grooved x Beveled

Nom. Size	L	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Nipple, Gr. X Bev.	Nipple Gr.XBev.
						(CAN\$)	(CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼	4	4	0.7	-	-	21.38	POA
1 ½	4	4	0.84	-	-	21.38	POA
2	4	4	1.32	50	1200	21.38	POA
2 ½	4	4	1.98	32	768	29.42	POA
3	4	4	2.64	18	432	36.69	POA
1 ¼	6	4	0.99	-	-	35.30	POA
1 ½	6	4	1.32	-	-	35.30	POA
2	6	4	1.98	-	-	35.30	POA
2 ½	6	4	2.97	-	-	46.81	POA
3	6	4	3.96	-	-	59.47	POA
4	6	6	5.5	6	210	72.12	POA
5	6	6	7.26	-	-	POA	POA
6	6	6	9.46	2	84	196.11	POA
8	6	6	14.3	-	-	221.41	POA
10	8	8	27.06	-	-	POA	POA
12	8	8	35.64	-	-	POA	POA

## SHURJOINT #59 Nipple, Grooved x Threaded

Nom. Size	L	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Nipple, Gr. x Th.	Nipple, Gr. x Th.
						(CAN\$)	(CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1	4	4	0.42	-	-	23.41	POA
1 ¼	4	4	0.66	-	-	23.41	POA
1 ½	4	4	0.79	-	-	23.41	POA
2	4	4	1.1	50	1200	24.04	POA
2 ½	4	4	1.54	32	768	30.37	POA
3	4	4	1.98	18	432	37.96	POA
1 ¼	6	4	0.99	-	-	36.69	POA
1 ½	6	4	1.32	-	-	36.69	POA
2	6	4	1.98	-	-	37.32	POA
2 ½	6	4	2.97	-	-	49.34	POA
3	6	4	3.96	-	-	62.00	POA
4	6	6	5.17	6	210	75.66	POA
5	6	6	7.26	-	-	POA	POA
6	6	6	9.9	2	84	203.70	POA

## 2.0 Cast & Wrought Grooved Fittings

# SHURJOINT #55 GRV-M Nipple Adapter

Nom. Size	L	Approx.	Inner Carton	Crate	Nipple Adapter	
Gr. X Th.		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Zinc Plated
1 ½ x 1 ½ M	2.5	0.9	-	-	30.09	POA
2 x 2M	2.5	1.3	-	-	33.31	POA

## 3.0 Stainless Steel Products

## SHURJOINT #SS-5 Stainless Steel Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	SS304 body	SS316 body
1 ¼	1.4	-	-	70.00	POA	2	3/8 x 2-1/8
1 ½	1.5	-	-	74.00	POA	2	3/8 x 2-1/8
2	1.7	-	-	84.00	POA	2	3/8 x 2-3/4
2 ½	2.1	-	-	86.00	POA	2	3/8 x 2-3/4
3	2.6	-	-	123.00	POA	2	3/8 x 2-3/4
4	4.1	-	-	189.00	POA	2	3/8 x 2-3/4
5	5.7	-	-	250.00	POA	2	1/2 x 3
6	6.8	-	-	298.00	POA	2	1/2 x 3
8	13.4	-	-	599.00	POA	2	5/8 x 5-5/16

## SHURJOINT #SS-7 Stainless Steel Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	SS304 body	SS316 body
1 ¼	1.5	-	-	60.87	POA	2	3/8 x 2
1 ½	1.8	-	-	65.00	POA	2	3/8 x 2
2	2	-	-	74.23	POA	2	3/8 x 2
2 ½	2.2	-	-	75.27	POA	2	3/8 x 2
3	3	-	-	108.85	POA	2	3/8 x 3
4	4.6	-	-	168.22	POA	2	3/8 x 3
5	5.5	-	-	219.93	POA	2	1/2 x 3
6	6.2	-	-	259.73	POA	2	1/2 x 3
8	12.1	-	-	527.78	POA	2	5/8 x 3-1/2

## SHURJOINT #SS-7X Stainless Steel Heavy Duty Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	SS304 body	SS316 body
10	23.1	-	-	1,005.22	POA	2	7/8 x 5-1/2
12	23.3	-	-	1,067.99	POA	2	7/8 x 6-1/2
14	33	-	-	POA	POA	2	7/8 x 5-1/2
16	43.1	-	-	POA	POA	4	5/8 x 3-1/2
18	55	-	-	POA	POA	4	5/8 x 3-1/2
20	68.2	-	-	POA	POA	4	3/4 x 4-3/4
22	72.6	-	-	POA	POA	4	3/4 x 4-3/4
24	76.3	-	-	POA	POA	4	3/4 x 4-3/4

# 3.0 Stainless Steel Products

## SHURJOINT #SS-8 Stainless Steel Flexible Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket		Spare Parts	
(in)	(lbs)		(pcs)	(CAN\$)		ss304 Bolt/Nut	(in)
1	1.1	65	1560	52.43	POA	2	5/16 x 1-1/2
1 ¼	1.1	50	1200	60.87	POA	2	5/16 x 1-1/2
1 ½	1.1	45	1080	65.00	POA	2	5/16 x 1-1/2
2	1.5	36	864	74.23	POA	2	3/8 x 2
2 ½	1.8	25	600	75.27	POA	2	3/8 x 2
3	2.2	20	480	108.85	POA	2	3/8 x 2
4	3.7	12	380	168.22	POA	2	1/2 x 3
5	4.8	10	250	219.93	POA	2	1/2 x 3
6	6.4	6	180	259.73	POA	2	1/2 x 3
8	14.1	-	90	527.78	POA	2	5/8 x 3-1/2

## SHURJOINT #SS-8X Stainless Steel Heavy Duty Flexible Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket		Spare Parts	
(in)	(lbs)		(pcs)	(CAN\$)		ss304 Bolt/Nut	(in)
¾	1.5	65	-	POA	POA	2	3/8 x 2
1	1.8	50	1200	POA	POA	2	3/8 x 2
1 ¼	2	40	960	POA	POA	2	3/8 x 2
1 ½	2.2	40	960	POA	POA	2	3/8 x 2
2	2.6	32	768	POA	POA	2	3/8 x 2
2 ½	2.9	24	576	POA	POA	2	3/8 x 2
3	4	16	384	POA	POA	2	1/2 x 3
4	5.3	-	-	POA	POA	2	1/2 x 3
5	7.2	-	-	POA	POA	2	5/8 x 3-1/2
6	7.9	-	-	POA	POA	2	5/8 x 3-1/2
8	15	-	-	POA	POA	2	3/4 x 4-3/4

# 3.0 Stainless Steel Products

## SHURJOINT #SS-10 Stainless Steel 90 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	90 Deg Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	2.25	0.7	-	-	36.72	POA
1 ¼	2.75	0.9	-	-	39.67	POA
1 ½	2.75	0.9	-	-	45.43	POA
2	3.25	1.3	-	-	62.77	POA
2 ½	3.75	3.1	-	-	131.04	POA
3	4.25	2.9	-	-	135.76	POA
4	5	4.8	-	-	208.87	POA
5	-	8.8	-	-	414.73	POA
6	6.5	14.3	-	-	628.25	POA
8	7.75	23.5	-	-	1,335.44	POA
10	15	41.8	-	-	2,289.86	POA
12	18	68.2	-	-	3,318.19	POA
14	-	77	-	-	POA	POA
16	-	94.6	-	-	POA	POA
18	-	165	-	-	POA	POA
20	-	202.4	-	-	POA	POA
24	-	283.8	-	-	POA	POA

## SHURJOINT #SS-11 Stainless Steel 45 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	45 Deg Elbow (CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	1.75	0.4	-	-	36.72	POA
1 ¼	1.75	0.7	-	-	39.67	POA
1 ½	1.75	0.9	-	-	45.43	POA
2	2	1.1	-	-	62.77	POA
2 ½	2.25	2.2	-	-	131.04	POA
3	2.5	2.2	-	-	135.76	POA
4	3	3.5	-	-	208.87	POA
5	-	6.4	-	-	414.73	POA
6	3.5	9.2	-	-	471.35	POA
8	4.25	16.3	-	-	795.75	POA
10	6.25	23.4	-	-	1,604.34	POA
12	7.5	27.3	-	-	2,020.12	POA
14	-	38.06	-	-	POA	POA
16	-	49.72	-	-	POA	POA
18	-	63.14	-	-	POA	POA
20	-	90.2	-	-	POA	POA
24	-	109.34	-	-	POA	POA

## 3.0 Stainless Steel Products

### SHURJOINT #SS-20 Stainless Steel Tee

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	Tee (CAN\$)
-----------	-------	-------------	--------------	------------	-------------

(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	2.25	0.9	-	-	51.32	POA
1 ¼	2.25	1.5	-	-	58.71	POA
1 ½	2.75	1.8	-	-	65.98	POA
2	3.25	2.4	-	-	96.35	POA
2 ½	3.75	5.5	-	-	221.90	POA
3	1.25	4.6	-	-	247.95	POA
4	5	7.5	-	-	383.64	POA
5	-	11.4	-	-	589.04	POA
6	6.5	21.3	-	-	1,169.05	POA
8	7.75	33	-	-	2,367.04	POA
10	8.88	67.1	-	-	2,880.61	POA
12	10.38	94.6	-	-	4,076.63	POA
14	-	118.8	-	-	POA	POA
16	-	1445.2	-	-	POA	POA
18	-	217.8	-	-	POA	POA
20	-	275	-	-	POA	POA
24	-	378.4	-	-	POA	POA

## SHURJOINT #SS-60 Stainless Steel Cap

Nom. Size	E - E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Tee (CAN\$)	
					SS304	SS316
1	0.94	0.2	-	-	14.79	POA
1 ¼	0.94	0.2	-	-	16.89	POA
1 ½	0.94	0.4	-	-	18.85	POA
2	0.94	0.4	-	-	23.04	POA
2 ½	1.75	0.9	-	-	46.08	POA
3	2	1.5	-	-	86.93	POA
4	2	2	-	-	113.17	POA
5	-	3.5	-	-	209.40	POA
6	3	5.7	-	-	238.72	POA
8	3.5	11.4	-	-	471.35	POA
10	5	44	-	-	1,129.32	POA
12	6	29.7	-	-	1,568.89	POA
14	7	34.7	-	-	1,881.48	POA
16	8	42.6	-	-	2,107.63	POA

## 3.0 Stainless Steel Products

### SHURJOINT #SS-21 Stainless Steel Reducing Tee

Nom. Size	C-E (in)	C-E Branch (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Tee (CAN\$)	
						SS304 Body	SS316 Body
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	SS304 Body	SS316 Body

1 ¼ x 1			1.5	-	-	78.09	POA
1 ½ x 1	2.75	2.75	1.5	-	-	78.09	POA
1 ½ x 1 ¼	2.75	3.25	1.5	-	-	78.09	POA
2 x 1	2.75	2.75	1.8	-	-	101.92	POA
2 x 1 ¼	2.75	2.75	1.8	-	-	101.92	POA
2 x 1 ½	2.75	2.75	2.6	-	-	101.92	POA
2 ½ x 1	2.75	2.75	3.8	-	-	203.96	POA
2 ½ x 1 ¼	2.75	2.75	3.9	-	-	203.96	POA
2 ½ x 1 ½	2.75	2.75	4	-	-	203.96	POA
2 ½ x 2	3	3	4.1	-	-	203.96	POA
3 x 1 ¼	3.75	3.25	4.3	-	-	305.94	POA
3 x 1 ½	3.75	3.25	5.6	-	-	305.94	POA
3 x 2	3.75	3.25	5.8	-	-	305.94	POA
3 x 2 ½	3.75	3.25	6	-	-	305.94	POA
4 x 2	5	5	8.8	-	-	407.73	POA
4 x 2 ½	4.5	3.88	9	-	-	407.73	POA
4 x 3	4.5	3.88	9.9	-	-	407.73	POA
5 x 2 ½	5.5	5.5	9.46	-	-	637.09	POA
5 x 3	5.25	4.38	7.5	-	-	637.09	POA
5 x 4	5.25	4.63	13.6	-	-	815.13	POA
6 x 3	5.88	4.88	20.2	-	-	928.57	POA
6 x 4	5.88	5.13	20.2	-	-	928.57	POA
6 x 5	5.88	5.38	20.2	-	-	928.57	POA
8 x 3	7.75	6.5	19.6	-	-	2,233.31	POA
8 x 4	7.75	6.5	19.6	-	-	2,233.31	POA
8 x 5	7.75	6.5	34.5	-	-	POA	POA
8 x 6	7.75	6.63	35.9	-	-	2,679.99	POA
10 x 6	8.88	7.75	59.5	-	-	POA	POA
10 x 8	8.88	8.5	61	-	-	POA	POA
12 x 8	10.37	9.5	85.2	-	-	POA	POA
12 x 10	10.37	9.88	87.2	-	-	POA	POA
14 x 10	-	-	137.3	-	-	POA	POA
16 x 14	-	-	77	-	-	POA	POA
18 x 14	-	-	252.8	-	-	POA	POA
20 x 16	-	-	315.7	-	-	POA	POA
24 x 20	-	-	446.4	-	-	POA	POA

## 3.0 Stainless Steel Products

### SHURJOINT #SS-50 Stainless Steel Concentric Reducer

Nom. Size	E-E	Approx.	Inner Carton	Crate	Conc. Reducer	
		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304 Body	SS316 Body
1 ¼ x 1	-	0.6	-	-	50.99	POA

1 ½ x 1	2.5	0.7	-	-	50.99	POA
1 ½ x 1 ¼	2.5	0.7	-	-	50.99	POA
2 x 1	3	0.8	-	-	77.44	POA
2 x 1 ¼	3	0.8	-	-	77.44	POA
2 x 1 1/2	3	0.8	-	-	77.44	POA
2 ½ x 1	3.5	1.1	-	-	114.16	POA
2 ½ x 1 ¼	3.5	1.1	-	-	114.16	POA
2 ½ x 1 ½	3.5	1.2	-	-	114.16	POA
2 ½ x 2	3.5	1.2	-	-	114.16	POA
3 x 1 ¼	3.5	1.3	-	-	126.40	POA
3 x 1 ½	3.5	1.4	-	-	126.40	POA
3 x 2	5	1.4	-	-	126.40	POA
3 x 2 ½	5	1.8	-	-	126.40	POA
4 x 2	5	2.5	-	-	169.34	POA
4 x 2 ½	5	2.7	-	-	169.34	POA
4 x 3	5	3.3	-	-	169.34	POA
5 x 2 ½	5	2.71	-	-	POA	POA
5 x 3	5	2.71	-	-	POA	POA
5 x 4	5	4.4	-	-	POA	POA
6 x 3	5.5	6	-	-	261.04	POA
6 x 4	5.5	6.2	-	-	261.04	POA
6 x 5	5.5	6.2	-	-	261.04	POA
8 x 4	6	10.8	-	-	480.91	POA
8 x 5	6	11.7	-	-	480.91	POA
8 x 6	6	11	-	-	480.91	POA
10 x 6	7	19.8	-	-	POA	POA
10 x 8	7	22	-	-	POA	POA
12 x 8	8	33	-	-	POA	POA
12 x 10	8	37.4	-	-	POA	POA
14 x 10	-	59.4	-	-	POA	POA
16 x 14	-	38.06	-	-	POA	POA
18 x 14	-	85.8	-	-	POA	POA
20 x 16	-	125.4	-	-	POA	POA
24 x 20	-	149.6	-	-	POA	POA

## 3.0 Stainless Steel Products

### SHURJOINT #SS-41 Stainless Steel Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Stainless		Spare Parts	
				Split Flange (CAN\$)		SS304 Bolt/Nut	
(in)	(lbs)	(pcs)	(pcs)	SS304	SS316	(pcs)	(in)
2	4.6	-	-	202.65	POA	4	5/8 x 3
2 ½	6	-	-	247.94	POA	4	5/8 x 3

3	6.8	-	-	276.76	POA	4	5/8 x 3
4	9.9	-	-	398.41	POA	8	5/8 x 3
6	12.9	-	-	492.26	POA	8	3/4 x 3-1/2
8	18	-	-	778.58	POA	8	3/4 x 3-1/2

## SHURJOINT #SS-80 Stainless Steel Flange Adapter

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)		Spare Parts SS304 Bolt/Nut	
(in)	(lbs)	(pcs)	(pcs)	SS304	SS316	(pcs)	(in)
2	4.4	-	250	282.71	POA	4	5/8
2 ½	6.4	-	180	317.92	POA	4	5/8
3	7.5	-	150	388.62	POA	4	5/8
4	8.6	-	120	424.03	POA	8	5/8
5	12	-	85	653.78	POA	8	3/4
6	15	-	85	759.75	POA	8	3/4
8	31.9	-	35	1,148.50	POA	8	3/4

## SHURJOINT #SJ-600SS Stainless Steel Ball Valve with Lever Handle

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Ball Valve (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1 ½	6.6	-	-	POA	495.25
2	8.8	-	-	POA	591.67
2 ½	15.4	-	-	POA	1,719.78
3	33	-	-	POA	1,967.52
4	55	-	-	POA	3,233.94

## 3.0 Stainless Steel Products

### SHURJOINT #SJ-400L Stainless Steel Butterfly Valve c/w lever handle

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Gr 304 Stainless Valve (CAN\$)	Gr 316 Stainless Valve (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2	16.3	-	-	POA	978.55
2 ½	20.9	-	-	POA	1,144.73
3	26	-	-	POA	1,272.16

4	31.9	-	-	POA	1,569.22
5	52	-	-	POA	POA
6	55.2	-	-	POA	2,421.49
8	110	-	-	POA	3,074.65
10	186.6	-	-	POA	POA
12	225.7	-	-	POA	POA

## SHURJOINT #SJ-400W Stainless Steel Butterfly Valve c/w Gear Operator

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Gr 304 Stainless Valve	Gr 316 Stainless Valve
(in)	(lbs)			(pcs)	(CAN\$)
2	23.8	-	-	POA	POA
2 ½	28.4	-	-	POA	POA
3	33.7	-	-	POA	POA
4	39.4	-	-	POA	POA
5	60.5	-	-	POA	POA
6	62.7	-	-	POA	POA
8	121.2	-	-	POA	POA
10	175.5	-	-	POA	POA
12	212.3	-	-	POA	POA

## 4.0 Valves & Flow Control Components

### SHURJOINT #726 Y-Strainer

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Y-Strainer Painted	Y-Strainer Galvanized	Spare Basket SS
(in)	(lbs)			(pcs)	(CAN\$)	(CAN\$)
2	9.3	-	-	514.57	POA	POA
2 ½	13.2	-	-	540.47	POA	POA
3	18	-	-	607.08	POA	POA
4	26.4	-	-	687.21	POA	POA
6	70.4	-	-	1,080.53	POA	POA
8	121	-	-	2,183.79	POA	POA

10	182.6	-	-	2,662.84	POA	POA
12	277.2	-	-	6,452.70	POA	POA
14	418	-	-	10,095.40	POA	POA
16	495	-	-	12,078.44	POA	POA

## SHURJOINT #725-G/#725F Suction Diffuser

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Suction Diffuser
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2 ½ x 2 ½	22	-	-	486.12
3 x 3	33	-	-	717.05
4 x 4	48	-	-	1,142.40
5 x 5	53	-	-	POA
5 #725F	58	-	-	POA
6 x 6	59	-	-	1,270.33
6 #725F	67	-	-	1,962.21
8 x 8	102	-	-	2,223.22
10 x 10	190	-	-	3,629.69
12 x 12	290	-	-	4,951.94

## SHURJOINT #650N Expansion Joint

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Expansion Joint
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	15.8	-	-	508.31
2 ½	21.1	-	-	596.98
3	25.5	-	-	750.31
4	39.6	-	-	1,276.58
6	74.8	-	-	1,349.57

# 4.0 Valves & Flow Control Components

## SHURJOINT #SJ-900 Check Valve

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Check Valve Painted	Check Valve Galv.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2 ½	10.8	-	-	383.40	POA
3	10.3	-	-	457.95	POA
4	17.4	-	-	488.84	POA
5	48	-	-	798.75	POA
6	49.5	-	-	957.44	POA
8	63.8	-	-	1,565.55	POA

10	95	-	-	3,727.50	POA
12	140	-	-	4,473.00	POA

## SHURJOINT #453UG Dual Plate Check Valve

Nom.			Crate	Dual Plate
Size	Approx. Wt.	Inner Carton	Qty.	Check Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
3	8.8	-	-	POA
4	12.32	-	-	POA
6	27.72	-	-	POA
8	48.4	-	-	POA

## Shurjoint BH-22C Brass Swing Check Valve

Nom.	Approx.	Inner Carton	Crate	BH-22C
Size	Wt.		Qty.	Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	3.5	-	-	250.00
2 ½	6.5	-	-	360.00
3	10.2	-	-	435.00
4	11.7	-	-	475.00

## Shurjoint SJ-930 Horizontal Swing Check Valve

Nom.	Approx.	Inner Carton	Crate	SJ-930
Size	Wt.		Qty.	Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	12.3	-	-	394.05
2 ½	18.7	-	-	500.55
3	24.2	-	-	649.65
4	39.6	-	-	1,065.00

# 4.0 Valves & Flow Control Components

## SHURJOINT #SJ-500 Ball Valve with Lever Handle Carbon Steel or Stainless Steel Trim

Nom.	Approx.	Inner Carton	Crate	Ball Valve	Ball Valve
Size	Wt.		Qty.	C.S. Trim	SS Trim
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
1 ½	4.8	-	-	240.00	264.00
2	6.4	-	-	270.00	297.60
2 ½	10.6	-	-	498.00	546.00
3	13.4	-	-	564.00	624.00
4	55	-	-	1,680.00	1,860.00
6	95	-	-	3,120.00	3,540.00

## SHURJOINT #SJ-300N-L Butterfly Valve, w/10 Position Lever Handle

Nom.	Approx.	Inner Carton	Crate	Butterfly Valve	Zinc Plated	Butterfly Valve
Size	Wt.			E or T Ptd.	E or T	"O" Viton Ptd.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	6.8	-	-	276.90	POA	POA
2 ½	7.9	-	-	314.18	POA	POA
3	9.2	-	-	324.83	POA	POA
4	12.5	-	-	404.70	POA	POA
5	20.2	-	-	809.40	POA	POA
6	25	-	-	820.05	POA	POA
8	37	-	-	1,171.50	POA	POA
10	62.2	-	-	2,023.50	POA	POA
12	80.1	-	-	2,449.50	POA	POA

## SHURJOINT #SJ-300N-W Butterfly Valve with Gear Operator

Nom.	Approx.	Inner Carton	Crate	Butterfly Valve	Zinc Plated	Butterfly Valve
Size	Wt.			E or T Ptd.	E or T	"O" Viton Ptd.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	17.9	-	-	POA	POA	POA
2 ½	17.9	-	-	POA	POA	POA
3	20.25	-	-	POA	POA	POA
4	23.35	-	-	POA	POA	POA
5	31.55	-	-	POA	POA	POA
6	35.5	-	-	POA	POA	POA
8	48.5	-	-	POA	POA	POA
10	73.5	-	-	POA	POA	POA
12	91.35	-	-	POA	POA	POA

# 4.0 Valves & Flow Control Components

## SHURJOINT #RCV Riser Check Valve

Nom.	Approx. Wt.	Inner Carton	Crate	Riser Check Valve	Riser Check Valve
Size			Qty.	Painted	Galv.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2 ½	10.8	1	80	347.19	POA
3	15.4	1	80	411.09	POA
4	24.2	1	45	432.39	POA
5	48	1	-	POA	POA
6	46.2	1	18	873.30	POA
8	63.8	1	-	1,491.00	POA
10	212.04	1	-	POA	POA
12	353.4	1	-	POA	POA

## 6.0 Plain End Products

### SHURJOINT #79 Plain-End Piping System for Steel Pipe

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E or T EPDM (CAN\$)	E or T (CAN\$)	L SILICON (CAN\$)	Spare Parts Plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv	Painted	(pcs)	(in)
2	7	10	240	108.55	POA	POA	2	5/8 x 3-1/4
2 ½	7.3	8	192	112.29	POA	POA	2	5/8 x 3-1/4
3	11	6	200	158.45	POA	POA	2	3/4 x 4-3/4
4	14.3	3	115	173.42	POA	POA	2	3/4 x 4-3/4
5	-	-	-	245.79	POA	POA	-	-
6	28.6	-	50	305.67	POA	POA	2	7/8 x 6-1/2
8	41.8	-	32	531.50	POA	POA	4	3/4 x 4-3/4
10	52.8	-	12	698.68	POA	POA	4	7/8 x 6-1/2
12	63.1	-	-	991.88	POA	POA	4	1 x 6-1/2
14	79.2	-	-	1,241.41	POA	POA	4	1 x 6-1/2

16	88	-	-	POA	POA	POA	4	1 x 6-1/2
18	127.6	-	-	POA	POA	POA	8	1 x 6-1/2
20	176	-	-	POA	POA	POA	8	1 x 6-1/2

## 7.0 HDP Series

### SHURJOINT #H305 HDP Coupling

Nom.	Approx.	Inner Carton	Crate	Cplg with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
2	5.7	12	300	108.95	POA	4	1/2 x 2-3/8
3	7.9	6	230	150.95	POA	4	1/2 x 2-3/4
4	11.4	4	110	194.44	POA	4	1/2 x 3
6	18	2	65	283.10	POA	4	5/8 x 3-1/2
8	27.5	1	36	393.06	POA	4	5/8 x 3-1/2
10	44	-	20	570.94	POA	4	3/4 x 5-1/2
12	56.1	-	14	765.67	POA	4	3/4 x 5-1/2
14	80.7	-	8	POA	POA	4	1 x 6

16	100.1	-	-	POA	POA	4	1 x 6
18	126.9	-	-	POA	POA	4	1 x 6
20	141.9	-	-	POA	POA	4	1 x 6

## SHURJOINT #H307 HDP Transition Coupling

Nom.	Approx.	Inner Carton	Crate	Cplg with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
2	4.4	-	350	108.95	POA	4	1/2 x 2-3/8
3	5.9	-	320	150.95	POA	4	1/2 x 3
4	8.4	-	180	194.44	POA	4	1/2 x 3
6	12.5	-	108	279.52	POA	4	5/8 x 3-1/2
8	21.3	-	56	393.06	POA	4	5/8 x 3-1/2
10	35.2	-	26	570.94	POA	4	3/4 x 5-1/2
12	43.1	-	20	765.67	POA	4	3/4 x 5-1/2

## 7.0 HDP Series

## SHURJOINT #H312 HDP Flange

Nom.	Approx.	Inner Carton	Crate	Flange with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
4	12.5	-	-	223.53	POA	2	5/8 x 1-5/8
6	17.2	-	-	325.57	POA	2	5/8 x 1-7/8
8	30.8	-	-	452.04	POA	2	3/4 x 2
10	41	-	-	1,184.79	POA	4	3/4 X2 1/4
12	55	-	-	1,715.98	POA	4	3/4 X 2 1/4

## 8.0 Copper Series

### SHURJOINT #C305 Rigid Coupling for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with "E-pw" Gasket, Spare Parts	Spare Parts plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
2	0.9	30	720	18.37	2	3/8 x 2
2 ½	1	25	600	20.24	2	3/8 x 2
3	1.3	20	550	22.63	2	1/2 x 3
4	1.5	-	350	34.61	2	1/2 x 3
5	2.4	-	-	POA	2	5/8 x 3 1/2
6	2.5	-	170	81.47	2	5/8 x 3 1/2
8	5.5	-	-	POA	2	5/8 x 3 1/2

### SHURJOINT #C306 Reducing Coupling for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with "E-pw" Gasket, Spare Parts	Spare Parts plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)

<b>2 ½ x 2</b>	1.1	-	-	<b>27.56</b>	2	1/2 x 3
<b>3 x 2</b>	1.5	-	-	<b>29.85</b>	2	1/2 x 3
<b>3 x 2 ½</b>	1.5	-	-	<b>29.85</b>	2	1/2 x 3
<b>4 x 2 ½</b>	1.7	-	-	<b>48.22</b>	2	1/2 x 3
<b>4 x 3</b>	1.7	-	-	<b>47.93</b>	2	1/2 x 3
<b>5 x 4</b>	2.4	-	-	<b>POA</b>	2	5/8 x 3 1/2
<b>6 x 4</b>	2.8	-	-	<b>119.28</b>	2	5/8 x 3 1/2

## SHURJOINT #C307 Transition Coupling for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with "E-pw" Gasket, DI Body	Spare Parts plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
<b>2 x 2</b>	0.9	-	-	<b>31.92</b>	2	3/8 x 2-1/8
<b>2 ½ x 2 ½</b>	1.2	-	-	<b>36.29</b>	2	3/8 x 2-1/8
<b>3 x 3</b>	1.6	-	-	<b>40.42</b>	2	1/2 x 3
<b>4 x 4</b>	2.4	-	-	<b>62.01</b>	2	1/2 x 3

# 8.0 Copper Series

## SHURJOINT #C341 Flange for Copper Tubing

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Flange with "E-pw" Gasket, DI Body	Spare Parts -Plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
<b>2</b>	2.2	-	-	<b>144.68</b>	4	5/8 x 3
<b>2 ½</b>	3	-	-	<b>149.26</b>	4	5/8 x 3
<b>3</b>	3.6	7	230	<b>160.76</b>	4	5/8 x 3
<b>4</b>	4.5	7	230	<b>172.24</b>	8	5/8 x 3
<b>6</b>	6	6	170	<b>227.35</b>	8	3/4 x 3 1/2
<b>8</b>	6.6	6	170	<b>POA</b>	8	3/4 x 3 1/2

## SHURJOINT #C10 90 Degree Elbow, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	90 Degree Elbow Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2</b>	2.91 c	0.9	30	-	<b>48.72</b>

2 ½	3.31 c	1.2	18	-	55.91
3	3.81 c	1.7	12	-	74.55
4	4.75 c	2.7	5	150	159.75
5	5.94 c	5.2	3	80	POA
6	6.94 c	8.3	-	40	532.50
8	7.75 c	11.8	-	-	POA

### SHURJOINT #C11 45 Degree Elbow, Bronze Grooved Fitting

Nom.	C – E	Approx.	Inner Carton	Crate	45 Degree Elbow
Size		Wt.		Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.19 c	0.8	48	-	57.24
2 ½	2.31 c	1	25	-	66.56
3	2.59 c	1.4	16	530	89.19
4	3.19 c	2.5	6	240	170.40
5	3.25 c	3.6	-	125	POA
6	3.63 c	4.6	-	70	559.13
8	4.25 c	8	-	-	POA

## 8.0 Copper Series

### SHURJOINT #C20 Tee, Bronze Grooved Fitting

Nom.	C – E	Approx.	Inner Carton	Crate	Tee
Size		Wt.		Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.69 c	0.9	24	-	86.80
2 ½	3.20 c	1.8	12	-	87.86
3	3.50 c	2.4	8	260	111.83
4	4.25 c	3.8	3	120	263.59
5	5.94 c	7.8	-	52	POA
6	6.94 c	12.2	-	24	878.63
8	7.75 c	17	-	-	POA

### SHURJOINT #C60 Cap, Bronze Grooved Fitting

Nom.	C – E	Approx.	Inner Carton	Crate	Cap
Size		Wt.		Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	0.96 c	0.3	100	-	28.76
2 ½	0.96 c	0.4	70	-	43.13

<b>3</b>	0.96 c	0.6	45	-	<b>54.32</b>
<b>4</b>	0.96 c	1	60	-	<b>82.27</b>
<b>5</b>	0.96 c	1.6	35	-	<b>POA</b>
<b>6</b>	0.96 c	2	24	-	<b>170.93</b>
<b>8</b>	0.96 c	4.5	-	-	<b>POA</b>

### SHURJOINT #C21 Reducing Tee, Bronze Grooved Fitting(Gr x Gr x Gr)

Nom.		Approx.		Crate	Red. Tee
Size	C-E	.Wt.	Inner Carton	Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2 ½ x 2</b>	3.20 c	1.6	12	-	<b>119.81</b>
<b>3 x 2</b>	3.50 c	2.2	9	-	<b>154.43</b>
<b>3 x 2 ½</b>	3.50 c	2.2	9	-	<b>186.38</b>
<b>4 x 2</b>	4.25 c	3.5	4	120	<b>351.45</b>
<b>4 x 2 ½</b>	4.25 c	3.6	4	120	<b>351.45</b>
<b>4 x 3</b>	4.25 c	3.7	4	120	<b>351.45</b>
<b>5 x 3</b>	5.94 c	7.4	-	50	<b>POA</b>
<b>5 x 4</b>	5.94 c	7.5	-	60	<b>POA</b>
<b>6 x 2 ½</b>	6.94 c	8	-	36	<b>1,317.94</b>
<b>6 x 3</b>	6.94 c	8	-	24	<b>1,317.94</b>
<b>6 x 4</b>	6.94 c	8.3	-	24	<b>1,317.94</b>
<b>6 x 5</b>	6.94 c	8.4	-	24	<b>POA</b>

## 8.0 Copper Series

### SHURJOINT #C50 Concentric Reducer, Bronze Grooved Fitting(Gr x Gr)

Nom.		Approx.		Crate	Conc. Reducer
Size	C-E	.Wt.	Inner Carton	Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2 ½ x 2</b>	2.50 c	0.6	80	-	<b>61.50</b>
<b>3 x 2</b>	2.50 c	0.7	56	-	<b>61.50</b>
<b>3 x 2 ½</b>	2.50 c	0.7	42	-	<b>61.50</b>
<b>4 x 2</b>	3.00 c	1.2	24	790	<b>127.80</b>
<b>4 x 2 ½</b>	3.00 c	1.2	24	790	<b>127.80</b>
<b>4 x 3</b>	3.00 c	1.1	24	790	<b>127.80</b>
<b>5 x 3</b>	3.50 c	2	10	420	<b>POA</b>
<b>5 x 4</b>	3.50 c	2	10	420	<b>POA</b>
<b>6 x 2 ½</b>	4.00 c	2.7	6	250	<b>395.38</b>
<b>6 x 3</b>	4.00 c	2.7	3	250	<b>395.38</b>
<b>6 x 4</b>	4.00 c	2.7	6	250	<b>395.38</b>
<b>6 x 5</b>	4.00 c	2.7	6	250	<b>POA</b>

### SHURJOINT #C26 Reducing Tee, Bronze/Copper, (Gr x Gr x Cup)

Nom.		Approx.		Crate	Reducing Tee
------	--	---------	--	-------	--------------

Size	C-E	.Wt.	Inner Carton	Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 x ¾	2.20 c	0.7	-	-	91.06
2 x 1	2.33 c	0.7	-	-	91.06
2 x 1 ¼	2.48 c	0.8	-	-	91.06
2 x 1 ½	2.60 c	0.9	-	-	91.06
2 ½ x ¾	2.28 c	0.9	-	-	116.62
2 ½ x 1	2.40 c	1	-	-	113.42
2 ½ x 1 ¼	2.52 c	1.1	-	-	113.42
2 ½ x 1 ½	2.70 c	1.2	-	-	113.42
2 ½ x 2	2.95 c	2.6	-	-	113.42
3 x ¾	2.44 c	1.3	-	-	211.67
3 x 1	2.54 c	1.3	-	-	211.67
3 x 1 ¼	2.63 c	1.4	-	-	211.67
3 x 1 ½	2.85 c	1.5	-	-	211.67
3 x 2	3.11 c	2.6	-	-	211.67
4 x ¾	3.00 c	2.2	-	-	249.21
4 x 1	3.10 c	2.3	-	-	327.49
4 x 1 ¼	3.25 c	2.5	-	-	327.49
4 x 1 ½	3.35 c	2.5	-	-	327.49
4 x 2	3.62 c	4.1	-	-	327.49

## 8.0 Copper Series

### SHURJOINT #C52 Concentric Reducer, Bronze/Copper, (Gr x Cup)

Nom.		Approx.		Crate	Conc. Reducer
Size	E-E	.Wt.	Inner Carton	Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 x 1	2.70 c	0.3	120	-	51.12
2 x 1 ¼	3.00 c	0.4	90	-	51.12
2 x 1 ½	2.94 c	0.4	90	-	51.12
2 ½ x 1	3.25 c	0.5	60	-	62.30
2 ½ x 1 ¼	3.52 c	0.5	60	-	62.30
2 ½ x 1 ½	3.45 c	0.5	60	-	62.30
2 ½ x 2	3.30 c	0.5	45	-	62.30
3 x 1 ½	3.68 c	0.8	40	-	78.28
3 x 2	4.10 c	0.9	30	860	78.28
4 x 2	4.75 c	1.4	16	540	146.97

### SHURJOINT #C55 Copper x Female Adapter, Bronze

Nom.	Approx.	Inner Carton	Crate	Adapter
Size	Wt.		Qty.	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
1 ½ x 2	0.6	1	-	127.80
2 x 2	0.7	1	-	127.80
2 ½ x 2 ½	0.8	1	-	170.40

<b>3 x 3</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>202.35</b>
--------------	----------	----------	----------	---------------

### SHURJOINT #C726 Y-Strainer for Bronze Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Y-Strainer Bronze
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2</b>	0.4	-	110	<b>POA</b>
<b>2 ½</b>	5.1	-	85	<b>POA</b>
<b>3</b>	6.8	-	60	<b>POA</b>
<b>4</b>	12.5	-	40	<b>POA</b>
<b>6</b>	26.9	-	14	<b>POA</b>

### SHURJOINT #SJ-C300 Butterfly Valve, Bronze for Copper Tubing

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Butterfly Valve Bronze
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2</b>	4.9	2	-	<b>367.43</b>
<b>2 ½</b>	2.7	2	-	<b>439.31</b>
<b>3</b>	3	2	-	<b>479.25</b>
<b>4</b>	5	2	-	<b>607.05</b>
<b>5</b>	8	2	-	<b>POA</b>
<b>6</b>	9.8	2	-	<b>758.81</b>

## 8.0 Copper Series

### SHURJOINT #DE30-GG Dielectric Transition Fitting (IPS to CTS)

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Dielectric Transition Fitting
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2 x 2</b>	0.6	40	960	<b>75.77</b>
<b>2 ½ x 2 ½</b>	1.5	30	720	<b>101.04</b>
<b>3 x 3</b>	2	20	500	<b>149.26</b>
<b>4 x 4</b>	2.6	12	330	<b>199.79</b>
<b>5 x 5</b>	3.5	-	-	<b>POA</b>
<b>6 x 6</b>	4.6	5	130	<b>287.04</b>
<b>8 x 8</b>	6.9	-	-	<b>POA</b>

### SHURJOINT #C723 Bronze Mechanical Tee for Copper Tubing (CTS)

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Dielectric Transition Fitting
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
<b>2 ½ x 1/2</b>	1.43	-	-	<b>119.81</b>
<b>2 ½ x 3/4</b>	1.43	-	-	<b>119.81</b>
<b>2 ½ x 1</b>	1.43	-	-	<b>119.81</b>
<b>2 ½ x 1-1/4</b>	1.76	-	-	<b>119.81</b>
<b>3 x 3/4</b>	1.54	-	-	<b>159.75</b>
<b>3 x 1</b>	1.54	-	-	<b>159.75</b>
<b>3 x 1-1/4</b>	2.2	-	-	<b>159.75</b>
<b>4 x 3/4</b>	1.76	-	-	<b>159.75</b>
<b>4 x 1</b>	1.76	-	-	<b>159.75</b>

4 x 1-1/4	2.64	-	-	159.75
-----------	------	---	---	--------

## 9.0 AWWA Ductile Iron Series

### SHURJOINT A505 AWWA Grooved Couplings

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Painted (CAN\$) (pc)
3	4.8	-	-	116.22
4	7.3	-	230	150.64
6	9	-	120	193.17
8	15.4	-	70	335.38
10	22	-	-	423.72
12	29.7	-	-	614.24

### SHURJOINT A507 AWWA Transition Coupling

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Painted (CAN\$) (pc)
3	6	-	-	236.78
4	8	-	240	272.32
6	9	-	150	331.57
8	18	-	70	413.88
10	22	-	-	529.01
12	31	-	-	709.15

### SHURJOINT A512 AWWA Flange Adapter

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Painted (CAN\$) (pc)
3	5.4	-	-	295.34
4	8.2	-	-	356.75
6	12	-	-	429.16
8	17.4	-	-	531.23
10	24.6	-	-	755.07
12	34.4	-	-	1,008.20

## SHURJOINT A49 Sandwich Plate for AWWA Flange Adapter

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Zinc Plated (CAN\$) (pc)	SS316 (CAN\$) (pc)
3	-	-	-	POA	POA
4	-	-	-	POA	POA
6	-	-	-	POA	POA
8	-	-	-	POA	POA
10	-	-	-	POA	POA
12	-	-	-	POA	POA

## 9.0 AWWA Ductile Iron Series

### SHURJOINT A10 AWWA Grooved 90' Elbow

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
3	8.6	-	-	182.90
4	12	-	80	208.78
6	22	-	40	346.41
8	38	-	20	551.04
10	76	-	-	1,261.41
12	92	-	-	1,517.90

### SHURJOINT A11 AWWA Grooved 45' Elbow

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
3	5.8	-	-	148.68
4	8.4	-	140	194.35
6	15	-	40	300.33
8	28.8	-	32	480.49
10	43.3	-	-	766.36
12	72	-	-	1,159.79

### SHURJOINT A20 AWWA Grooved Tee

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	14.2	-	-	251.58
4	19	-	60	297.14
6	34	-	22	452.75
8	59	-	12	716.75
10	111	-	-	1,627.32
12	136	-	-	2,022.70

## SHURJOINT A60 AWWA Grooved Cap

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	4.79	-	-	110.87
4	5	-	990	112.76
6	9	-	450	185.09
8	16	-	200	288.91
10	37.2	-	-	488.24
12	52	-	-	592.14

## 9.0 AWWA Ductile Iron Series

## SHURJOINT A25 AWWA Grooved Reducing Tee

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
4 x 3	26.4	-	60	324.65
6 x 4	46	-	24	456.10
8 x 4	78	-	15	585.75
8 x 6	80	-	15	672.60
10 x 4	120	-	-	POA
10 x 6	128	-	-	POA
10 x 8	130	-	-	POA
12 x 4	112	-	-	POA
12 x 6	180	-	-	POA
12 x 8	186	-	-	POA
12 x 10	192	-	-	POA

## SHURJOINT A50 AWWA Grooved Concentric Reducer

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
4 x 3	10	-	200	269.71
6 x 4	16.5	-	100	353.76
8 x 4	28	-	60	497.43
8 x 6	34	-	45	518.66
10 x 4	42	-	-	POA

10 x 6	46	-	-	POA
10 x 8	50	-	-	POA
12 x 4	60	-	-	POA
12 x 6	70	-	-	POA
12 x 8	74	-	-	POA
12 x 10	84	-	-	POA

## SHURJOINT A10R AWWA Grooved Reducing Elbow

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Cement Lined (CAN\$) (pc)
4 x 3	17	-	100	POA
6 x 4	29.6	-	48	POA
8 x 4	46.5	-	24	POA
8 x 6	48.5	-	24	POA
10 x 6	77	-	-	POA
10 x 8	88	-	-	POA
12 x 6	110	-	-	POA
12 x 8	126	-	-	POA
12 x 10	150	-	-	POA

# 11.0 Parts

## Rubber Gasket for #7705 / #7707 / Z-07 / #Z05 / #G28 Coupling

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	E EPDM (CAN\$) (pc)	E-PW Potable Water (CAN\$) (pc)	T Nitrile (CAN\$) (pc)	O Viton (CAN\$) (pc)	L Silicon (CAN\$) (pc)	A White Nitrile (CAN\$) (pc)	V Neoprene (CAN\$) (pc)
1	0.05		4.77	6.39	4.77	63.71	13.01	POA	POA
1 ¼	0.05	210	5.45	6.49	5.45	64.86	13.46	POA	POA
1 ½	0.06	170	6.41	7.76	6.41	70.25	16.22	11.18	POA
2	0.08	120	6.99	8.45	6.99	75.63	17.75	11.46	POA
2 ½	0.09	100	7.56	9.13	7.56	82.04	19.48	12.51	POA
3	0.1	65	8.14	9.80	8.14	118.82	20.45	13.49	POA
3 ½	0.1	65	11.85	13.85	11.85	POA	POA	POA	POA
4	0.21	40	11.85	14.18	11.85	178.30	30.32	19.53	POA
5	0.26	33	15.06	18.09	15.06	221.37	37.75	24.80	POA
6	0.31	25	16.22	19.46	16.22	232.27	41.02	26.69	POA
8	0.54	15	28.07	33.63	28.07	459.03	77.68	46.15	POA
10	0.64	12	48.52	58.29	48.52	863.96	151.19	POA	POA
12	0.81	-	56.66	68.01	56.66	1,025.98	173.22	POA	POA
14	1.45	-	67.43	POA	67.43	1,241.84	199.71	POA	POA
16	1.49	-	75.63	POA	75.63	1,349.90	226.82	POA	POA
18	1.72	-	143.69	POA	143.69	2,591.87	431.91	POA	POA
20	1.88	-	153.31	POA	153.31	2,753.76	459.03	POA	POA
24	2.27	-	189.07	POA	189.07	3,185.75	529.15	POA	POA

## GapSeal Gasket for #7705 / #7707 / Z-07 / #Z07 / #Z05 / #G28 Coupling

Nom.	Approx.	Inner Carton	E	E-PW	T	O	L	A	V
------	---------	--------------	---	------	---	---	---	---	---

Size	Wt.		EPDM	Potable Water	Nitrile	Vitron	Silicon	White Nitrile	Neoprene
			(CAN\$)	(CAN\$)	(CAN\$)	(CAN\$)	(CAN\$)	(CAN\$)	(CAN\$)
(in)	(lbs)	(pcs.)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)
1 ¼	0.05	210	8.14	POA	8.14	POA	POA	POA	POA
1 ½	0.06	170	9.68	POA	9.68	POA	POA	POA	POA
2	0.08	120	10.51	POA	10.51	POA	POA	15.76	POA
2 ½	0.09	100	11.41	POA	11.41	POA	POA	16.99	POA
3	0.1	65	12.05	POA	12.05	POA	POA	18.14	POA
4	0.21	40	17.75	POA	17.75	POA	POA	26.66	POA
5	0.26	33	22.68	POA	22.68	POA	POA	34.10	POA
6	0.31	25	24.36	POA	24.36	POA	POA	36.53	POA
8	0.73	15	42.17	POA	42.17	POA	POA	63.20	POA
10	6.16	1	72.93	POA	72.93	POA	POA	POA	POA
12	6.61	1	85.05	POA	85.05	POA	POA	POA	POA
14	1.9	1	POA	POA	POA	POA	POA	POA	POA
16	1.95	1	POA	POA	POA	POA	POA	POA	POA
18	2.25	1	POA	POA	POA	POA	POA	POA	POA
20	2.45	1	POA	POA	POA	POA	POA	POA	POA
24	3	1	POA	POA	POA	POA	POA	POA	POA

## 11.0 Parts

### Rubber Gasket for #7706 Reducing Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	E-PW Potable Water (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2 x 1 ½	0.13	1	-	6.99	POA	6.99
2 ½ x 2	0.1	1	-	9.17	POA	9.17
3 x 2	0.18	1	-	10.77	POA	10.77
3 x 2 ½	0.27	1	-	10.77	POA	10.77
4 x 2	0.31	1	-	15.06	POA	15.06
4 x 2 ½	0.4	1	-	15.70	POA	15.70
4 x 3	0.29	1	-	16.22	POA	16.22
5 x 4	0.52	1	-	23.43	POA	23.43
6 x 3	0.53	1	-	23.72	POA	23.72
6 x 4	0.53	1	-	21.60	POA	21.60
8 x 6	0.77	1	-	35.12	POA	35.12

### Rubber Gasket for #7041 / #7043 Flanges

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
2	0.05	180	-	6.79	6.79
2 ½	0.06	120	-	8.14	8.14
3	0.08	100	-	9.17	9.17

4	0.1	80	-	12.69	12.69
5	0.14	50	-	14.55	14.55
6	0.17	40	-	16.22	16.22
8	0.29	25	-	25.38	25.38
10	0.43	1	-	43.20	43.20
12	0.75	1	-	57.23	57.23
14	0.91	1	-	122.48	122.48
16	1.25	1	-	138.45	138.45
18	1.82	1	-	175.73	175.73
20	2.28	1	-	202.35	202.35
24	2.74	1	-	266.25	266.25

# 11.0 Parts

## Rubber Gasket for #C-7 Outlet Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
1 ½	0.08	1	-	POA	POA
2	0.09	1	-	POA	POA
2 ½	0.13	1	-	POA	POA
3	0.16	1	-	POA	POA
4	0.32	1	-	POA	POA
6	0.4	1	-	POA	POA

## Rubber Gasket for #7721 / #7722 Mechanical Tee

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(pc)	(pc)
2 x ½ ~1	0.03	-	-	5.90	5.90
2 x 1 ¼~ 1 ½	0.03	-	-	5.90	5.90
2 ½ x ½~1	0.03	-	-	5.90	5.90
2 ½ x 1 ¼~ 1 ½	0.04	-	-	5.90	5.90
3 x ½~1	0.02	-	-	5.90	5.90
3 x 1 ¼~ 1 ½	0.04	-	-	5.90	5.90
3 x 2	0.06	-	-	5.90	5.90
4 x ½~1	0.02	-	-	7.56	7.56
4 x 1 ¼~ 1 ½	0.04	-	-	7.56	7.56
4 x 2	0.06	-	-	7.56	7.56

4 x 2 ½	0.07	-	-	7.56	7.56
4 x 3	0.09	-	-	7.56	7.56
5 x 2	0.05	-	-	7.56	7.56
5 x 2 ½	0.06	-	-	7.56	7.56
6 x 1 ¼- 1 ½, 2, 2 ½	0.04	-	-	9.68	9.68
6 x 3	0.09	-	-	9.68	9.68
6 x 4	0.12	-	-	9.68	9.68
8 x 3	0.15	-	-	15.98	15.98
8 x 4	0.15	-	-	15.98	15.98

## 11.0 Parts

### Rubber Gasket for #723 Mechanical Tee, Gr. E (EPDM)

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	E (CAN\$) (pc)	T (CAN\$) (pc)
1 ¼, 1 ½ x ½, ¾, 1	0.02	-	-	4.26	-
2, 2 ½ x ½, ¾, 1	0.02	-	-	4.26	-

### Rubber Gasket for #H305 & #79 Coupling

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	E EPDM (CAN\$) (pc)	T NITRILE (CAN\$) (pc)	L SILICON (CAN\$) (pc)
2	0.13	-	-	POA	POA	POA
2 ½	0.18	-	-	POA	POA	POA
3	0.18	-	-	POA	POA	POA
4	0.35	-	-	POA	POA	POA
6	0.53	-	-	POA	POA	POA
8	0.84	-	-	POA	POA	POA
10	1.01	-	-	POA	POA	POA
12	1.32	-	-	POA	POA	POA
14				POA	POA	POA
16				POA	POA	POA
18				POA	POA	POA
20				POA	POA	POA

### Rubber Gasket for #H307 HDP Transition Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2	0.08	-	-	POA	POA	POA
2 ½	0.09	-	-	POA	POA	POA
3	0.1	-	-	POA	POA	POA
4	0.21	-	-	POA	POA	POA
6	0.31	-	-	POA	POA	POA
8	0.54	-	-	POA	POA	POA
10	0.64	-	-	POA	POA	POA
12	0.81	-	-	POA	POA	POA

# 11.0 Parts

## Rubber Gasket for #H312 HDP Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
4	0.23	-	-	POA	POA	POA
6	0.32	-	-	POA	POA	POA
8	0.54	-	-	POA	POA	POA

## Rubber Gasket for "EP" XH-1000 Couplings

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2		-	-	POA	POA	POA
2 ½		-	-	POA	POA	POA
3		-	-	POA	POA	POA
4		-	-	POA	POA	POA
6		-	-	POA	POA	POA
8		-	-	POA	POA	POA

### Rubber Gasket for C301/C305 Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2		-	-	10.64
2 ½		-	-	11.47
3		-	-	12.05
4		-	-	17.82
5		-	-	22.40

### Rubber Gasket for C307 Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pc)
2 x 2		-	12.63
2 -1/2 x 2-1/2		-	13.59
3 x 3		-	14.55
4 x 4		-	21.41

6		-	-	24.48
---	--	---	---	-------

## Rubber Gasket for C306 Reducing Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2-1/2 x 2		-	-	9.17
3 x 2		-	-	10.83
3 x 2-1/2		-	-	10.83
4 x 2-1/2		-	-	15.70
4 x 3		-	-	16.22
5 x 4		-	-	16.22
6 x 4		-	-	21.60

## 11.0 Parts

## Rubber Gasket for C341 Flange, E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2		-	-	6.67
2 1/2		-	-	8.07
3		-	-	9.17
4		-	-	12.63
5		-	-	14.55
6		-	-	16.22

## Rubber Gasket for A505 AWWA Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3		-	-	13.40	13.40
4		-	-	19.54	19.54
6		-	-	26.80	26.80
8		-	-	46.27	46.27
10		-	-	80.25	80.25
12		-	-	93.57	93.57

## Rubber Gasket for A507 AWWA Transition Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl	S Nitrile

				(CAN\$)	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3 x 3		-	-	16.09	16.09
4 x 4		-	-	23.46	23.46
6 x 6		-	-	32.05	32.05
8 x 8		-	-	55.51	55.51
10 x 10		-	-	96.27	96.27
12 x 12		-	-	112.36	112.36

## 11.0 Parts

### Rubber Gasket for A512 AWWA Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3		-	-	11.02	11.02
4		-	-	15.12	15.12
6		-	-	19.48	19.48
8		-	-	30.45	30.45
10		-	-	51.85	51.85
12		-	-	68.70	68.70

### Track Bolt c/w Heavy Duty Nut

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Zinc Plated (CAN\$)	Galvanized (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(pc)	(pc)
3/8x1-3/4 (45)	0.09	-	-	POA	POA
3/8x2-1/8 (55)	0.1	-	-	POA	POA
3/8x2-3/4 (70)	0.11	-	-	POA	POA
1/2x2-3/8 (60)	0.17	-	-	POA	POA
1/2x2-3/4 (70)	-	-	-	POA	POA
1/2x3 (75)	0.2	-	-	POA	POA
5/8x2-3/4 (70)	-	-	-	POA	POA
5/8x3-1/2 (90)	0.37	-	-	POA	POA
5/8x5-5/16 (135)	0.5	-	-	POA	POA
3/4x4-3/4 (120)	0.75	-	-	POA	POA

7/8x4 (100)	1.04	-	-	POA	POA
7/8x5-1/2 (140)	-	-	-	POA	POA
7/8x6-1/2 (165)	1.39	-	-	POA	POA
1x3-1/2 (90)	1.39	-	-	POA	POA
1x5-1/2 (140)	-	-	-	POA	POA
1x6-1/2 (165)	-	-	-	POA	POA
1-1/4 x 4-1/2 (115)	-	-	-	POA	POA

# 11.0 Parts

## Stainless Steel Track Bolt with Heavy Duty Nut

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	304 (CAN\$) (pc)	316 (CAN\$) (pc)
5/16 x 1-1/2 (38)	0.05	-	-	POA	POA
3/8 x 2 (50)	0.1	-	-	POA	POA
1/2 x 3 (75)	0.23	-	-	POA	POA
5/8 x 3-1/2 (90)	0.43	-	-	POA	POA
3/4 x 4-3/4 (120)	0.81	-	-	POA	POA
7/8 x 6-1/2 (165)	1.44	-	-	POA	POA

## SHURJOINT Lubricant

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	(CAN\$) (pc)
2 pounds	2	9	-	POA
1 pound	1	24	-	POA

## SHURJOINT Grooved Wrenches

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	(CAN\$) (pc)
#1 Wrench 11/16 x 7/8	1.5	25	-	POA

#2 Wrench 7/8 x 1 1/16	1.5	25	-	POA
---------------------------	-----	----	---	-----