

Shurjoint Grooved Piping Products

Price Schedule: G-2011-1	
Effective Date:	October 1, 2011
Subject to Change Without Notice	

GENERAL NOTES

MINIMUM INVOICE: \$50.00 net

PRICES: All prices are each.
Taxes extra as applicable

F.O.B. : Our plant, stocking warehouse.
Any single order having a total order value of \$7500 or more for shipment to a single destination, will have full freight allowed at the lowest published rate for the most economical way. Shipments to remote locations may, at our option, be subject to less than full freight allowance.

PAYMENT TERMS: Net 30 days.

OTHER TERMS: The "General Terms and Conditions" apply to all orders.

<p>ONTARIO WAREHOUSE</p> <p>1387 Cornwall Road Oakville, ON L6J 7T5 PHONE 905-842-CCTF (2283) FAX 905-842-1466 TOLL FREE 1-888-399-CCTF (2283)</p> <p>HALIFAX SALES OFFICE PHONE 902-466-CCTF (2283)</p>	<p>ALBERTA WAREHOUSE</p> <p>5407 – 53rd Avenue NW Edmonton, AB T6B 3G2 PHONE 780-463-8700 FAX 780-463-7433 TOLL FREE 1-800-661-3633</p>	<p>BRITISH COLUMBIA WAREHOUSE</p> <p>#4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE 604-540-6177 FAX 604-540-2836 TOLL FREE 1-866-540-6177</p> <p>QUEBEC SALES TOLL FREE 1-888-399-CCTF (2283)</p>
--	---	---

Contents

Section 1.0 Grooved Couplings, Flanges & Mech Tees

Couplings -Rigid	Page 3
-Extra Heavy	Page 4, 8
-Flexible	Page 4, 5
-Large Diameter	Page 5
-Reducing	Page 6
-Hinged	Page 6
-Outlet	Page 7
Flanges -ANSI 125/150	Page 8
-ANSI 300	Page 8
Sandwich Plates	Page 9
Flange Adapters	Page 9, 10
Threaded Mechanical Tees	Page 10, 11
Grooved Mechanical Tees	Page 11, 12
Saddle-let	Page 12

Section 2.0 Cast & Wrought Grooved Fittings

Elbows	Page 13, 14, 15, 21, 24
Tee	Page 15, 24
Cross	Page 16
Laterals	Page 16
Reducing Tees	Page 17, 18
True Wye	Page 18
Concentric Reducers	Page 19
Eccentric Reducers	Page 20
Adapters	Page 22
Caps	Page 23
End-All	Page 24
Adapter Nipples	Page 25, 26, 27

Section 3.0 Stainless Steel

Couplings	Page 28, 29
Elbows	Page 30
Tee	Page 31
Caps	Page 31
Reducing Tees	Page 32
Concentric Reducers	Page 33
Flanges and Flange Adapters	Page 34
Ball Valve	Page 34
Butterfly Valves	Page 35

Section 4.0 Flow Control

Y-Strainer	Page 36
Suction Diffuser	Page 36
Expansion Joints	Page 36
Check Valves	Page 37, 39
Ball Valves	Page 38
Butterfly Valves	Page 38

Section 6.0 Plain End Products

Plain-End Piping System (Wildcat)	Page 40
<u>Section 8.0 HDP Series</u>	
Couplings	Page 41
Flanges	Page 42
<u>Section 8.0 Copper Series</u>	
Couplings -Rigid	Page 43
-Reducing	Page 43
-Transition	Page 43
Flanges	Page 44
Elbows	Page 44
Tees	Page 45
Caps	Page 45
Reducing Tees	Page 45, 46
Concentric Reducers	Page 46, 47
Adapters	Page 47
Y-Strainer	Page 47
Butterfly Valves	Page 47
Dielectric Fittings	Page 48
Mechanical Tees	Page 48
<u>Section 9.0 AWWA Ductile Iron Series</u>	
Couplings-AWWA	Page 49
Couplings-Transition	Page 49
Flange Adapters	Page 49
Sandwich Plates	Page 49
Elbows	Page 50, 51
Tees	Page 50
Caps	Page 50
Reducing Tees	Page 51
Concentric Reducers	Page 51
<u>Section 11.0 Spare Parts</u>	
Gaskets -Couplings Standard	Page 52
-Gap Seal	Page 52
-Reducing Cplgs	Page 53
-Flange Standard	Page 53
-Outlet Coupling	Page 54
-Mech Tees	Page 54, 55
-Wildcat	Page 55
-HDPE	Page 55, 56
-Couplings Extra Heavy	Page 56
-Couplings Copper	Page 56
-Flange Copper	Page 57
-Couplings AWWA	Page 57
-Flange AWWA	Page 57, 58
Bolts and Nuts	Page 58, 59
Lubricant	Page 59
Wrenches	Page 59

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #Z-05 Angle Pad Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Cplg.with GapSeal "E" or "T" Gasket		Spare Parts	
				(CAN\$)		(CAN\$)		Plated Bolt/Nut	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.	(pcs)	(in)
1 ¼	1.4	50	1200	13.04	19.25	POA	POA	2	3/8 x 2-1/8
1 ½	1.5	40	960	13.48	19.25	POA	POA	2	3/8 x 2-1/8
2	1.7	30	720	14.64	21.55	POA	POA	2	3/8 x 2-3/4
2 ½	2.1	24	576	17.01	25.16	POA	POA	2	3/8 x 2-3/4
3	2.6	20	480	19.83	29.48	POA	POA	2	3/8 x 2-3/4
4	4.1	12	350	28.03	41.51	POA	POA	2	3/8 x 3
5	5.7	10	230	POA	POA	POA	POA	2	1/2 x 3
6	6.8	7	170	47.63	70.64	POA	POA	2	1/2 x 3
8	13.4	-	80	77.04	114.03	POA	POA	2	5/8 x 4-3/4

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

SHURJOINT #Z-07 Rigid Coupling

Nom. Size	Approx.	Inner Carton	Crate Qty.	Cplg.with "E" or "T" Gasket		Cplg.with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(CAN\$)			
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.	(pcs)	(in)
1 ¼	1.6	48	1152	17.99	26.68	POA	POA	2	3/8 x 2-1/8
1 ½	2	40	960	17.99	26.68	POA	POA	2	3/8 x 2-3/4
2	2.4	36	864	18.22	26.89	POA	POA	2	3/8 x 2-3/4
2 ½	2.4	34	576	20.69	30.63	POA	POA	2	3/8 x 2-3/4
3	3.1	20	550	24.10	35.68	POA	POA	2	1/2 x 3
4	4.4	12	330	34.82	51.61	POA	POA	2	1/2 x 3
5	6.6	7	230	44.75	66.09	POA	POA	2	5/8 x 3-1/2
6	7.1	6	150	59.91	88.73	POA	POA	2	5/8 x 3-1/2
8	15.7	-	80	94.74	140.27	POA	POA	2	3/4 x 4-3/4
10	22.9	-	50	168.84	249.89	POA	POA	2	7/8 x 6-1/2
12	26	-	40	202.51	299.92	POA	POA	2	7/8 x 6-1/2
14	32.8	-	-	434.12	POA	POA	POA	3	7/8 x 5-1/2
16	41.2	-	-	566.23	POA	POA	POA	3	7/8 x 5-1/2
18	54.2	-	-	654.45	POA	POA	POA	3	7/8 x 5-1/2
20	67.2	-	-	779.18	POA	POA	POA	4	1 x 3-1/2
24	46.2	-	-	1,147.53	POA	POA	POA	4	1 x 3-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #XH-1000 Extra Heavy Rigid Coupling

Nom. Size (in)	Approx. (lbs)	Inner carton (pcs)	Crate Qty. (pcs)	Cplg.with "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & (in)	
				Painted	Galv.	(pcs)	(in)
2	3.3	25	600	54.79	POA	2	5/8 x 2-3/4
2 ½	34	20	480	62.43	POA	2	5/8 x 2-3/4
3	4.8	-	440	69.27	POA	2	5/8 x 2-3/4
4	8.8	-	230	102.38	POA	2	3/4 x 4-3/4
6	17.6	-	120	186.60	POA	2	7/8 x 5-1/2
8	24.2	-	-	299.94	POA	2	1 x 5-1/2
10	30.8	-	-	555.35	POA	2	1 x 5-1/2
12	36.7	-	-	811.04	POA	2	1 x 5-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

SHURJOINT #7705 Flexible Coupling

Nom. Size (in)	Approx. Weight (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg.with "E" or "T" Gasket (CAN\$)		Cplg. with GapSeal "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut (in)	
				Painted	Galv.	Painted	Galv.	(pcs)	(in)
1	1.3	30	1440	13.98	20.69	POA	POA	2	3/8 x 1-3/4
1 ¼	1.5	50	1200	13.98	20.69	POA	POA	2	3/8 x 2-1/8
1 ½	1.6	40	960	13.98	20.69	POA	POA	2	3/8 x 2-1/8
2	1.8	30	720	13.98	20.69	POA	POA	2	3/8 x 2-1/8
2 ½	2	24	576	17.04	21.59	POA	POA	2	3/8 x 2-1/8
3	2.8	20	550	19.78	29.29	POA	POA	2	1/2 x 3
3 ½	3.3	-	-	POA	POA	POA	POA	2	1/2 x 3
4	4.1	12	350	29.13	39.30	POA	POA	2	1/2 x 3
5	5.7	7	230	52.15	69.50	POA	POA	2	5/8 x 3-1/2
6	7	6	170	51.80	72.00	POA	POA	2	5/8 x 3-1/2
8	12.8	-	80	81.63	113.17	POA	POA	2	5/8 x 3-1/2
10	18	-	50	139.17	206.02	POA	POA	2	3/4 x 4-3/4
12	23.8	-	40	198.82	294.46	POA	POA	2	7/8 x 6-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #7707 Flexible Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Cplg. with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.		
¾	1.3	30	1440	18.33	25.86	POA	POA	2	3/8 x 1-3/4
1	1.7	26	1248	18.33	25.86	POA	POA	2	3/8 x 2-1/8
1 ¼	2.1	18	864	18.33	25.86	POA	POA	2	3/8 x 2-1/8
1 ½	2.1	18	864	19.70	27.83	POA	POA	2	1/2 x 2-3/8
2	2.6	28	672	23.75	28.18	POA	POA	2	1/2 x 3
2 ½	2.9	22	528	28.96	33.69	POA	POA	2	1/2 x 3
3	3.3	20	550	31.50	37.14	POA	POA	2	1/2 x 3
4	4.6	12	300	45.88	53.80	POA	POA	2	5/8 x 3-1/2
5	7.2	7	220	74.72	105.44	POA	POA	2	5/8 x 3-1/2
6	8.1	6	150	80.34	96.95	POA	POA	2	3/4 x 4-3/4
8	14.5	-	80	136.36	192.20	POA	POA	2	7/8 x 5-1/2
10	22.4	-	50	226.23	318.95	POA	POA	2	1 x 6-1/2
12	26.4	-	36	258.18	363.93	POA	POA	2	1 x 6-1/2

SHURJOINT #7707N Flexible Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Cplg. with GapSeal "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(CAN\$)			
14	34.5	-	32	455.75	642.65	POA	POA	2	7/8 x 6-1/2
16	40.5	-	24	597.76	842.93	POA	POA	2	1 x 6-1/2
18	47.1	-	20	700.23	987.28	POA	POA	2	1 x 6-1/2
20	54	-	20	1,047.32	1,240.55	POA	POA	2	1 x 6-1/2
22	63	-	-	POA	POA	POA	POA	2	1-1/8 x 6-1/2
24	65.1	-	12	1,148.58	1,360.57	POA	POA	2	1-1/8 x 6-1/2
26	143	-	-	POA	POA	POA	POA	4	7/8 x 9-5/8

SHURJOINT #7707L Large Diameter Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.		
28	180	-	-	POA	POA	12	7/8 x 3-15/16
30	209	-	-	POA	POA	12	7/8 x 3-15/16
32	207	-	-	POA	POA	12	7/8 x 3-15/16
34	198	-	-	POA	POA	12	7/8 x 3-15/16
36	211	-	-	POA	POA	12	7/8 x 3-15/16
40	271	-	-	POA	POA	16	1 x 3-15/16
42	308	-	-	POA	POA	16	1 x 3-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #7706 Reducing Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
1 ½ x 1 ¼	2	30	720	27.29	39.85	2	3/8 x 2-1/8
2 x 1 ½	2	30	720	27.29	39.85	2	3/8 x 2-1/8
2 ½ x 2	2.6	25	600	35.54	52.03	2	3/8 x 2-1/8
3 x 2	3.3	20	480	40.77	59.45	2	1/2 x 3
3 x 2 ½	3.7	20	480	34.82	51.01	2	1/2 x 3
4 x 2	5.3	12	330	64.74	94.74	2	1/2 x 3
4 x 2 ½	5.7	12	330	57.00	84.69	2	1/2 x 3
4 x 3	5.3	10	330	55.00	79.42	2	1/2 x 3
5 x 4	8.4	8	220	104.00	151.10	2	5/8 x3-1/2
6 x 3	10.1	6	170	111.00	162.49	2	5/8 x3-1/2
6 x 4	9.9	6	170	111.04	162.49	2	5/8 x3-1/2
6 x 6	9.8	6	170	POA	POA	2	5/8 x3-1/2
8 x 6	16.7	-	80	166.44	243.50	2	3/4 x 4-3/4

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

SHURJOINT #G-28 Hinged Lever Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "E" or "T" Gasket		Cplg. with GapSeal "E" or "T" Gasket	
				(CAN\$)		(CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	Painted	Galv.
1-1/2"	2.5	-	-	POA	POA	POA	POA
2	2.58	25	600	59.19	67.71	POA	POA
2 ½	3.1	20	560	64.32	73.68	POA	POA
3	4.01	16	384	77.67	88.63	POA	POA
4	6.06	8	250	100.30	114.58	POA	POA
5	11.1	5	160	198.93	POA	POA	POA
6	13.63	4	120	215.93	246.75	POA	POA
8	22.12	-	80	375.17	428.60	POA	POA
10	27.36	-	-	559.10	POA	POA	POA

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #C-7 Outlet Coupling

Nom. Size (in)	Approx. Weight (Lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Cplg. with "E" or "T" Gasket (CAN\$)		Spare Parts Plated Bolt & Nut	
				Painted	Galv.	(pcs)	(in)
1 1/2 x 1/2 NPT-F	2.6	18	-	POA	POA	2	3/8 x 2-1/8
1 1/2 x 3/4 NPT-F	2.6	18	-	POA	POA	2	3/8 x 2-1/8
1 1/2 x 1 NPT-F	2.9	18	-	POA	POA	2	3/8 x 2-1/8
2 x 1/2 NPT-F	3.1	15	-	POA	POA	2	3/8 x 2-1/8
2 x 3/4 NPT-F	3.1	15	-	POA	POA	2	3/8 x 2-1/8
2 x 1 NPT-F	3.3	15	-	POA	POA	2	3/8 x 2-1/8
2 x 1 NPT-M	3.3	12	-	POA	POA	2	3/8 x 2-1/8
2 x (1) GRV	3.3	12	-	POA	POA	2	3/8 x 2-1/8
2 1/2 x 1/2 NPT-F	4.8	10	250	POA	POA	2	1/2 x 2-3/8
2 1/2 x 3/4 NPT-F	4.6	10	250	POA	POA	2	1/2 x 2-3/8
2 1/2 x 1 NPT-F	6.4	10	250	POA	POA	2	1/2 x 2-3/8
2 1/2 x 1 1/4 NPT-M	5.1	8	225	POA	POA	2	1/2 x 2-3/8
2 1/2 x (1 1/4) GRV	5.1	8	225	POA	POA	2	1/2 x 2-3/8
2 1/2 x 1 1/2 NPT-M	5.9	8	225	POA	POA	2	1/2 x 2-3/8
2 1/2 x (1 1/2) GRV	5.9	8	225	POA	POA	2	1/2 x 2-3/8
3 x 3/4 NPT-F	5.9	8	200	POA	POA	2	1/2 x 3
3 x 1 NPT-F	6.2	8	200	POA	POA	2	1/2 x 3
3 x 1 NPT-M	6.2	6	180	POA	POA	2	1/2 x 3
3 x (1) GRV	6.2	6	180	POA	POA	2	1/2 x 3
3 x 1 1/2 NPT-M	6.4	6	180	POA	POA	2	1/2 x 3
3 x (1 1/2) GRV	6.4	6	180	POA	POA	2	1/2 x 3
4 x 3/4 NPT-F	9.2	4	110	POA	POA	2	5/8 x 3-1/2
4 x 1 NPT-F	9.5	4	110	POA	POA	2	5/8 x 3-1/2
4 x 1 1/2 NPT-M	9.5	4	100	POA	POA	2	5/8 x 3-1/2
4 x (1 1/2) GRV	9.5	4	100	POA	POA	2	5/8 x 3-1/2
4 x 2 NPT-M	9.9	4	100	POA	POA	2	5/8 x 3-1/2
4 x (2) GRV	9.9	4	100	POA	POA	2	5/8 x 3-1/2
6 x 1 NPT-F	13.2	2	72	POA	POA	2	5/8 x 3-1/2
6 x 1 1/2 NPT-F	13.6	2	72	POA	POA	2	5/8 x 3-1/2
6 x 1 1/2 NPT-M	13.6	2	65	POA	POA	2	5/8 x 3-1/2
6 x (1 1/2) GRV	13.6	2	65	POA	POA	2	5/8 x 3-1/2
6 x 2 NPT-M	14.3	2	65	POA	POA	2	5/8 x 3-1/2
6 x (2) GRV	14.3	2	65	POA	POA	2	5/8 x 3-1/2

*GRV: Grooved Outlet, NPT-F: NPT Female pipe threaded outlet, NPT-M: NPT Male pipe threaded outlet

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #XH-70EP Extra Heavy Rigid Coupling

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Cplg. with "EP" Gasket		Spare Parts Plated Bolt & Nut	
				(CAN\$)		(pcs)	(in)
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.	(pcs)	(in)
2	3.3	25	600	73.68	POA	2	5/8 x 2-3/4
2 ½	4	20	480	POA	POA	2	5/8 x 2-3/4
3	4.8	-	440	96.74	POA	2	5/8 x 2-3/4
4	8.8	-	230	137.00	POA	2	3/4 x 4-3/4
6	17.6	-	120	238.37	POA	2	7/8 x 5-1/2
8	26.2	-	-	368.76	POA	2	1 x 5-1/2
10	30.8	-	-	POA	POA	2	1 x 5-1/2
12	46	-	-	POA	POA	2	1 x 5-1/2

*Couplings with-out gaskets may be subject to surcharge.

**For special bolts and special gaskets not listed please see Section 13.0

SHURJOINT #7041 Flange, ANSI 125/150

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	#7041 Flange with "E" or "T" Gasket	
				(CAN\$)	
(in)	(Lbs)	(pcs)	(pcs)	Painted	Galv.
2	4.4	-	300	54.01	67.61
2 ½	5.5	-	260	64.98	81.33
3	7.5	-	240	88.23	110.43
4	8.8	-	220	115.21	144.34
5	9.9	-	180	138.93	POA
6	12.1	-	135	151.07	189.20
8	17.6	-	90	190.24	238.38
10	30.4	-	40	386.98	484.69
12	41.8	-	30	516.78	647.27
14	70	-	-	1,156.87	1,449.06
16	91	-	-	1,320.21	1,653.58
18	98	-	-	1,628.29	2,039.53
20	115	-	-	1,979.50	2,482.40
24	165	-	-	2,546.60	3,189.67

SHURJOINT #7043 Flange, ANSI 300

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	#7043 Flange with "E" or "T" Gasket	
				(CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	4.8	-	-	76.84	POA
2 ½	7.4	-	-	86.07	POA
3	9.1	-	-	148.04	175.45
4	15.3	-	-	192.58	228.28
5	17.7	-	-	227.70	269.50
6	23.4	-	-	263.77	312.53
8	34.3	-	-	337.64	400.18
10	48.3	-	-	690.52	818.15
12	70.5	-	-	752.89	892.01

1.0 Grooved Couplings, Flanges & Mech Tees

Shurjoint #49 Sandwich Plate for #7041 & #7043 Flanges

Nom. Size	Approx Weight	Inner Carton	Crate Qty.	Sandwich Plate Electro-Zinc Plated	Sandwich Plate Stainless Steel Type 304	Sandwich Plate Stainless Steel Type 316
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	0.46	-	-	15.25	POA	POA
2 ½	0.46	-	-	18.24	POA	POA
3	0.57	-	-	21.80	POA	POA
4	0.66	-	-	24.31	POA	POA
5	0.82	-	-	30.31	POA	POA
6	1.25	-	-	65.55	POA	POA
8	1.39	-	-	92.16	POA	POA
10	4.56	-	-	121.22	POA	POA
12	5.7	-	-	169.58	POA	POA
14	6.38	-	-	POA	POA	POA
16	7.98	-	-	POA	POA	POA
18	8.44	-	-	POA	POA	POA
20	8.89	-	-	POA	POA	POA
24	11.63	-	-	POA	POA	POA

SHURJOINT #7180 Universal Flange Adapter

ANSI 125/150, PN 10/16, JIS-10K

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	5.1	-	250	60.06	POA
2 ½	6.4	-	180	60.68	POA
3	7.4	-	150	72.96	155.31
4	8.5	-	120	101.65	165.40
5	13.20	-	100	138.06	228.26
6	13.9	-	85	144.45	228.26
8	30	-	35	310.30	447.73

SHURJOINT #7181 Reducing Flange Adapter

ANSI 150 *Groove

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
3 X 2	7.4	-	250	142.14	POA
4 X 3	8.5	-	180	195.92	POA
6 X 4	13.9	-	150	269.16	POA

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #7170 Flange Adapters

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Universal Flange (CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
10	57.2	-	-	POA	POA
12	83.6	-	-	POA	POA
14	112.9	-	-	POA	POA

SHURJOINT #M21 Mechanical Tee, Threaded Outlet, NPT

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#M21 Mech. Tee with "E" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
				Painted	Zinc Plated	(pcs)	(in)
2 x 1/2	2.18			30.42	36.96	2	3/8 x 2-1/8
2 x 3/4	2.22			30.42	36.96	2	3/8 x 2-1/8
2 x 1	2.4			30.42	36.96	2	3/8 x 2-1/8
2 x 1 1/4	2.77			36.72	42.41	2	3/8 x 2-1/8
2 x 1 1/2	3.01			36.72	42.41	2	3/8 x 2-1/8
2 1/2 x 1/2	2.6			34.07	42.83	2	1/2 x 2-3/8
2 1/2 x 3/4	2.7			34.07	42.83	2	1/2 x 2-3/8
2 1/2 x 1	2.86			34.07	42.83	2	1/2 x 2-3/8
2 1/2 x 1 1/4	3.21			37.08	49.22	2	1/2 x 2-3/8
2 1/2 x 1 1/2	3.43			37.08	49.22	2	1/2 x 2-3/8
3 x 1/2	3.17			36.59	43.46	2	1/2 x 3
3 x 3/4	3.21			36.59	43.46	2	1/2 x 3
3 x 1	3.37			36.59	43.46	2	1/2 x 3
3 x 1 1/4	3.98			42.54	54.52	2	1/2 x 3
3 x 1 1/2	4.14			42.54	54.52	2	1/2 x 3
3 x 2	4.55			50.03	61.12	2	1/2 x 3
4 x 1/2	3.59			52.21	62.62	2	1/2 x 3
4 x 3/4	3.61			52.21	62.62	2	1/2 x 3
4 x 1	3.74			52.21	62.62	2	1/2 x 3
4 x 1 1/4	4.18			51.19	62.73	2	1/2 x 3
4 x 1 1/2	4.49			51.19	62.73	2	1/2 x 3
4 x 2	5			51.34	67.78	2	1/2 x 3
4 x 2 1/2	5.43			54.67	69.78	2	1/2 x 3
4 x 3	6.41			POA	POA	2	1/2 x 3
5 x 2	6.38			89.97	101.76	2	5/8 x 3-1/2
5 x 2 1/2	7.46			89.97	101.76	2	5/8 x 3-1/2
5 x 3	8.4			89.97	101.76	2	5/8 x 3-1/2
6 x 1 1/4	6.41			77.09	99.61	2	5/8 x 3-1/2
6 x 1 1/2	6.58			77.09	99.61	2	5/8 x 3-1/2
6 x 2	7			77.09	99.61	2	5/8 x 3-1/2
6 x 2 1/2	7.88			86.66	104.04	2	5/8 x 3-1/2
6 x 3	9.02			POA	POA	2	5/8 x 3-1/2
6 x 4	10.47			POA	POA	2	5/8 x 3-1/2

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #7721 Mechanical Tee, Threaded Outlet, NPT

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#M21Mech. Tee with "E" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	Painted	Zinc Plated
				(CAN\$)			
8 x 2	13.6			131.13	162.31	2	3/4 x 4-3/4
8 x 2 1/2	13.9			131.13	162.31	2	3/4 x 4-3/4
8 x 3	15.6			136.97	162.38	2	3/4 x 4-3/4
8 x 4	17.6			141.63	175.26	2	3/4 x 4-3/4

SHURJOINT #M22 Mechanical Tee, Grooved Outlet

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#M22 Mech. Tee with "E" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	Painted	Galv.
				(CAN\$)			
2 x 1	2.27			30.42	36.96	2	3/8x2-1/8
2 x 1 1/4	2.44			36.72	42.41	2	3/8x2-1/8
2 x 1 1/2	2.6			36.72	42.41	2	3/8x2-1/8
2 1/2 x 1	2.71			34.07	42.83	2	3/8x2-1/8
2 1/2 x 1 1/4	3.06			37.08	49.22	2	3/8x2-1/8
2 1/2 x 1 1/2	3.12			37.08	49.22	2	3/8x2-1/8
3 x 1	3.19			36.59	43.46	2	1/2 x 3
3 x 1 1/4	3.7			42.54	54.52	2	1/2 x 3
3 x 1 1/2	3.74			42.54	54.52	2	1/2 x 3
3 x 2	4.03			50.03	61.12	2	1/2 x 3
4 x 1	3.63			52.21	62.62	2	1/2 x 3
4 x 1 1/4	3.96			51.19	62.73	2	1/2 x 3
4 x 1 1/2	3.98			51.19	62.73	2	1/2 x 3
4 x 2	4.25			51.34	67.78	2	1/2 x 3
4 x 2 1/2	5.85			54.67	69.78	2	1/2 x 3
4 x 3	5.3			POA	POA	2	1/2 x 3
5 x 2	5.79			89.97	101.76	2	5/8 x 3-1/2
5 x 2 1/2	6.34			89.97	101.76	2	5/8 x 3-1/2
5 x 3	6.78			89.97	101.76	2	5/8 x 3-1/2
6 x 1 1/4	6.05			77.09	99.61	2	5/8 x 3-1/2
6 x 1 1/2	6.12			77.09	99.61	2	5/8 x 3-1/2
6 x 2	6.42			77.09	99.61	2	5/8 x 3-1/2
6 x 2 1/2	7.08			86.66	104.04	2	5/8 x 3-1/2
6 x 3	8.1			POA	POA	2	5/8 x 3-1/2
6 x 4	8.91			POA	POA	2	5/8 x 3-1/2

1.0 Grooved Couplings, Flanges & Mech Tees

SHURJOINT #M7722 Mechanical Tee, Grooved Outlet

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	#7722 Mech. Tee with "E" Gasket (CAN\$)		Spare Parts Plated Bolt/Nut	
(in)	(lbs)			(pcs)	(pcs)	Painted	Galv.
8 x 2	12.8			131.13	POA	2	3/4 x 4-3/4
8 x 2 1/2	13.2			131.13	POA	2	3/4 x 4-3/4
8 x 3	15.8			135.62	POA	2	3/4 x 4-3/4
8 x 4	16.5			140.29	POA	2	3/4 x 4-3/4

SHURJOINT #723 Saddle-Let (Small Mechanical Tee), NPT

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Saddle-Let With "E" Gasket (CAN\$)	
(in)	(lbs)			(pcs)	(pcs)
1 1/4 x 1/2	0.9	65	1560	14.07	POA
1 1/4 x 3/4	0.9	65	1560	14.07	POA
1 1/4 x 1	0.9	65	1560	14.07	POA
1 1/2 x 1/2	0.9	65	1560	14.40	POA
1 1/2 x 3/4	0.9	65	1560	14.40	POA
1 1/2 x 1	0.9	65	1560	14.40	POA
2 x 1/2	0.9	65	1560	15.03	POA
2 x 3/4	0.9	65	1560	15.03	POA
2 x 1	0.9	65	1560	15.03	POA
2 1/2 x 1/2	0.9	55	1320	16.65	POA
2 1/2 x 3/4	0.9	55	1320	16.65	POA
2 1/2 x 1	1.1	55	1320	16.65	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7110 90 Degree Elbow

Nom. Size	C – E	Approx.Wt.	Inner Carton	Crate Qty.	90 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	0.7	75	1800	11.59	19.39
1 ¼	2.75	1.1	48	1152	12.82	18.21
1 ½	2.75	1.5	48	1152	12.93	18.21
2	3.25	2	24	576	13.65	20.27
2 ½	3.75	2.6	12	288	19.43	27.00
3	4.25	4.6	9	270	30.20	39.63
3 ½	4.5	6	-	-	POA	POA
4	5	6.2	5	135	40.97	53.54
5	5.5	11	3	80	119.65	170.00
6	6.5	14.1	-	60	121.93	166.84
8	7.75	27.5	-	24	226.77	307.17
10	9	52.8	-	12	447.27	571.17
12	10	77	-	8	729.31	951.52
14	11	77	-	6	911.64	POA
16	12	94.6	-	3	1,071.18	POA
18	15.5	222.2	-	2	2,051.19	POA
20	17.25	279.4	-	-	2,757.71	POA
22	20	283.8	-	-	POA	POA
24	20	462	-	-	4,444.25	POA

SHURJOINT #7111 45 Degree Elbow

Nom. Size	C - E	Approx.Wt.	Inner Carton	Crate Qty.	45 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	1.75	0.4	96	2304	12.08	19.39
1 ¼	1.75	0.7	96	2304	12.65	18.21
1 ½	1.75	0.9	80	1920	12.65	18.21
2	2	1.5	32	768	11.97	20.50
2 ½	2.25	2	18	432	16.52	23.50
3	2.5	2.9	14	390	21.94	31.00
4	3	4.4	6	230	33.62	45.00
5	3.25	7.7	4	100	79.77	POA
6	3.5	9.7	-	72	89.97	126.00
8	4.25	19.8	-	45	176.63	245.00
10	4.75	37.4	-	20	455.82	625.00
12	5.25	49.5	-	12	740.71	950.00
14	6	48.4	-	10	797.69	POA
16	7.25	96.8	-	5	1,025.60	POA
18	8	102.7	-	-	1,823.28	POA
20	9	104.7	-	-	2,279.10	POA
22	11	176	-	-	POA	POA
24	11	176	-	-	2,734.92	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7112 22-1/2 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	22-1/2 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1.75	0.7	-	-	23.79	38.11
1 ½g	1.75	1.3	60	-	23.79	38.11
2g	3.75	1.8	36	-	23.79	38.11
2 ½g	4	2.2	24	576	23.79	POA
3g	4.5	3.1	15	360	34.64	44.52
4g	5	4.4	6	240	46.49	59.75
5g	2.88	7.3	4	140	144.02	159.75
6g	6.25	11	3	96	131.57	175.73
8g	7.75	22	-	45	275.28	POA
10	4.38	29.9	-	24	398.31	POA
12	4.88	40.3	-	-	510.77	POA
14sw	5	46.2	-	-	POA	POA
16sw	5	52.8	-	-	POA	POA
18sw	5.5	66	-	-	POA	POA
20sw	6	79.9	-	-	POA	POA
22sw	7	112.2	-	-	POA	POA
24sw	7	112.2	-	-	POA	POA

sw = Segment Welded Steel. g = Gooseneck design.

* 2", 2-1/2", 3", 4", 6" & 8" #7112 are also available in standard pattern

SHURJOINT #7113 11-1/4 Degree Elbow

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	11-1/4 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1.38	0.4	-	-	23.79	POA
1 ½	1.38	0.7	-	-	23.79	POA
2	1.38	1.8	72	1728	23.79	POA
2 ½	1.5	2.2	28	672	23.79	POA
3	1.5	2.4	24	576	34.64	POA
4	1.75	3.3	15	380	42.83	POA
5	2	5.9	6	220	POA	POA
6	2	7.5	-	120	131.57	POA
8	2	12.1	-	75	235.12	POA
10	2.13	14.5	-	50	352.55	POA
12	2.25	18.7	-	-	510.77	POA
14sw	3.5	32.1	-	-	POA	POA
16sw	4	41.8	-	-	POA	POA
18sw	4.5	52.8	-	-	POA	POA
20sw	5	66	-	-	POA	POA
22sw	6	101.2	-	-	POA	POA
24sw	6	101.2	-	-	POA	POA

sw = Segment Welded Steel.

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7118 Groove x Thread 90 Degree Elbow

Nom. Size	C – Gr E	C – Th E	Approx	Inner Carton	Crate	#7118 Gr x Thr	
			Wt.		Qty.	90 Degree Elbow	
(CAN\$)							
(in)	(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	3.25	4.25	2.4	-	-	47.18	60.73
2 ½	3.75	4.75	3.3	-	-	79.79	102.65
3	4.25	6	5.7	-	-	114.65	POA
4	5	7.25	11.9	-	-	POA	POA

SHURJOINT #7120 Tee

Nom. Size	C-E	Approx	Inner Carton	Crate	Tee	
		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	0.9	36	864	16.04	22.69
1 ¼	2.75	1.5	36	864	19.50	25.31
1 ½	2.75	2	24	576	20.81	27.02
2	3.25	2.9	14	336	26.53	34.13
2 ½	3.75	4.89	8	192	36.83	46.38
3	4.25	6.8	6	160	55.96	71.16
3 ½	4.5	9.5	-	-	POA	POA
4	5	10.1	3	90	85.97	109.57
5	5.5	14.3	-	52	203.12	POA
6	6.5	22	-	28	229.66	300.33
8	7.75	44	-	12	449.50	584.48
10	9	68.2	-	8	1,064.11	1,376.01
12	10	99	-	5	1,398.28	1,756.05
14	11	118.8	-	4	1,521.81	POA
16	12	145.2	-	2	1,783.68	POA
18sw	15.5	273.5	-	-	POA	POA
20sw	17.25	338.6	-	-	POA	POA
22sw	19	330	-	-	POA	POA
24sw	20	473.2	-	-	POA	POA

2.0 Cast & Wrought Grooved Fittings

Shurjoint #7135 Cross

Nom. Size	C-E	Approx.	Inner Carton	Crate	Cross	
		Wt.			(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1	2.25	1.3	-	-	68.62	POA
1 ¼ sw	2.75	2.2	-	-	68.62	POA
1 ½ sw	2.75	2.5	-	-	68.62	POA
2	3.25	3.8	6	200	68.62	POA
2 ½	3.75	6.2	6	200	68.62	POA
3	4.25	10.6	-	-	123.52	POA
4	5	15.9	-	55	212.10	POA
5sw	5.5	20	-	-	POA	POA
6	6.5	27.9	-	25	548.96	POA
8	7.75	48.4	-	-	711.16	POA
10sw	9	70.4	-	-	1,871.47	POA
12sw	10	110	-	-	2,620.06	POA
14sw	11	200.2	-	-	POA	POA
16sw	12	250.4	-	-	POA	POA
18sw	15.5	364.5	-	-	POA	POA
20sw	17.25	451.4	-	-	POA	POA
22sw	19	534.2	-	-	POA	POA
24sw	20	631	-	-	POA	POA

SHURJOINT #7130 45 Degree Lateral

Nom. Size	C-LE	C-SE	Approx.	Inner Carton	Crate	45 Degree Lateral	
			Wt.			(CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼ sw	5.75	2.5	2.4	-	-	188.82	POA
1 ½ sw	6.25	2.75	3.5	-	-	191.90	POA
2	7	2.75	5.1	7	-	136.29	POA
2 ½	7.75	3	6.2	4	-	197.73	POA
3	8.5	3.25	9.2	-	85	218.17	POA
4	10.5	3.75	17.6	-	50	286.88	POA
5sw	12.5	4	27.5	-	24	500.50	POA
6	14	4.5	40.7	-	20	599.78	POA
8	18	6	70.4	-	9	976.47	POA
10	20.5	6.5	104.7	-	-	1,628.48	POA
12	23	7	165	-	-	1,962.87	POA
14sw	26.5	7.5	275	-	-	POA	POA
16sw	29	8	343.2	-	-	POA	POA
18sw	32	8.5	429	-	-	POA	POA
20sw	35	9	499.4	-	-	POA	POA
22sw	38	9.5	616	-	-	POA	POA
24sw	40	10	712.8	-	-	POA	POA

* SW=segmently welded

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7121 Grooved-End Reducing Tees

Nom. Size (in)	C-E	Approx. Wt.	Inner Carton	Crate Qty.	Red. Tee (CAN\$)	
	(Standard) (in)	(bs)	(pcs)	(pcs)	Painted	Galv.
2 x ¾sw	3.25	2.5	16	384	51.28	64.54
2 x 1sw	3.25	2.7	16	384	51.28	64.54
2 x 1 ¼sw	3.25	2.6	16	384	51.28	64.54
2 x 1 ½	3.25	2.6	16	384	51.28	64.54
2 ½ x ¾sw	3.75	4.1	-	260	51.28	64.54
2 ½ x 1	3.75	3.8	-	260	51.28	64.54
2 ½ x 1 ¼sw	3.75	4.35	-	260	51.28	64.54
2 ½ x 1 ½	3.75	3.9	-	260	51.28	64.54
2 ½ x 2	3.75	4.4	-	260	51.28	64.54
3 x ¾sw	4.25	6	-	160	56.98	75.64
3 x 1	4.25	6.1	-	160	56.98	75.64
3 x 1 ¼sw	4.25	6.2	-	160	56.98	75.64
3 x 1 ½	4.25	6.5	-	160	56.98	75.64
3 x 2	4.25	6.2	-	160	56.98	75.64
3 x 2 ½	4.25	6.2	-	160	56.98	75.64
4 x 1sw	5	7.8	-	98	85.47	119.20
4 x 1 ¼sw	5	8.2	-	98	85.47	119.20
4 x 1 ½sw	5	8.5	-	98	85.47	119.20
4 x 2	5	9.2	-	98	85.47	119.20
4 x 2 ½	5	9.5	-	98	85.47	119.20
4 x 3	5	9.9	-	98	85.47	119.20
6 x 2	6.5	17.6	-	38	199.42	262.10
6 x 2 ½	6.5	18.7	-	38	199.42	262.10
6 x 3	6.5	20.2	-	38	199.42	262.10
6 x 4	6.5	19.4	-	38	199.42	262.10
8 x 2	7.75	37	-	15	427.33	566.70
8 x 2 ½	7.75	37	-	15	427.33	566.70
8 x 3	7.75	37	-	15	427.33	566.70
8 x 4	7.75	44	-	15	427.33	566.70
8 x 6	7.75	46.2	-	15	427.33	566.70
10 x 6	9	66	-	15	854.66	1151.78
10 x 8	9	69.3	-	8	854.66	1151.78
12 x 4sw	10	79.2	-	8	1196.53	1584.45
12 x 6sw	10	83.6	-	-	1196.53	1584.45
12 x 8	10	83.6	-	-	1196.53	1584.45
12 x 10	10	88	-	-	1196.53	1584.45
14 x 8sw	11	126.5	-	-	POA	POA
14 x 10sw	11	137.3	-	-	POA	POA
14 x 12sw	11	145.6	-	-	POA	POA
16 x 8sw	12	153.8	-	-	POA	POA
16 x 10sw	12	165.7	-	-	POA	POA
16 x 12sw	12	174.7	-	-	POA	POA
16 x 14sw	12	179.74	-	-	POA	POA
18 x 10sw	15.5	234.5	-	-	POA	POA
18 x 12sw	15.5	246.4	-	-	POA	POA
18 x 14sw	15.5	252.8	-	-	POA	POA
18 x 16sw	15.5	263.1	-	-	POA	POA
20 x 14sw	17.25	304	-	-	POA	POA
20 x 16sw	17.25	315.7	-	-	POA	POA
20 x 18sw	17.25	327.1	-	-	POA	POA
24 x 8sw	20	363.4	-	-	POA	POA
24 x 10sw	20	382.8	-	-	POA	POA
24 x 12sw	20	398	-	-	POA	POA
24 x 14sw	20	406.3	-	-	POA	POA
24 x 16sw	20	419.8	-	-	POA	POA
24 x 18sw	20	433	-	-	POA	POA
24 x 20sw	20	446.4	-	-	POA	POA

* SW=segmentally welded

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7121M Male End Reducing Tees

Nom. Size	C-E	Approx.	Inner Carton	Crate	Red. Tee	
	(Standard)	Wt.			(CAN\$)	
(in)	(in)	(bs)	(pcs)	(pcs)	Painted	Galv.
2 x 3/4sw	3.25	2.5	16	384	68.69	POA
2 x 1sw	3.25	2.7	16	384	68.69	POA
2 x 1 1/4sw	3.25	2.6	16	384	68.69	POA
2 x 1 1/2	3.25	2.6	16	384	68.69	POA
2 1/2 x 3/4sw	3.75	4.1		260	68.69	POA
2 1/2 x 1	3.75	3.8		260	68.69	POA
2 1/2 x 1 1/4sw	3.75	4.35		260	68.69	POA
2 1/2 x 1 1/2	3.75	3.9		260	68.69	POA
2 1/2 x 2	3.75	4.4		260	68.69	POA
3 x 3/4sw	4.25	6		160	79.66	POA
3 x 1	4.25	6.1		160	79.66	POA
3 x 1 1/4sw	4.25	6.2		160	79.66	POA
3 x 1 1/2	4.25	6.5		160	79.66	POA
3 x 2	4.25	6.2		160	79.66	POA
3 x 2 1/2	4.25	6.2		160	79.66	POA
4 x 1	5	7.8		98	117.09	POA
4 x 1 1/4	5	8.2		98	117.09	POA
4 x 1 1/2	5	8.5		98	117.09	POA
4 x 2	5	9.2		98	117.09	POA
4 x 2 1/2	5	9.5		98	117.09	POA
4 x 3	5	9.9		98	117.09	POA
6 x 2	6.5	17.6		38	277.13	POA
6 x 2 1/2	6.5	18.7		38	277.13	POA
6 x 3	6.5	20.2		38	277.13	POA
6 x 4	6.5	19.4		38	277.13	POA
8 x 2 1/2	7.75	37		15	481.50	POA
8 x 3	7.75	37		15	481.50	POA
8 x 4	7.75	44		15	481.50	POA

* SW=segmently welded

SHURJOINT #7137 True-Y

Nom. Size	C-LE	C-SE	Approx.	Inner Carton	Crate	True-Y	
	(in)	(in)	Wt.			(CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	3.25	2.75	2.5	-	-	180.00	POA
2 1/2	3.75	3	4.3	-	-	POA	POA
3	4.25	3.25	6.1	-	-	213.68	POA
4	5	3.75	10	-	-	279.90	POA
5	5.5	4	15	-	-	400.81	POA
6	6.5	4.5	22.3	-	-	550.00	POA
8	7.75	6	36	-	-	714.45	POA
10	9	6.5	70	-	-	1,232.84	POA
12	10	7	80	-	-	1,361.92	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7150 Concentric Reducer

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	#7150 Conc. Reducer (CAN\$)	
					Painted	Galv.
(in)	(in)	(lbs)	(pcs)	(pcs)		
1 ¼ x 1	2.5	0.75	75	1800	24.00	39.83
1 ½ x 1	2.5	0.8	75	1800	24.00	39.83
1 ½ x 1 ¼	2.5	0.8	75	1800	24.00	39.83
2 x 1	2.5	0.84	75	1800	24.00	39.83
2 x 1 ¼	2.5	0.8	75	1800	24.00	39.83
2 x 1 ½	2.5	0.77	75	1800	24.00	39.83
2 ½ x 1 ¼	2.5	1.1	60	1440	24.00	39.83
2 ½ x 1 ½	2.5	1.1	60	1440	24.00	39.83
2 ½ x 2	2.5	1.1	45	1080	24.00	39.83
3 x 1	2.5	1.32	48	1152	30.00	48.93
3 x 1 ¼	2.5	1.32	48	1152	30.00	48.93
3 x 1 ½	2.5	1.32	48	1152	30.00	48.93
3 x 2	2.5	1.32	48	1152	30.00	48.93
3 x 2 ½	2.5	1.32	36	864	30.00	48.93
4 x 2	3	2.2	24	800	38.00	58.50
4 x 2 ½	3	2.2	24	800	38.00	58.50
4 x 3	3	2.2	24	800	38.00	58.50
5 x 4	3.5	4.4	12	300	55.00	POA
6 x 2	4	4.18	6	280	65.00	106.60
6 x 2 ½	4	4.4	6	280	75.00	107.82
6 x 3	4	4.4	6	280	75.00	107.82
6 x 4	4	4.62	6	280	75.00	97.05
6 x 5	4	5.5	6	280	87.38	POA
8 x 3	-	9.46	-	135	116.45	192.50
8 x 4	5	11.22	-	135	116.45	192.50
8 x 6	5	11.44	-	135	145.21	242.47
10 x 4	6	19.8	-	75	272.66	POA
10 x 6	6	19.8	-	75	295.84	484.71
10 x 8	6	20.9	-	75	295.84	484.71
12 x 6	7	31	-	75	535.15	858.82
12 x 8	7	30.8	-	32	535.15	858.82
12 x 10	7	33	-	30	535.15	858.82
14 x 6sw	8	42.9	-	-	POA	POA
14 x 8	8	41.8	-	-	POA	POA
14 x 10	8	71.5	-	-	POA	POA
14 x 12	8	50.6	-	-	POA	POA
16 x 6sw	9	64.9	-	-	POA	POA
16 x 8	9	64.9	-	-	POA	POA
16 x 10sw	9	64.9	-	-	POA	POA
16 x 12	9	66	-	-	POA	POA
16 x 14	9	63.8	-	-	POA	POA
18 x 10sw	9.5	79.2	-	-	POA	POA
18 x 12	9.5	78.1	-	-	POA	POA
18 x 14sw	9.5	79.2	-	-	POA	POA
18 x 16sw	9.5	79.2	-	-	POA	POA
20 x 12	10	94.6	-	-	POA	POA
20 x 14sw	10	98.45	-	-	POA	POA
20 x 16	10	101.2	-	-	POA	POA
20 x 18sw	10	127.6	-	-	POA	POA
24 x 12	12	154	-	-	POA	POA
24 x 14sw	12	154	-	-	POA	POA
24 x 16	12	154	-	-	POA	POA
24 x 18sw	12	154	-	-	POA	POA
24 x 20	12	156.2	-	-	POA	POA

*SW = segmently welded

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7151 Eccentric Reducer

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Ecc. Reducer	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2 ½ x 2	3.5	1.5	36	864	56.44	POA
3 x 2	3.5	2.2	36	864	64.99	POA
3 x 2 ½	3.5	2.2	24	576	64.99	POA
4 x 2	4	3.1	12	560	79.51	POA
4 x 2 ½	4	3.3	12	480	79.51	POA
4 x 3	4	3.5	12	480	79.51	POA
6 x 3	4	7.7	7	250	144.05	POA
6 x 4	4	8.4	7	250	126.19	POA
8 x 4sw	5	17.6	-	95	255.58	POA
8 x 6	5	17.6	-	95	255.58	POA
10 x 4	6	26.4	-	75	1,167.70	POA
10 x 6	6	25.3	-	75	1,167.70	POA
10 x 8sw	6	26.4	-	75	1,751.60	POA
12 x 6	7	39.6	-	32	1,108.16	POA
12 x 8	7	53.5	-	32	1,108.16	POA
12 x 10	11	44	-	30	967.14	POA
14 x 6sw	8	62	-	-	POA	POA
14 x 8sw	8	62	-	-	POA	POA
14 x 10sw	8	62	-	-	POA	POA
14 x 12sw	8	62	-	-	POA	POA
16 x 8sw	10	77	-	-	POA	POA
16 x 10sw	10	77	-	-	POA	POA
16 x 12	10	68.2	-	-	POA	POA
16 x 14	10	77	-	-	POA	POA
18 x 10sw	11	99	-	-	POA	POA
18 x 12sw	11	99	-	-	POA	POA
18 x 14sw	11	99	-	-	POA	POA
18 x 16sw	11	99	-	-	POA	POA
20 x 12sw	12	149.6	-	-	POA	POA
20 x 14sw	12	149.6	-	-	POA	POA
20 x 16sw	12	149.6	-	-	POA	POA
20 x 18sw	12	149.6	-	-	POA	POA
24 x 12	14	173.8	-	-	POA	POA
24 x 14	14	173.8	-	-	POA	POA
24 x 16sw	14	173.8	-	-	POA	POA
24 x 18sw	14	173.8	-	-	POA	POA
24 x 20sw	14	173.8	-	-	POA	POA

*SW = segmently welded

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7110LR 1.5D Long Radius 90 Degree Elbow

Nom. Size	C - E	Approx. Wt.	Inner Carton	Crate Qty.	1.5D Long Radius	
					90 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	4.38	2.5	-	-	69.32	POA
2 ½	5	4.3	-	-	69.32	POA
3	5.88	6.1	-	-	69.32	POA
4	7.5	10	-	80	103.70	POA
5	9.5	15	-	-	220.96	POA
6	10.75	22.3	-	30	303.27	POA
8	14.25	36	-	12	727.49	POA
10	17.25	70	-	-	1,508.38	POA
12	20.5	80	-	4	2,458.80	POA
14	-	-	-	-	POA	POA
16	-	-	-	-	POA	POA
18	-	-	-	-	POA	POA
20	-	-	-	-	POA	POA
24	-	-	-	-	POA	POA
30	-	-	-	-	POA	POA

SHURJOINT #7111LR 1.5D Long Radius 45 Degree Elbow

Nom. Size	C - E	Approx. Wt.	Inner Carton	Crate Qty.	1.5D Long Radius	
					90 Degree Elbow	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv.
2	2.75	1.8	-	5	58.83	POA
2 ½	3	2.9	-	-	58.83	POA
3	3.38	4.9	-	-	58.83	POA
4	4	7.7	-	160	71.66	POA
5	5	14.7	-	-	POA	POA
6	5.5	18	-	48	216.93	POA
8	7.25	36	-	-	370.55	POA
10	8.5	57	-	-	1,105.75	POA
12	10	90	-	-	1,280.70	POA
14	-	-	-	-	POA	POA
16	-	-	-	-	POA	POA
18	-	-	-	-	POA	POA
20	-	-	-	-	POA	POA
24	-	-	-	-	POA	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7150F Reducing Socket (Gr. x Ft.)

Nom. Size Gr. x Th.	L (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Socket (CAN\$)	
					Painted	Zinc Plated
1 ½ x 1	2.5	0.7	120	2880	31.10	POA
2 x 1	2.5	0.92	75	1800	33.45	POA
2 x 1 ¼	2.5	1.1	75	1800	33.45	POA
2 x 1 ½	2.5	1.1	75	1800	33.45	POA
2 ½ x 1 ¼	2.5	1.1	75	1800	46.59	POA
2 ½ x 1 ½	2.5	1.1	60	1440	46.59	POA
2 ½ x 2	2.5	1.5	45	1080	46.59	POA
3 x 1	2.5	1.6	48	1152	48.97	POA
3 x 1 ¼	2.5	1.8	48	1152	48.97	POA
3 x 1 ½	2.5	1.5	48	1152	48.97	POA
3 x 2	2	1.5	36	864	48.97	POA
3 x 2 ½	3	1.8	16	384	48.97	POA
4 x 1 ½	3	2	24	576	69.34	POA
4 x 2	3	2.4	20	480	69.34	POA
4 x 2 ½	3	2.4	16	384	69.34	POA
5 x 1 ½	3.5	6	-	-	POA	POA
6 x 1 ½	4	4.8	8	192	108.69	POA
6 x 2	4	5.3	8	192	108.69	POA
6 x 2 ½	4	5.9	-	-	108.69	POA
6 x 4	4	5.9	-	-	108.69	POA

SHURJOINT #7150M Reducing Socket (Gr. x Mt.)

Nom. Size Gr. x Th.	L (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Red. Socket (CAN\$)	
					Painted	Zinc Plated
1 ½ x 1	2.5	0.9	120	2880	34.63	POA
2 x 1	2.5	0.92	75	1800	37.25	POA
2 x 1 ¼	2.5	1.3	75	1800	37.25	POA
2 x 1 ½	2.5	1.3	75	1800	37.25	POA
2 ½ x 1	2.5	1.5	75	1800	51.89	POA
2 ½ x 1 ¼	2.5	1.5	75	1800	51.89	POA
2 ½ x 1 ½	2.5	1.5	60	1440	51.89	POA
2 ½ x 2	2.5	1.5	45	1080	51.89	POA
3 x 1	2.5	1.6	48	1152	54.54	POA
3 x 1 ¼	2.5	1.6	48	1152	54.54	POA
3 x 1 ½	2.5	1.6	48	1152	54.54	POA
3 x 2	2	1.6	36	864	54.54	POA
3 x 2 ½	2.5	1.8	24	576	54.54	POA
4 x 1 ½	3	2.5	24	576	77.23	POA
4 x 2	3	2.5	20	480	77.23	POA
4 x 2 ½	3	2.5	16	384	77.23	POA
5 x 1 ½	3.5	6	-	-	POA	POA
6 x 1 ½	4	6	8	192	121.04	POA
6 x 2	4	6	8	192	121.04	POA
6 x 2 ½	4	6	-	-	121.04	POA
6 x 4	4	6	-	-	121.04	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #7160 Cap

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Qty.	Cap	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
1 ¼	1	0.4	150	7200	6.92	9.79
1 ½	1	0.4	110	5280	7.04	10.22
2	1	0.7	75	3600	8.18	11.61
2 ½	1	0.9	50	2400	9.49	13.70
3	1	1.5	40	1920	11.60	16.77
4	1	2.2	20	960	17.67	25.09
5	1	3.7	15	720	36.83	POA
6	1	6.6	10	480	42.06	58.18
8	1.18	12.1	10	280	82.57	110.90
10	1.25	15.4	-	160	149.80	230.28
12	1.25	22	-	-	249.61	POA

SHURJOINT #7160H Domed End Cap

Nom. Size	E-E	Approx. Wt.	Inner Carton	Crate Q'ty	Cap	
					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
10	3	12.1	150	7200	249.70	POA
12	3	16.3	110	5280	408.57	POA
14	4	25.5	75	3600	746.63	POA
16	4	32.1	50	2400	845.06	POA
18	5	45.1	40	1920	978.75	POA
20	6	53.9	20	1440	1,111.13	POA
22	6	97.00	32	900	POA	POA
24	6	75.9	18	530	1,513.46	POA

SHURJOINT #7160P Cap with Plug

Nom. Size	E-E	Plug Size	Approx. Wt.	Inner Carton	Crate Qty.	Cap	
						(CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Zinc Plated
2	1	1/2	0.7	75	3600	20.84	POA
2	1	1	0.7	75	3600	20.84	POA
2 ½	1	1/2	0.9	50	2400	22.01	POA
2 ½	1	1	0.9	50	2400	22.01	POA
3	1	1/2	1.5	40	1920	24.24	POA
3	1	1	1.5	40	1920	24.24	POA
4	1	1	2.2	20	960	36.47	POA
5	1	1	3.7	32	900	POA	POA
6	1	1	6.6	18	530	73.96	POA
8	1.18	1	12.1	10	280	POA	POA
8	1.18	1 1/2	12.1	10	280	POA	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #901 Short Radius 90 Degree Elbow

Nom.	C – E	Approx.Wt.	Inner Carton	Crate Qty.	90 deg. Elbow	
Size					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	2.75	1.5	30	720	13.70	POA
2 ½	3	2	15	360	18.53	POA
3	3.38	3.1	12	300	24.43	POA
4	4	3.7	6	175	35.96	POA
6	5.5	12.1	-	60	101.27	POA
8	6.94	24.2	-	28	199.72	POA

SHURJOINT #903 Short Radius Straight Tee

Nom.	C – E	Approx.Wt.	Inner Carton	Crate Qty.	Tee	
Size					(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2	2.75	2.2	20	480	21.20	POA
2 ½	3	2.9	10	240	28.47	POA
3	3.38	4.4	8	215	39.94	POA
4	4	7.9	5	105	60.91	POA
6	5.5	18.9	-	38	164.98	POA
8	6.94	36.3	-	16	351.65	POA

SHURJOINT #7110DR Drain Elbow with 1" NPT Drain

Nom.	C – E	Approx.	Inner Carton	Crate	Drain Elbow	
Size		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Galv.
2 ½	3.75	2.8	-	-	66.69	POA
3	4.25	4.4	-	-	85.39	POA
4	5	6.6	-	-	87.12	POA
6	6.5	15.4	-	-	153.65	POA

SHURJOINT #899 End-All Fitting, NPT

Nom. Size	Approx.	Inner Carton	Crate	End-All Fitting	
Gr. X Th.	Wt.		Qty.	(CAN\$)	
(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼ x ½	0.7	65	2340	15.10	POA
1 ¼ x ¾	0.7	65	2340	15.10	POA
1 ¼ x 1	0.7	65	2340	15.78	POA
1 ½ x ½	0.9	60	2160	15.78	POA
1 ½ x ¾	0.9	60	2160	15.78	POA
1 ½ x 1	0.9	60	2160	16.41	POA
2 x ½	1.1	36	1296	17.84	POA
2 x ¾	1.1	36	1296	17.84	POA
2 x 1	1.1	36	1296	18.94	POA
2 ½ x ½	1.3	18	648	21.96	POA
2 ½ x ¾	1.3	18	648	21.96	POA
2 ½ x 1	1.3	18	648	22.64	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #56 Hose Nipple

Nom.	E-E	Approx.	Inner Carton	Crate	Nipple, Gr. X TH (CAN\$)	Nipple, Gr. X TH
Size		Wt.		Qty.		(CAN\$)
(in)	(in)	(Lbs)	(pcs)	(pcs)	Black	Zinc Plated
1	3.25	0.4	-	-	POA	POA
1 ¼	3.625	0.7	-	-	POA	POA
1 ½	4	0.9	-	-	75.27	POA
2	4.625	1.3	-	-	75.27	POA
2 ½	5.5	2.2	-	-	75.27	POA
3	6	3.3	-	-	108.64	POA
4	7.25	5.5	-	-	190.62	POA
5	9.75	8.1	-	-	POA	POA
6	11	13.2	-	-	335.00	POA
8	12.5	24	-	-	POA	POA
10	14	29	-	-	POA	POA
12	16	46	-	-	POA	POA

SHURJOINT #57 Nipple, Grooved x Grooved

Nom.	L	E-E	Approx.	Inner Carton	Crate	Nipple, Gr. X Gr.	Nipple, Gr.XGr.
Size			Wt.		Qty.	(CAN\$)	(CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼	4	4	0.68	-	-	23.52	POA
1 ½	4	4	0.82	-	-	23.52	POA
2	4	4	1.32	50	1200	23.52	POA
2 ½	4	4	1.98	32	768	30.97	POA
3	4	4	2.64	18	432	39.32	POA
1 ¼	6	4	0.99	-	-	37.58	POA
1 ½	6	4	1.32	-	-	37.58	POA
2	6	4	1.98	-	-	37.58	POA
2 ½	6	4	2.97	-	-	50.46	POA
3	6	4	3.96	-	-	64.58	POA
4	6	6	5.5	6	210	80.52	POA
5	6	6	7.26	-	-	POA	POA
6	6	6	9.46	2	84	215.00	POA
8	6	6	14.3	-	-	242.16	POA
10	8	8	27.06	-	-	POA	POA
12	8	8	35.64	-	-	POA	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #58 Nipple, Grooved x Beveled

Nom. Size	L	E-E	Approx.	Inner Carton	Crate Qty.	Nipple, Gr. X Bev.	Nipple Gr.XBev.
			Wt.			(CAN\$)	(CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1 ¼	4	4	0.7	-	-	23.52	POA
1 ½	4	4	0.84	-	-	23.52	POA
2	4	4	1.32	50	1200	23.52	POA
2 ½	4	4	1.98	32	768	32.36	POA
3	4	4	2.64	18	432	40.36	POA
1 ¼	6	4	0.99	-	-	38.83	POA
1 ½	6	4	1.32	-	-	38.83	POA
2	6	4	1.98	-	-	38.83	POA
2 ½	6	4	2.97	-	-	51.49	POA
3	6	4	3.96	-	-	65.41	POA
4	6	6	5.5	6	210	79.33	POA
5	6	6	7.26	-	-	165.00	POA
6	6	6	9.46	2	84	215.72	POA
8	6	6	14.3	-	-	243.55	POA
10	8	8	27.06	-	-	POA	POA
12	8	8	35.64	-	-	POA	POA

SHURJOINT #59 Nipple, Grooved x Threaded

Nom. Size	L	E-E	Approx.	Inner Carton	Crate Qty.	Nipple, Gr. x Th.	Nipple, Gr. x Th.
			Wt.			(CAN\$)	(CAN\$)
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	Black	Zinc Plated
1	4	4	0.42	-	-	25.75	POA
1 ¼	4	4	0.66	-	-	25.75	POA
1 ½	4	4	0.79	-	-	25.75	POA
2	4	4	1.1	50	1200	26.44	POA
2 ½	4	4	1.54	32	768	33.40	POA
3	4	4	1.98	18	432	41.75	POA
1 ¼	6	4	0.99	-	-	40.36	POA
1 ½	6	4	1.32	-	-	40.36	POA
2	6	4	1.98	-	-	41.06	POA
2 ½	6	4	2.97	-	-	54.28	POA
3	6	4	3.96	-	-	68.20	POA
4	6	6	5.17	6	210	83.23	POA
5	6	6	7.26	-	-	POA	POA
6	6	6	9.9	2	84	224.07	POA

2.0 Cast & Wrought Grooved Fittings

SHURJOINT #55 GRV-M Nipple Adapter

Nom. Size	L	Approx.	Inner Carton	Crate	Nipple Adapter	
Gr. X Th.		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	Painted	Zinc Plated
1 ½ x 1 ½ M	2.5	0.9	-	-	33.10	POA
2 x 2M	2.5	1.3	-	-	36.64	POA

3.0 Stainless Steel Products

SHURJOINT #SS-5 Stainless Steel Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E-PW"		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	SS304 body	SS316 body
				Gasket (CAN\$)		ss304 Bolt/Nut	
1 ¼	1.4	-	-	78.51	POA	2	3/8 x 2-1/8
1 ½	1.5	-	-	83.83	POA	2	3/8 x 2-1/8
2	1.7	-	-	95.69	POA	2	3/8 x 2-3/4
2 ½	2.1	-	-	97.07	POA	2	3/8 x 2-3/4
3	2.6	-	-	140.44	POA	2	3/8 x 2-3/4
4	4.1	-	-	216.91	POA	2	3/8 x 2-3/4
5	5.7	-	-	283.57	POA	2	1/2 x 3
6	6.8	-	-	334.87	POA	2	1/2 x 3
8	13.4	-	-	680.43	POA	2	5/8 x 5-5/16

SHURJOINT #SS-7 Stainless Steel Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E-PW"		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	SS304 body	SS316 body
				Gasket (CAN\$)		ss304 Bolt/Nut	
1 ¼	1.5	-	-	79.82	POA	2	3/8 x 2
1 ½	1.8	-	-	85.28	POA	2	3/8 x 2
2	2	-	-	97.42	POA	2	3/8 x 2
2 ½	2.2	-	-	98.80	POA	2	3/8 x 2
3	3	-	-	142.87	POA	2	3/8 x 3
4	4.6	-	-	220.74	POA	2	3/8 x 3
5	5.5	-	-	289.16	POA	2	1/2 x 3
6	6.2	-	-	340.80	POA	2	1/2 x 3
8	12.1	-	-	692.44	POA	2	5/8 x 3-1/2

SHURJOINT #SS-7X Stainless Steel Heavy Duty Rigid Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E" or "T" Gasket		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	SS304 body	SS316 body
				(CAN\$)		ss304 Bolt/Nut	
10	23.1	-	-	1,075.58	POA	2	7/8 x 5-1/2
12	23.3	-	-	1,142.75	POA	2	7/8 x 6-1/2
14	33	-	-	POA	POA	2	7/8 x 5-1/2
16	43.1	-	-	POA	POA	4	5/8 x 3-1/2
18	55	-	-	POA	POA	4	5/8 x 3-1/2
20	68.2	-	-	POA	POA	4	3/4 x 4-3/4
22	72.6	-	-	POA	POA	4	3/4 x 4-3/4
24	76.3	-	-	POA	POA	4	3/4 x 4-3/4

3.0 Stainless Steel Products

SHURJOINT #SS-8 Stainless Steel Flexible Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E-PW"		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	Gasket (CAN\$)	
				SS304 body	SS316 body	(pcs)	(in)
1	1.1	65	1560	68.75	POA	2	5/16 x 1-1/2
1 ¼	1.1	50	1200	79.82	POA	2	5/16 x 1-1/2
1 ½	1.1	45	1080	85.28	POA	2	5/16 x 1-1/2
2	1.5	36	864	97.42	POA	2	3/8 x 2
2 ½	1.8	25	600	133.34	POA	2	3/8 x 2
3	2.2	20	480	142.95	POA	2	3/8 x 2
4	3.7	12	380	220.74	POA	2	1/2 x 3
5	4.8	10	250	288.35	POA	2	1/2 x 3
6	6.4	6	180	340.80	POA	2	1/2 x 3
8	14.1	-	90	690.48	POA	2	5/8 x 3-1/2

SHURJOINT #SS-8X Stainless Steel Heavy Duty Flexible Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Cplg with Gr. "E-PW"		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	Gasket (CAN\$)	
				SS304 body	SS316 body	(pcs)	(in)
¾	1.5	65	-	POA	POA	2	3/8 x 2
1	1.8	50	1200	POA	POA	2	3/8 x 2
1 ¼	2	40	960	POA	POA	2	3/8 x 2
1 ½	2.2	40	960	POA	POA	2	3/8 x 2
2	2.6	32	768	POA	POA	2	3/8 x 2
2 ½	2.9	24	576	POA	POA	2	3/8 x 2
3	4	16	384	POA	POA	2	1/2 x 3
4	5.3	-	-	POA	POA	2	1/2 x 3
5	7.2	-	-	POA	POA	2	5/8 x 3-1/2
6	7.9	-	-	POA	POA	2	5/8 x 3-1/2
8	15	-	-	POA	POA	2	3/4 x 4-3/4

3.0 Stainless Steel Products

SHURJOINT #SS-10 Stainless Steel 90 Degree Elbow

Nom. Size	C – E	Approx.	Inner Carton	Crate	90 Deg Elbow	
		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	2.25	0.7	-	-	39.29	POA
1 ¼	2.75	0.9	-	-	42.44	POA
1 ½	2.75	0.9	-	-	48.61	POA
2	3.25	1.3	-	-	67.17	POA
2 ½	3.75	3.1	-	-	140.22	POA
3	4.25	2.9	-	-	145.26	POA
4	5	4.8	-	-	223.49	POA
5	-	8.8	-	-	443.76	POA
6	6.5	14.3	-	-	672.23	POA
8	7.75	23.5	-	-	1,428.92	POA
10	15	41.8	-	-	2,450.16	POA
12	18	68.2	-	-	POA	POA
14	-	77	-	-	POA	POA
16	-	94.6	-	-	POA	POA
18	-	165	-	-	POA	POA
20	-	202.4	-	-	POA	POA
24	-	283.8	-	-	POA	POA

SHURJOINT #SS-11 Stainless Steel 45 Degree Elbow

Nom. Size	C – E	Approx.	Inner Carton	Crate	45 Deg Elbow	
		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304	SS316
1	1.75	0.4	-	-	39.29	POA
1 ¼	1.75	0.7	-	-	42.44	POA
1 ½	1.75	0.9	-	-	48.61	POA
2	2	1.1	-	-	67.17	POA
2 ½	2.25	2.2	-	-	140.22	POA
3	2.5	2.2	-	-	145.26	POA
4	3	3.5	-	-	223.49	POA
5	-	6.4	-	-	443.76	POA
6	3.5	9.2	-	-	504.35	POA
8	4.25	16.3	-	-	851.46	POA
10	6.25	23.4	-	-	1,716.64	POA
12	7.5	27.3	-	-	2,161.53	POA
14	-	38.06	-	-	POA	POA
16	-	49.72	-	-	POA	POA
18	-	63.14	-	-	POA	POA
20	-	90.2	-	-	POA	POA
24	-	109.34	-	-	POA	POA

3.0 Stainless Steel Products

SHURJOINT #SS-20 Stainless Steel Tee

Nom. Size	C - E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Tee (CAN\$)	
					SS304	SS316
1	2.25	0.9	-	-	54.91	POA
1 ¼	2.25	1.5	-	-	62.82	POA
1 ½	2.75	1.8	-	-	70.60	POA
2	3.25	2.4	-	-	103.10	POA
2 ½	3.75	5.5	-	-	237.43	POA
3	1.25	4.6	-	-	265.31	POA
4	5	7.5	-	-	410.50	POA
5	-	11.4	-	-	630.28	POA
6	6.5	21.3	-	-	1,250.89	POA
8	7.75	33	-	-	2,532.73	POA
10	8.88	67.1	-	-	3,082.25	POA
12	10.38	94.6	-	-	POA	POA
14	-	118.8	-	-	POA	POA
16	-	1445.2	-	-	POA	POA
18	-	217.8	-	-	POA	POA
20	-	275	-	-	POA	POA
24	-	378.4	-	-	POA	POA

SHURJOINT #SS-60 Stainless Steel Cap

Nom. Size	E - E (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Tee (CAN\$)	
					SS304	SS316
1	0.94	0.2	-	-	15.83	POA
1 ¼	0.94	0.2	-	-	18.07	POA
1 ½	0.94	0.4	-	-	20.17	POA
2	0.94	0.4	-	-	24.65	POA
2 ½	1.75	0.9	-	-	49.31	POA
3	2	1.5	-	-	93.01	POA
4	2	2	-	-	121.10	POA
5	-	3.5	-	-	224.05	POA
6	3	5.7	-	-	255.43	POA
8	3.5	11.4	-	-	504.35	POA
10	5	44	-	-	POA	POA
12	6	29.7	-	-	POA	POA
14	7	34.7	-	-	POA	POA
16	8	42.6	-	-	POA	POA

3.0 Stainless Steel Products

SHURJOINT #SS-21 Stainless Steel Reducing Tee

Nom. Size	C-E	C-E	Approx.	Inner Carton	Crate	Red. Tee	
		Branch	Wt.		Qty.	(CAN\$)	
(in)	(in)	(in)	(lbs)	(pcs)	(pcs)	SS304 Body	SS316 Body
1 ¼ x 1			1.5	-	-	83.56	POA
1 ½ x 1	2.75	2.75	1.5	-	-	83.56	POA
1 ½ x 1 ¼	2.75	3.25	1.5	-	-	83.56	POA
2 x 1	2.75	2.75	1.8	-	-	109.05	POA
2 x 1 ¼	2.75	2.75	1.8	-	-	109.05	POA
2 x 1 ½	2.75	2.75	2.6	-	-	109.05	POA
2 ½ x 1	2.75	2.75	3.8	-	-	218.24	POA
2 ½ x 1 ¼	2.75	2.75	3.9	-	-	218.24	POA
2 ½ x 1 ½	2.75	2.75	4	-	-	218.24	POA
2 ½ x 2	3	3	4.1	-	-	218.24	POA
3 x 1 ¼	3.75	3.25	4.3	-	-	327.36	POA
3 x 1 ½	3.75	3.25	5.6	-	-	327.36	POA
3 x 2	3.75	3.25	5.8	-	-	327.36	POA
3 x 2 ½	3.75	3.25	6	-	-	327.36	POA
4 x 2	5	5	8.8	-	-	436.27	POA
4 x 2 ½	4.5	3.88	9	-	-	436.27	POA
4 x 3	4.5	3.88	9.9	-	-	436.27	POA
5 x 2 ½	5.5	5.5	9.46	-	-	681.68	POA
5 x 3	5.25	4.38	7.5	-	-	681.68	POA
5 x 4	5.25	4.63	13.6	-	-	872.19	POA
6 x 3	5.88	4.88	20.2	-	-	993.57	POA
6 x 4	5.88	5.13	20.2	-	-	993.57	POA
6 x 5	5.88	5.38	20.2	-	-	993.57	POA
8 x 3	7.75	6.5	19.6	-	-	POA	POA
8 x 4	7.75	6.5	19.6	-	-	2,389.64	POA
8 x 5	7.75	6.5	34.5	-	-	POA	POA
8 x 6	7.75	6.63	35.9	-	-	2,867.58	POA
10 x 6	8.88	7.75	59.5	-	-	POA	POA
10 x 8	8.88	8.5	61	-	-	POA	POA
12 x 8	10.37	9.5	85.2	-	-	POA	POA
12 x 10	10.37	9.88	87.2	-	-	POA	POA
14 x 10	-	-	137.3	-	-	POA	POA
16 x 14	-	-	77	-	-	POA	POA
18 x 14	-	-	252.8	-	-	POA	POA
20 x 16	-	-	315.7	-	-	POA	POA
24 x 20	-	-	446.4	-	-	POA	POA

3.0 Stainless Steel Products

SHURJOINT #SS-50 Stainless Steel Concentric Reducer

Nom. Size	E-E	Approx.	Inner Carton	Crate	Conc. Reducer	
		Wt.		Qty.	(CAN\$)	
(in)	(in)	(lbs)	(pcs)	(pcs)	SS304 Body	SS316 Body
1 ¼ x 1	-	0.6	-	-	54.56	POA
1 ½ x 1	2.5	0.7	-	-	54.56	POA
1 ½ x 1 ¼	2.5	0.7	-	-	54.56	POA
2 x 1	3	0.8	-	-	82.86	POA
2 x 1 ¼	3	0.8	-	-	82.86	POA
2 x 1 1/2	3	0.8	-	-	82.86	POA
2 ½ x 1	3.5	1.1	-	-	122.15	POA
2 ½ x 1 ¼	3.5	1.1	-	-	122.15	POA
2 ½ x 1 ½	3.5	1.2	-	-	122.15	POA
2 ½ x 2	3.5	1.2	-	-	122.15	POA
3 x 1 ¼	3.5	1.3	-	-	135.24	POA
3 x 1 ½	3.5	1.4	-	-	135.24	POA
3 x 2	5	1.4	-	-	135.24	POA
3 x 2 ½	5	1.8	-	-	135.24	POA
4 x 2	5	2.5	-	-	181.19	POA
4 x 2 ½	5	2.7	-	-	181.19	POA
4 x 3	5	3.3	-	-	181.19	POA
5 x 2 ½	5	2.71	-	-	227.65	POA
5 x 3	5	2.71	-	-	227.65	POA
5 x 4	5	4.4	-	-	227.65	POA
6 x 3	5.5	6	-	-	279.31	POA
6 x 4	5.5	6.2	-	-	279.31	POA
6 x 5	5.5	6.2	-	-	279.31	POA
8 x 4	6	10.8	-	-	514.57	POA
8 x 5	6	11.7	-	-	514.57	POA
8 x 6	6	11	-	-	514.57	POA
10 x 6	7	19.8	-	-	1,202.17	POA
10 x 8	7	22	-	-	1,202.17	POA
12 x 8	8	33	-	-	1,422.81	POA
12 x 10	8	37.4	-	-	1,422.81	POA
14 x 10	-	59.4	-	-	POA	POA
16 x 14	-	38.06	-	-	POA	POA
18 x 14	-	85.8	-	-	POA	POA
20 x 16	-	125.4	-	-	POA	POA
24 x 20	-	149.6	-	-	POA	POA

3.0 Stainless Steel Products

SHURJOINT #SS-41 Stainless Steel Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Stainless Split Flange		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	(CAN\$)	
				SS304	SS316	(pcs)	(in)
2	4.6	-	-	216.84	POA	4	5/8 x 3
2 ½	6	-	-	265.29	POA	4	5/8 x 3
3	6.8	-	-	296.13	POA	4	5/8 x 3
4	9.9	-	-	426.30	POA	8	5/8 x 3
6	12.9	-	-	526.71	POA	8	3/4 x 3-1/2
8	18	-	-	833.08	POA	8	3/4 x 3-1/2

SHURJOINT #SS-80 Stainless Steel Flange Adapter

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Universal Flange		Spare Parts	
(in)	(lbs)			(pcs)	(pcs)	(CAN\$)	
				SS304	SS316	(pcs)	(in)
2	4.4	-	250	302.50	POA	4	5/8
2 ½	6.4	-	180	340.18	POA	4	5/8
3	7.5	-	150	415.82	POA	4	5/8
4	8.6	-	120	453.71	POA	8	5/8
5	12	-	85	699.54	POA	8	3/4
6	15	-	85	812.94	POA	8	3/4
8	31.9	-	35	1,228.89	POA	8	3/4

SHURJOINT #SJ-600SS Stainless Steel Ball Valve with Lever Handle

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Ball Valve	
(in)	(lbs)			(pcs)	(pcs)
				SS304	SS316
1 ½	6.6	-	-	POA	529.92
2	8.8	-	-	POA	633.08
2 ½	15.4	-	-	POA	1,840.16
3	33	-	-	POA	2,105.25
4	55	-	-	POA	3,460.32

3.0 Stainless Steel Products

SHURJOINT #SJ-400L Stainless Steel Butterfly Valve c/w lever handle

Nom. Size	Approx. Wt.	Inner Carton	Crate	Gr 304 Stainless Valve	Gr 316 Stainless Valve
			Qty.		
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2	16.3	-	-	POA	1,047.05
2 ½	20.9	-	-	POA	1,224.86
3	26	-	-	POA	1,361.22
4	31.9	-	-	POA	1,679.07
5	52	-	-	POA	POA
6	55.2	-	-	POA	2,591.00
8	110	-	-	POA	POA
10	186.6	-	-	POA	POA
12	225.7	-	-	POA	POA

SHURJOINT #SJ-400W Stainless Steel Butterfly Valve c/w Gear Operator

Nom. Size	Approx. Wt.	Inner Carton	Crate	Gr 304 Stainless Valve	Gr 316 Stainless Valve
			Qty.		
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2	23.8	-	-	POA	POA
2 ½	28.4	-	-	POA	POA
3	33.7	-	-	POA	POA
4	39.4	-	-	POA	POA
5	60.5	-	-	POA	POA
6	62.7	-	-	POA	POA
8	121.2	-	-	POA	POA
10	175.5	-	-	POA	POA
12	212.3	-	-	POA	POA

4.0 Valves & Flow Control Components

SHURJOINT #726 Y-Strainer

Nom.	Approx.	Inner Carton	Crate	Y-Strainer	Y-Strainer	Spare Basket SS
Size	Wt.			Painted	Galvanized	
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	CAN \$
2	9.3	-	-	550.58	POA	POA
2 ½	13.2	-	-	578.30	POA	POA
3	18	-	-	649.58	POA	POA
4	26.4	-	-	735.32	POA	POA
6	70.4	-	-	1,156.16	POA	POA
8	121	-	-	2,336.66	POA	POA
10	182.6	-	-	2,849.24	POA	POA
12	277.2	-	-	6,904.39	POA	POA
14	418	-	-	10,802.08	POA	POA
16	495	-	-	POA	POA	POA

SHURJOINT #725-G/#725F Suction Diffuser

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Suction Diffuser
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2 ½ x 2 ½	22	-	-	520.15
3 x 3	33	-	-	767.24
4 x 4	48	-	-	1,222.37
5 x 5	53	-	-	POA
5 #725F	58	-	-	POA
6 x 6	59	-	-	POA
6 #725F	67	-	-	POA
8 x 8	102	-	-	POA
10 x 10	190	-	-	POA
12 x 12	290	-	-	POA

SHURJOINT #650N Expansion Joint

Nom.	Approx.	Inner Carton	Crate	Expansion Joint
Size	Wt.		Qty.	
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	15.8	-	-	543.90
2 ½	21.1	-	-	638.77
3	25.5	-	-	802.83
4	39.6	-	-	1,365.94
6	74.8	-	-	1,444.04

4.0 Valves & Flow Control Components

SHURJOINT #SJ-900 Check Valve

Nom.	Approx.	Inner Carton	Crate	Check Valve	Check Valve
Size	Wt.		Qty.	Painted	Galv.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
2 ½	10.8	-	-	410.24	POA
3	10.3	-	-	490.01	POA
4	17.4	-	-	523.05	POA
5	48	-	-	854.66	POA
6	49.5	-	-	1,024.46	POA
8	63.8	-	-	1,675.14	POA
10	95	-	-	3,988.43	POA
12	140	-	-	4,786.11	POA

SHURJOINT #453UG Dual Plate Check Valve

Nom.			Crate	Dual Plate
Size	Approx.Wt.	Inner Carton	Qty.	Check Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
3	8.8	-	-	POA
4	12.32	-	-	POA
6	27.72	-	-	POA
8	48.4	-	-	POA

Shurjoint BH-22C Brass Swing Check Valve

Nom.	Approx.	Inner Carton	Crate	BH-22C
Size	Wt.		Qty.	Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	3.5	-	-	275.00
2 ½	6.5	-	-	396.00
3	10.2	-	-	478.50
4	11.7	-	-	522.50

Shurjoint SJ-930 Horizontal Swing Check Valve

Nom.	Approx.	Inner Carton	Crate	SJ-930
Size	Wt.		Qty.	Valve
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)
2	12.3	-	-	POA
2 ½	18.7	-	-	POA
3	24.2	-	-	POA
4	39.6	-	-	POA

4.0 Valves & Flow Control Components

SHURJOINT #SJ-500 Ball Valve with Lever Handle Carbon Steel or Stainless Steel Trim

Nom.	Approx.	Inner Carton	Crate	Ball Valve	Ball Valve
Size	Wt.			C.S. Trim	SS Trim
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)
1 ½	4.8	-	-	POA	282.48
2	6.4	-	-	288.90	318.43
2 ½	10.6	-	-	POA	584.22
3	13.4	-	-	603.48	667.68
4	55	-	-	1,797.60	1,990.20
6	95	-	-	POA	POA

SHURJOINT #SJ-300N-L Butterfly Valve, w/10 Position Lever Handle

Nom.	Approx.	Inner Carton	Crate	Butterfly Valve	Zinc Plated	Butterfly Valve
Size	Wt.			E or T Ptd.	E or T	"O" Viton Ptd.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	6.8	-	-	296.28	POA	POA
2 ½	7.9	-	-	336.17	POA	POA
3	9.2	-	-	347.56	POA	POA
4	12.5	-	-	433.03	POA	POA
5	20.2	-	-	866.06	POA	POA
6	25	-	-	877.45	POA	POA
8	37	-	-	1,253.51	POA	POA
10	62.2	-	-	2,165.15	POA	POA
12	80.1	-	-	2,620.97	POA	POA

SHURJOINT #SJ-300N-W Butterfly Valve with Gear Operator

Nom.	Approx.	Inner Carton	Crate	Butterfly Valve	Zinc Plated	Butterfly Valve
Size	Wt.			E or T Ptd.	E or T	"O" Viton Ptd.
(in)	(lbs)	(pcs)	(pcs)	(CAN\$)	(CAN\$)	(CAN\$)
2	17.9	-	-	POA	POA	POA
2 ½	17.9	-	-	POA	POA	POA
3	20.25	-	-	POA	POA	POA
4	23.35	-	-	POA	POA	POA
5	31.55	-	-	POA	POA	POA
6	35.5	-	-	POA	POA	POA
8	48.5	-	-	POA	POA	POA
10	73.5	-	-	POA	POA	POA
12	91.35	-	-	POA	POA	POA

4.0 Valves & Flow Control Components

SHURJOINT #RCV Riser Check Valve

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs)	Crate Qty. (pcs)	Riser Check Valve Painted (CAN\$)	Riser Check Valve Galv. (CAN\$)
2 ½	10.8	1	80	371.49	POA
3	15.4	1	80	439.87	POA
4	24.2	1	45	462.66	POA
5	48	1	-	POA	POA
6	46.2	1	18	934.43	POA
8	63.8	1	-	1,595.37	POA
10	212.04	1	-	POA	POA
12	353.4	1	-	POA	POA

6.0 Plain End Products

SHURJOINT #79 Plain-End Piping System for Steel Pipe

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E or T	E or T	L	Spare Parts	
				EPDM (CAN\$)	(CAN\$)	SILICON (CAN\$)	Plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	Painted	Galv	Painted	(pcs)	(in)
2	7	10	240	116.14	POA	POA	2	5/8 x 3-1/4
2 ½	7.3	8	192	120.15	POA	POA	2	5/8 x 3-1/4
3	11	6	200	169.54	POA	POA	2	3/4 x 4-3/4
4	14.3	3	115	185.56	POA	POA	2	3/4 x 4-3/4
5	-	-	-	262.99	POA	POA	-	-
6	28.6	-	50	327.07	POA	POA	2	7/8 x 6-1/2
8	41.8	-	32	568.70	POA	POA	4	3/4 x 4-3/4
10	52.8	-	12	747.59	POA	POA	4	7/8 x 6-1/2
12	63.1	-	-	1,061.31	POA	POA	4	1 x 6-1/2
14	79.2	-	-	1,328.31	POA	POA	4	1 x 6-1/2
16	88	-	-	1,858.94	POA	POA	4	1 x 6-1/2
18	127.6	-	-	POA	POA	POA	8	1 x 6-1/2
20	176	-	-	POA	POA	POA	8	1 x 6-1/2

7.0 HDP Series

SHURJOINT #H305 HDP Coupling

Nom.	Approx.	Inner Carton	Crate	Cplg with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
2	5.7	12	300	119.84	POA	4	1/2 x 2-3/8
3	7.9	6	230	166.05	POA	4	1/2 x 2-3/4
4	11.4	4	110	213.88	POA	4	1/2 x 3
6	18	2	65	311.41	POA	4	5/8 x 3-1/2
8	27.5	1	36	432.37	POA	4	5/8 x 3-1/2
10	44	-	20	628.03	POA	4	3/4 x 5-1/2
12	56.1	-	14	842.24	POA	4	3/4 x 5-1/2
14	80.7	-	8	POA	POA	4	1 x 6
16	100.1	-	-	POA	POA	4	1 x 6
18	126.9	-	-	POA	POA	4	1 x 6
20	141.9	-	-	POA	POA	4	1 x 6

SHURJOINT #H307 HDP Transition Coupling

Nom.	Approx.	Inner Carton	Crate	Cplg with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
2	4.4	-	350	119.84	POA	4	1/2 x 2-3/8
3	5.9	-	320	166.05	POA	4	1/2 x 3
4	8.4	-	180	213.88	POA	4	1/2 x 3
6	12.5	-	108	307.47	POA	4	5/8 x 3-1/2
8	21.3	-	56	432.37	POA	4	5/8 x 3-1/2
10	35.2	-	26	628.03	POA	4	3/4 x 5-1/2
12	43.1	-	20	842.24	POA	4	3/4 x 5-1/2

7.0 HDP Series

SHURJOINT #H312 HDP Flange

Nom.	Approx.	Inner Carton	Crate	Flange with Gr. "E" Gasket	Zinc	Spare Parts	
Size	Wt.		Qty.		Plated	plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(CAN\$)	(pcs)	(in)
4	12.5	-	-	245.89	POA	2	5/8 x 1-5/8
6	17.2	-	-	358.13	POA	2	5/8 x 1-7/8
8	30.8	-	-	497.24	POA	2	3/4 x 2
10	41	-	-	1,303.27	POA	4	3/4 X2 1/4
12	55	-	-	1,887.58	POA	4	3/4 X 2 1/4

8.0 Copper Series

SHURJOINT #C305 Rigid Coupling for Copper Tubing

Nom.	Approx.	Inner Carton	Crate	Cplg with "E-pw" Gasket, DI Body	Spare Parts	
Size	Wt.		Qty.		plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
2	0.9	30	720	20.21	2	3/8 x 2
2 ½	1	25	600	22.26	2	3/8 x 2
3	1.3	20	550	24.89	2	1/2 x 3
4	1.5	-	350	38.07	2	1/2 x 3
5	2.4	-	-	POA	2	5/8 x 3 1/2
6	2.5	-	170	89.62	2	5/8 x 3 1/2
8	5.5	-	-	POA	2	5/8 x 3 1/2

SHURJOINT #C306 Reducing Coupling for Copper Tubing

Nom.	Approx.	Inner Carton	Crate	Cplg with "E-pw" Gasket, DI Body	Spare Parts	
Size	Wt.		Qty.		plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
2 ½ x 2	1.1	-	-	30.31	2	1/2 x 3
3 x 2	1.5	-	-	32.83	2	1/2 x 3
3 x 2 ½	1.5	-	-	32.83	2	1/2 x 3
4 x 2 ½	1.7	-	-	53.04	2	1/2 x 3
4 x 3	1.7	-	-	52.72	2	1/2 x 3
5 x 4	2.4	-	-	POA	2	5/8 x 3 1/2
6 x 4	2.8	-	-	131.21	2	5/8 x 3 1/2

SHURJOINT #C307 Transition Coupling for Copper Tubing

Nom.	Approx.	Inner Carton	Crate	Cplg with "E-pw" Gasket, DI Body	Spare Parts	
Size	Wt.		Qty.		plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
2 x 2	0.9	-	-	35.12	2	3/8 x 2-1/8
2 ½ x 2 ½	1.2	-	-	39.92	2	3/8 x 2-1/8
3 x 3	1.6	-	-	44.46	2	1/2 x 3
4 x 4	2.4	-	-	68.21	2	1/2 x 3

8.0 Copper Series

SHURJOINT #C341 Flange for Copper Tubing

Nom. Size	Approx. Weight	Inner Carton	Crate Qty.	Flange with "E-pw" Gasket, DI Body	Spare Parts -Plated Bolt/Nut	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)	(pcs)	(in)
2	2.2	-	-	159.15	4	5/8 x 3
2 ½	3	-	-	164.19	4	5/8 x 3
3	3.6	7	230	176.84	4	5/8 x 3
4	4.5	7	230	189.46	8	5/8 x 3
6	6	6	170	250.09	8	3/4 x 3 1/2
8	6.6	6	170	POA	8	3/4 x 3 1/2

SHURJOINT #C10 90 Degree Elbow, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	90 Degree Elbow Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.91 c	0.9	30	-	52.13
2 ½	3.31 c	1.2	18	-	59.83
3	3.81 c	1.7	12	-	79.77
4	4.75 c	2.7	5	150	170.93
5	5.94 c	5.2	3	80	POA
6	6.94 c	8.3	-	40	569.78
8	7.75 c	11.8	-	-	POA

SHURJOINT #C11 45 Degree Elbow, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	45 Degree Elbow Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.19 c	0.8	48	-	61.25
2 ½	2.31 c	1	25	-	71.22
3	2.59 c	1.4	16	530	95.44
4	3.19 c	2.5	6	240	182.33
5	3.25 c	3.6	-	125	POA
6	3.63 c	4.6	-	70	598.26
8	4.25 c	8	-	-	POA

8.0 Copper Series

SHURJOINT #C20 Tee, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	Tee Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	2.69 c	0.9	24	-	92.87
2 ½	3.20 c	1.8	12	-	94.01
3	3.50 c	2.4	8	260	119.65
4	4.25 c	3.8	3	120	282.04
5	5.94 c	7.8	-	52	POA
6	6.94 c	12.2	-	24	940.13
8	7.75 c	17	-	-	POA

SHURJOINT #C60 Cap, Bronze Grooved Fitting

Nom. Size	C – E	Approx. Wt.	Inner Carton	Crate Qty.	Cap Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	0.96 c	0.3	100	-	30.77
2 ½	0.96 c	0.4	70	-	46.15
3	0.96 c	0.6	45	-	58.12
4	0.96 c	1	60	-	88.03
5	0.96 c	1.6	35	-	POA
6	0.96 c	2	24	-	182.90
8	0.96 c	4.5	-	-	POA

SHURJOINT #C21 Reducing Tee, Bronze Grooved Fitting(Gr x Gr x Gr)

Nom. Size	C-E	Approx. Wt.	Inner Carton	Crate Qty.	Red. Tee Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 ½ x 2	3.20 c	1.6	12	-	128.20
3 x 2	3.50 c	2.2	9	-	165.23
3 x 2 ½	3.50 c	2.2	9	-	199.42
4 x 2	4.25 c	3.5	4	120	376.05
4 x 2 ½	4.25 c	3.6	4	120	376.05
4 x 3	4.25 c	3.7	4	120	376.05
5 x 3	5.94 c	7.4	-	50	POA
5 x 4	5.94 c	7.5	-	60	POA
6 x 2 ½	6.94 c	8	-	36	1,410.19
6 x 3	6.94 c	8	-	24	1,410.19
6 x 4	6.94 c	8.3	-	24	1,410.19
6 x 5	6.94 c	8.4	-	24	POA

8.0 Copper Series

SHURJOINT #C50 Concentric Reducer, Bronze Grooved Fitting(Gr x Gr)

Nom.	C-E	Approx.	Inner Carton	Crate	Conc. Reducer
Size		.Wt.		Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 ½ x 2	2.50 c	0.6	80	-	65.81
3 x 2	2.50 c	0.7	56	-	65.81
3 x 2 ½	2.50 c	0.7	42	-	65.81
4 x 2	3.00 c	1.2	24	790	136.75
4 x 2 ½	3.00 c	1.2	24	790	136.75
4 x 3	3.00 c	1.1	24	790	136.75
5 x 3	3.50 c	2	10	420	POA
5 x 4	3.50 c	2	10	420	POA
6 x 2 ½	4.00 c	2.7	6	250	423.06
6 x 3	4.00 c	2.7	3	250	423.06
6 x 4	4.00 c	2.7	6	250	423.06
6 x 5	4.00 c	2.7	6	250	POA

SHURJOINT #C26 Reducing Tee, Bronze/Copper, (Gr x Gr x Cup)

Nom.	C-E	Approx.	Inner Carton	Crate	Reducing Tee
Size		.Wt.		Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 x ¾	2.20 c	0.7	-	-	97.43
2 x 1	2.33 c	0.7	-	-	97.43
2 x 1 ¼	2.48 c	0.8	-	-	97.43
2 x 1 ½	2.60 c	0.9	-	-	97.43
2 ½ x ¾	2.28 c	0.9	-	-	124.78
2 ½ x 1	2.40 c	1	-	-	121.36
2 ½ x 1 ¼	2.52 c	1.1	-	-	121.36
2 ½ x 1 ½	2.70 c	1.2	-	-	121.36
2 ½ x 2	2.95 c	2.6	-	-	121.36
3 x ¾	2.44 c	1.3	-	-	226.49
3 x 1	2.54 c	1.3	-	-	226.49
3 x 1 ¼	2.63 c	1.4	-	-	226.49
3 x 1 ½	2.85 c	1.5	-	-	226.49
3 x 2	3.11 c	2.6	-	-	226.49
4 x ¾	3.00 c	2.2	-	-	266.65
4 x 1	3.10 c	2.3	-	-	350.41
4 x 1 ¼	3.25 c	2.5	-	-	350.41
4 x 1 ½	3.35 c	2.5	-	-	350.41
4 x 2	3.62 c	4.1	-	-	350.41

8.0 Copper Series

SHURJOINT #C52 Concentric Reducer, Bronze/Copper, (Gr x Cup)

Nom.	E-E	Approx.	Inner Carton	Crate	Conc. Reducer
Size		.Wt.		Qty.	Bronze Fitting
(in)	(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2 x 1	2.70 c	0.3	120	-	54.70
2 x 1 ¼	3.00 c	0.4	90	-	54.70
2 x 1 ½	2.94 c	0.4	90	-	54.70
2 ½ x 1	3.25 c	0.5	60	-	66.66
2 ½ x 1 ¼	3.52 c	0.5	60	-	66.66
2 ½ x 1 ½	3.45 c	0.5	60	-	66.66
2 ½ x 2	3.30 c	0.5	45	-	66.66
3 x 1 ½	3.68 c	0.8	40	-	83.76
3 x 2	4.10 c	0.9	30	860	83.76
4 x 2	4.75 c	1.4	16	540	157.26

SHURJOINT #C55 Copper x Female Adapter, Bronze

Nom.	Approx.	Inner Carton	Crate	Adapter
Size	Wt.		Qty.	
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
1 ½ x 2	0.6	1	-	POA
2 x 2	0.7	1	-	136.75
2 ½ x 2 ½	0.8	1	-	182.33
3 x 3	1	1	-	216.51

SHURJOINT #C726 Y-Strainer for Bronze Tubing

Nom.	Approx.	Inner Carton	Crate	Y-Strainer
Size	Wt.		Qty.	Bronze
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	0.4	-	110	POA
2 ½	5.1	-	85	POA
3	6.8	-	60	POA
4	12.5	-	40	POA
6	26.9	-	14	POA

SHURJOINT #SJ-C300 Butterfly Valve, Bronze for Copper Tubing

Nom.	Approx.	Inner Carton	Crate	Butterfly Valve
Size	Wt.		Qty.	Bronze
(in)	(lbs)	(pcs.)	(pcs)	(CAN\$)
2	4.9	2	-	393.14
2 ½	2.7	2	-	470.06
3	3	2	-	512.80
4	5	2	-	649.54
5	8	2	-	POA
6	9.8	2	-	811.93

8.0 Copper Series

SHURJOINT #DE30-GG Dielectric Transition Fitting (IPS to CTS)

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Dielectric Transition (CAN\$)
2 x 2	0.6	40	960	83.35
2 ½ x 2 ½	1.5	30	720	111.15
3 x 3	2	20	500	164.19
4 x 4	2.6	12	330	219.77
5 x 5	3.5	-	-	POA
6 x 6	4.6	5	130	315.75
8 x 8	6.9	-	-	POA

SHURJOINT #C723 Bronze Mechanical Tee for Copper Tubing (CTS)

Nom. Size (in)	Approx. Wt. (lbs)	Inner Carton (pcs.)	Crate Qty. (pcs)	Dielectric Transition (CAN\$)
2 ½ x 1/2	1.43	-	-	131.79
2 ½ x 3/4	1.43	-	-	131.79
2 ½ x 1	1.43	-	-	131.79
2 ½ x 1-1/4	1.76	-	-	131.79
3 x 3/4	1.54	-	-	175.73
3 x 1	1.54	-	-	175.73
3 x 1-1/4	2.2	-	-	175.73
4 x 3/4	1.76	-	-	175.73
4 x 1	1.76	-	-	175.73
4 x 1-1/4	2.64	-	-	175.73

9.0 AWWA Ductile Iron Series

SHURJOINT A505 AWWA Grooved Couplings

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Painted (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	4.8	-	-	127.85
4	7.3	-	230	165.71
6	9	-	120	212.49
8	15.4	-	70	368.92
10	22	-	-	466.09
12	29.7	-	-	POA

SHURJOINT A507 AWWA Transition Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Painted (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	6	-	-	260.46
4	8	-	240	299.55
6	9	-	150	364.72
8	18	-	70	455.27
10	22	-	-	581.91
12	31	-	-	POA

SHURJOINT A512 AWWA Flange Adapter

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Painted (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	5.4	-	-	324.87
4	8.2	-	-	392.43
6	12	-	-	472.08
8	17.4	-	-	584.36
10	24.6	-	-	830.58
12	34.4	-	-	POA

SHURJOINT A49 Sandwich Plate for AWWA Flange Adapter

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Zinc Plated (CAN\$)	SS316 (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3	-	-	-	POA	POA
4	-	-	-	POA	POA
6	-	-	-	POA	POA
8	-	-	-	POA	POA
10	-	-	-	POA	POA
12	-	-	-	POA	POA

9.0 AWWA Ductile Iron Series

SHURJOINT A10 AWWA Grooved 90' Elbow

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	8.6	-	-	201.19
4	12	-	80	229.66
6	22	-	40	381.05
8	38	-	20	606.15
10	76	-	-	1,387.55
12	92	-	-	POA

SHURJOINT A11 AWWA Grooved 45' Elbow

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	5.8	-	-	POA
4	8.4	-	140	213.75
6	15	-	40	330.36
8	28.8	-	32	528.54
10	43.3	-	-	843.00
12	72	-	-	POA

SHURJOINT A20 AWWA Grooved Tee

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	14.2	-	-	276.74
4	19	-	60	326.85
6	34	-	22	498.03
8	59	-	12	788.42
10	111	-	-	1,790.05
12	136	-	-	POA

SHURJOINT A60 AWWA Grooved Cap

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
3	4.79	-	-	121.95
4	5	-	990	124.04
6	9	-	450	203.59
8	16	-	200	317.80
10	37.2	-	-	POA
12	52	-	-	POA

9.0 AWWA Ductile Iron Series

SHURJOINT A25 AWWA Grooved Reducing Tee

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
4 x 3	26.4	-	60	357.12
6 x 4	46	-	24	501.71
8 x 4	78	-	15	644.33
8 x 6	80	-	15	739.86
10 x 4	120	-	-	POA
10 x 6	128	-	-	POA
10 x 8	130	-	-	POA
12 x 4	112	-	-	POA
12 x 6	180	-	-	POA
12 x 8	186	-	-	POA
12 x 10	192	-	-	POA

SHURJOINT A50 AWWA Grooved Concentric Reducer

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
4 x 3	10	-	200	296.68
6 x 4	16.5	-	100	389.14
8 x 4	28	-	60	547.17
8 x 6	34	-	45	570.52
10 x 4	42	-	-	POA
10 x 6	46	-	-	POA
10 x 8	50	-	-	POA
12 x 4	60	-	-	POA
12 x 6	70	-	-	POA
12 x 8	74	-	-	POA
12 x 10	84	-	-	POA

SHURJOINT A10R AWWA Grooved Reducing Elbow

Nom.	Approx.	Inner	Crate	Cement Lined
Size	Wt.	Carton	Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
4 x 3	17	-	100	460.61
6 x 4	29.6	-	48	538.73
8 x 4	46.5	-	24	675.94
8 x 6	48.5	-	24	782.30
10 x 6	77	-	-	POA
10 x 8	88	-	-	POA
12 x 6	110	-	-	POA
12 x 8	126	-	-	POA
12 x 10	150	-	-	POA

11.0 Parts

Rubber Gasket for #7705 / #7707 / Z-07 / #Z05 / #G28 Coupling

Nom. Size	Approx. Wt.	Inner Carton	E EPDM (CAN\$)	E-PW Potable Water (CAN\$)	T Nitrile (CAN\$)	O Viton (CAN\$)	L Silicon (CAN\$)	A White Nitrile (CAN\$)	V Neoprene (CAN\$)
(in)	(lbs)	(pcs.)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)
1	0.05		5.25	7.03	5.25	POA	POA	POA	POA
1 ¼	0.05	210	6.00	7.14	6.00	POA	14.81	POA	POA
1 ½	0.06	170	7.05	8.54	7.05	POA	17.84	POA	POA
2	0.08	120	7.69	9.30	7.69	83.19	19.53	12.61	POA
2 ½	0.09	100	8.32	10.04	8.32	POA	21.43	13.76	POA
3	0.1	65	8.95	10.78	8.95	130.70	POA	14.84	POA
3 ½	0.1	65	POA	POA	POA	POA	POA	POA	POA
4	0.21	40	13.04	15.60	13.04	196.13	33.35	21.48	POA
5	0.26	33	16.57	19.90	16.57	243.51	POA	27.28	POA
6	0.31	25	17.84	21.41	17.84	255.50	45.12	POA	POA
8	0.54	15	30.88	36.99	30.88	POA	POA	POA	POA
10	0.64	12	53.37	64.12	53.37	POA	POA	POA	POA
12	0.81	-	62.33	74.81	62.33	POA	POA	POA	POA
14	1.45	-	74.17	POA	74.17	POA	POA	POA	POA
16	1.49	-	83.19	POA	83.19	POA	POA	POA	POA
18	1.72	-	158.06	POA	158.06	POA	POA	POA	POA
20	1.88	-	168.64	POA	168.64	POA	POA	POA	POA
24	2.27	-	207.98	POA	207.98	POA	POA	POA	POA

GapSeal Gasket for #7705 / #7707 / Z-07 / #Z07 / #Z05 / #G28 Coupling

Nom. Size	Approx. Wt.	Inner Carton	E EPDM (CAN\$)	E-PW Potable Water (CAN\$)	T Nitrile (CAN\$)	O Viton (CAN\$)	L Silicon (CAN\$)	A White Nitrile (CAN\$)	V Neoprene (CAN\$)
(in)	(lbs)	(pcs.)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)	(pc)
1 ¼	0.05	210	8.95	POA	8.95	POA	POA	POA	POA
1 ½	0.06	170	10.65	POA	10.65	POA	POA	POA	POA
2	0.08	120	11.56	POA	11.56	POA	POA	POA	POA
2 ½	0.09	100	12.55	POA	12.55	POA	POA	POA	POA
3	0.1	65	13.26	POA	13.26	POA	POA	POA	POA
4	0.21	40	19.53	POA	19.53	POA	POA	POA	POA
5	0.26	33	24.95	POA	24.95	POA	POA	POA	POA
6	0.31	25	26.80	POA	26.80	POA	POA	POA	POA
8	0.73	15	46.39	POA	46.39	POA	POA	POA	POA
10	6.16	1	80.22	POA	80.22	POA	POA	POA	POA
12	6.61	1	93.56	POA	93.56	POA	POA	POA	POA
14	1.9	1	POA	POA	POA	POA	POA	POA	POA
16	1.95	1	POA	POA	POA	POA	POA	POA	POA
18	2.25	1	POA	POA	POA	POA	POA	POA	POA
20	2.45	1	POA	POA	POA	POA	POA	POA	POA
24	3	1	POA	POA	POA	POA	POA	POA	POA

11.0 Parts

Rubber Gasket for #7706 Reducing Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	E-PW Potable Water (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2 x 1 ½	0.13	1	-	7.69	POA	7.69
2 ½ x 2	0.1	1	-	10.09	POA	10.09
3 x 2	0.18	1	-	11.84	POA	11.84
3 x 2 ½	0.27	1	-	11.84	POA	11.84
4 x 2	0.31	1	-	16.57	POA	16.57
4 x 2 ½	0.4	1	-	17.27	POA	17.27
4 x 3	0.29	1	-	17.84	POA	17.84
5 x 4	0.52	1	-	POA	POA	POA
6 x 3	0.53	1	-	26.09	POA	26.09
6 x 4	0.53	1	-	23.76	POA	23.76
8 x 6	0.77	1	-	38.64	POA	38.64

Rubber Gasket for #7041 / #7043 Flanges

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
2	0.05	180	-	7.47	7.47
2 ½	0.06	120	-	8.95	8.95
3	0.08	100	-	10.09	10.09
4	0.1	80	-	13.96	13.96
5	0.14	50	-	16.01	16.01
6	0.17	40	-	17.84	17.84
8	0.29	25	-	27.92	27.92
10	0.43	1	-	47.52	47.52
12	0.75	1	-	62.95	62.95
14	0.91	1	-	134.73	134.73
16	1.25	1	-	152.30	152.30
18	1.82	1	-	193.30	193.30
20	2.28	1	-	POA	POA
24	2.74	1	-	POA	POA

11.0 Parts

Rubber Gasket for #C-7 Outlet Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
1 ½	0.08	1	-	POA	POA
2	0.09	1	-	27.94	27.94
2 ½	0.13	1	-	33.43	33.43
3	0.16	1	-	44.62	44.62
4	0.32	1	-	66.99	66.99
6	0.4	1	-	94.80	94.80

Rubber Gasket for #7721 / #7722 Mechanical Tee

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(pc)	(pc)
2 x ½ ~1	0.03	-	-	6.49	6.49
2 x 1 ¼~ 1 ½	0.03	-	-	6.49	6.49
2 ½ x ½~1	0.03	-	-	6.49	6.49
2 ½ x 1 ¼~ 1 ½	0.04	-	-	6.49	6.49
3 x ½~1	0.02	-	-	6.49	6.49
3 x 1 ¼~ 1 ½	0.04	-	-	6.49	6.49
3 x 2	0.06	-	-	6.49	6.49
4 x ½~1	0.02	-	-	8.32	8.32
4 x 1 ¼~ 1 ½	0.04	-	-	8.32	8.32
4 x 2	0.06	-	-	8.32	8.32
4 x 2 ½	0.07	-	-	8.32	8.32
4 x 3	0.09	-	-	8.32	8.32
5 x 2	0.05	-	-	POA	POA
5 x 2 ½	0.06	-	-	POA	POA
6 x 1 ¼~ 1 ½, 2, 2 ½	0.04	-	-	10.65	10.65
6 x 3	0.09	-	-	10.65	10.65
6 x 4	0.12	-	-	10.65	10.65
8 x 3	0.15	-	-	17.57	17.57
8 x 4	0.15	-	-	17.57	17.57

11.0 Parts

Rubber Gasket for #723 Mechanical Tee, Gr. E (EPDM)

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E (CAN\$)	T (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
1 ¼, 1 ½ x ½, ¾, 1	0.02	-	-	POA	POA
2, 2 ½ x ½, ¾, 1	0.02	-	-	POA	POA

Rubber Gasket for #H305 & #79 Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2	0.13	-	-	119.84	119.84	POA
2 ½	0.18	-	-	POA	POA	POA
3	0.18	-	-	166.05	166.05	POA
4	0.35	-	-	213.88	213.88	POA
6	0.53	-	-	311.41	311.41	POA
8	0.84	-	-	432.37	432.37	POA
10	1.01	-	-	628.03	628.03	POA
12	1.32	-	-	842.24	842.24	POA
14				POA	POA	POA
16				POA	POA	POA
18				POA	POA	POA
20				POA	POA	POA

Rubber Gasket for #H307 HDP Transition Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2	0.08	-	-	119.84	119.84	POA
2 ½	0.09	-	-	POA	POA	POA
3	0.1	-	-	166.05	166.05	POA
4	0.21	-	-	213.88	213.88	POA
6	0.31	-	-	311.41	311.41	POA
8	0.54	-	-	432.37	432.37	POA
10	0.64	-	-	628.03	628.03	POA
12	0.81	-	-	842.24	842.24	POA

11.0 Parts

Rubber Gasket for #H312 HDP Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
4	0.23	-	-	245.89	245.89	POA
6	0.32	-	-	358.13	358.13	POA
8	0.54	-	-	497.24	497.24	POA

Rubber Gasket for "EP" XH-1000 Couplings

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E EPDM (CAN\$)	T NITRILE (CAN\$)	L SILICON (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)	(pc)
2		-	-	POA	POA	POA
2 ½		-	-	POA	POA	POA
3		-	-	POA	POA	POA
4		-	-	POA	POA	POA
6		-	-	POA	POA	POA
8		-	-	POA	POA	POA

Rubber Gasket for C301/C305 Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2		-	-	11.70
2 ½		-	-	12.62
3		-	-	13.26
4		-	-	POA
5		-	-	POA
6		-	-	POA

Rubber Gasket for C307 Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pc)
2 x 2		-	POA
2 -1/2 x 2-1/2		-	POA
3 x 3		-	POA
4 x 4		-	POA

Rubber Gasket for C306 Reducing Couplings E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2-1/2 x 2		-	-	POA
3 x 2		-	-	POA
3 x 2-1/2		-	-	POA
4 x 2-1/2		-	-	POA
4 x 3		-	-	POA
5 x 4		-	-	POA
6 x 4		-	-	POA

11.0 Parts

Rubber Gasket for C341 Flange, E-PW, NSF 61

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	E-PW EPDM (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2		-	-	7.34
2 ½		-	-	8.88
3		-	-	9.47
4		-	-	13.05
5		-	-	POA
6		-	-	POA

Rubber Gasket for A505 AWWA Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3		-	-	POA	POA
4		-	-	POA	POA
6		-	-	POA	POA
8		-	-	POA	POA
10		-	-	POA	POA
12		-	-	POA	POA

Rubber Gasket for A507 AWWA Transition Coupling

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3 x 3		-	-	POA	POA
4 x 4		-	-	POA	POA
6 x 6		-	-	POA	POA
8 x 8		-	-	POA	POA
10 x 10		-	-	POA	POA
12 x 12		-	-	POA	POA

11.0 Parts

Rubber Gasket for A512 AWWA Flange

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	M Butyl (CAN\$)	S Nitrile (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
3		-	-	POA	POA
4		-	-	POA	POA
6		-	-	POA	POA
8		-	-	POA	POA
10		-	-	POA	POA
12		-	-	POA	POA

Track Bolt c/w Heavy Duty Nut

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	Zinc Plated (CAN\$)	Galvanized (CAN\$)
(in)	(lbs)	(pcs)	(pcs)	(pc)	(pc)
3/8x1-3/4 (45)	0.09	-	-	POA	POA
3/8x2-1/8 (55)	0.1	-	-	POA	POA
3/8x2-3/4 (70)	0.11	-	-	POA	POA
1/2x2-3/8 (60)	0.17	-	-	POA	POA
1/2x2-3/4 (70)	-	-	-	POA	POA
1/2x3 (75)	0.2	-	-	POA	POA
5/8x2-3/4 (70)	-	-	-	POA	POA
5/8x3-1/2 (90)	0.37	-	-	POA	POA
5/8x5-5/16 (135)	0.5	-	-	POA	POA
3/4x4-3/4 (120)	0.75	-	-	POA	POA
7/8x4 (100)	1.04	-	-	POA	POA
7/8x5-1/2 (140)	-	-	-	POA	POA
7/8x6-1/2 (165)	1.39	-	-	POA	POA
1x3-1/2 (90)	1.39	-	-	POA	POA
1x5-1/2 (140)	-	-	-	POA	POA
1x6-1/2 (165)	-	-	-	POA	POA
1-1/4 x 4-1/2 (115)	-	-	-	POA	POA

11.0 Parts

Stainless Steel Track Bolt with Heavy Duty Nut

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	304 (CAN\$)	316 (CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)	(pc)
5/16 x 1-1/2 (38)	0.05	-	-	POA	POA
3/8 x 2 (50)	0.1	-	-	POA	POA
1/2 x 3 (75)	0.23	-	-	POA	POA
5/8 x 3-1/2 (90)	0.43	-	-	POA	POA
3/4 x 4-3/4 (120)	0.81	-	-	POA	POA
7/8 x 6-1/2 (165)	1.44	-	-	POA	POA

SHURJOINT Lubricant

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
2 pounds	2	9	-	POA
1 pound	1	24	-	POA

SHURJOINT Grooved Wrenches

Nom. Size	Approx. Wt.	Inner Carton	Crate Qty.	(CAN\$)
(in)	(lbs)	(pcs.)	(pcs)	(pc)
#1 Wrench 11/16 x 7/8	1.5	25	-	POA
#2 Wrench 7/8 x 1 1/16	1.5	25	-	POA