



CORPORATION

**MALLEABLE
IRON
THREADED
FITTINGS**

PRICE SCHEDULE:	
M-2018-1	
EFFECTIVE:	June 18 2018
Subject to change without notice.	

GENERAL NOTES

- MINIMUM INVOICE:** \$50.00 net
- PRICES:** All prices are each.
Taxes extra as applicable
- F.O.B. :** Our plant, stocking warehouse.
Any single order having a total order value of \$1000 or more for shipment to a single destination, will have full freight allowed at the lowest published rate for the most economical way. Shipments to remote locations may, at our option, be subject to less than full freight allowance.
- PAYMENT TERMS:** Net 30 days.
- OTHER TERMS:** The "General Terms and Conditions" apply to all orders.

<p>ONTARIO 4151 North Service Road Unit #2 Burlington, ON L7L 4X6 PHONE 905-335-5320 FAX 905-335-3140 TOLL FREE 1-888-399-CCTF (2283)</p>	<p>ALBERTA WAREHOUSE 5407 – 53rd Avenue NW Edmonton, AB T6B 3G2 PHONE 780-463-8700 FAX 780-463-7433 TOLL FREE 1-800-661-3633</p> <p>HALIFAX SALES OFFICE PHONE 902-466-CCTF (2283)</p>	<p>BRITISH COLUMBIA #4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE 604-540-6177 FAX 604-540-2836 TOLL FREE 1-866-540-6177</p> <p>QUEBEC TOLL FREE 1-888-399-CCTF (2283)</p>
---	---	--

Class 150 Malleable Iron Threaded Fittings											ASTM A197		ANSI B16.3	
	NPS ▲ DN	1/8" 3	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100	6" 150
90° Eblows	\$ BLACK	16.49	16.49	16.49	13.41	19.40	29.79	44.72	59.62	89.46	173.58	264.48	479.56	1901.41
	\$ GALV	19.97	19.97	19.97	16.34	23.60	36.34	54.47	72.64	108.99	209.70	319.58	579.25	
	WEIGHT	0.07	0.11	0.15	0.22	0.35	0.55	0.93	1.1	1.8	2.9	3.9	8.2	8.6
	CRTN QTY	50	35	45	50	30	20	20	10	8	15	10	5	2
45° Elbows	\$ BLACK	18.13	18.13	18.13	13.41	20.17	29.79	48.54	59.62	89.46	206.66	314.20	537.43	3049.32
	\$ GALV	22.01	22.01	22.01	16.34	24.48	36.34	59.02	72.64	108.99	249.71	379.61	649.08	
	WEIGHT	0.07	0.11	0.15	0.22	0.31	0.51	0.75	0.97	1.6	2.4	3.3	6.2	6.4
	CRTN QTY	50	35	50	50	40	20	20	15	9	15	10	6	2
Tees	\$ BLACK	20.74	20.74	20.74	17.16	24.54	38.72	58.19	74.55	111.85	264.48	347.22	628.33	2232.07
	\$ GALV	25.00	25.00	25.00	20.81	29.98	47.21	70.80	90.85	136.19	319.58	419.45	758.96	
	WEIGHT	0.09	0.11	0.2	0.24	0.42	0.66	1.1	1.3	2	3.6	5	9.3	11.2
	CRTN QTY	75	50	45	40	35	20	14	11	6	10	6	4	1
Coupling	\$ BLACK	12.39	12.39	12.39	10.45	14.14	23.91	33.59	41.03	63.40	124.03	181.86	297.55	909.38
	\$ GALV	15.03	15.03	15.03	12.77	17.22	29.05	40.87	49.98	77.23	149.89	219.66	359.58	
	WEIGHT	0.07	0.07	0.11	0.18	0.26	0.44	0.62	0.9	1.2	1.9	2.6	4.6	6
	CRTN QTY	60	40	50	60	50	25	32	18	12	16	12	7	1
Caps	\$ BLACK	11.57	11.57	11.57	10.45	12.72	17.88	26.17	34.25	47.65	107.57	148.84	247.97	948.65
	\$ GALV	14.14	14.14	14.14	12.77	15.41	21.78	31.82	41.83	58.05	129.91	179.80	299.63	
	WEIGHT	0.04	0.04	0.09	0.11	0.18	0.31	0.53	0.57	0.88	1.5	1.9	3.5	4
	CRTN QTY	100	200	50	50	40	35	25	25	18	30	20	14	2
Square Head Plugs	\$ BLACK	14.08	14.08	14.08	11.20	14.50	14.93	22.37	26.17	37.37	82.75	115.80	206.66	677.62
	\$ GALV	18.13	18.13	18.13	15.93	21.13	23.91	27.30	31.82	45.51	99.81	139.76	249.71	
	WEIGHT	0.02	0.02	0.04	0.09	0.11	0.15	0.26	0.35	0.55	0.97	1.4	2.5	3.4
	CRTN QTY	100	100	100	40	25	40	25	24	15	40	30	8	5
Unions Brass To Iron	\$ BLACK	74.40	74.40	74.40	67.05	85.75	100.75	134.21	178.84	268.32	496.06	826.74	1639.89	
	\$ GALV	89.89	89.89	89.89	81.72	104.62	122.58	163.57	214.51	326.77	599.18	997.23	1994.39	
	WEIGHT	0.1	0.2	0.31	0.42	0.56	0.93	1.3	1.7	2.6	4.6	5.7	10.1	
	CRTN QTY	30	30	35	30	25	20	18	12	8	10	5	3	
Crosses	\$ BLACK	41.38	41.38	41.38	41.38	57.79	78.49	115.80	157.08	214.97	467.61	664.15	1233.28	
	\$ GALV	49.98	49.98	49.98	49.98	69.92	94.85	139.76	189.79	259.67				
	WEIGHT	0.15	0.17	0.31	0.3	0.49	0.79	1.3	1.5	2.4	4.6	6.1	6.7	
	CRTN QTY	80	80	60	45	30	16	9	8	5	6	4	2	
Floor Flanges	\$ BLACK			42.96	42.96	59.57	69.52	99.13	115.80	140.50				
	\$ GALV			51.95	51.95	71.97	83.88	119.82	139.76	169.80				
	WEIGHT			0.5	0.57	0.68	0.82	1.2	1.5	2.1				
	CRTN QTY			25	25	20	20	15	12	8				
Locknuts	\$ BLACK	13.55	13.55	13.55	13.55	10.79	13.33	17.40	22.26	34.71				
	\$ GALV	17.07	17.07	17.07	13.02	13.02	16.05	21.03	32.74	41.93				
	WEIGHT	0.1	0.1	0.1	0.57	0.68	0.82	1.2	1.5	2.1				
	CRTN QTY	250	125	100	100	60	40	30	45	25				

▲ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 150 Malleable Iron Threaded Fittings											ASTM A197		ANSI B16.3	
	NPS ▲ DN	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"
		3	6	10	15	20	25	32	40	50	65	80	100	150
90° Street Elbows	\$ BLACK	18.13	18.13	18.13	16.49	23.99	35.64	62.05	76.05	107.57	239.81	372.00	620.03	
	\$ GALV	22.01	22.01	22.01	19.97	28.95	43.02	74.92	91.95	129.91	289.63	449.47	749.08	
	WEIGHT	0.07	0.09	0.13	0.22	0.33	0.55	0.88	1.1	1.8	2.9	3.9	8.4	
	CRTN QTY	50	35	40	60	30	30	20	13	7	13	8	4	
45° Street Elbows	\$ BLACK	24.81	24.81	24.81	24.81	38.03	50.40	82.75	99.13	165.33	330.80	496.32	744.36	
	\$ GALV	37.24	37.24	37.24	30.02	45.93	60.95	99.81	119.82	199.77				
	WEIGHT	0.06	0.09	0.13	0.17	0.29	0.46	0.79	0.93	1.5	2.3	3.3	6.2	
	CRTN QTY	50	35	45	100	60	30	20	15	9	15	10	6	

Class 150 Malleable Iron Reducing Threaded Fittings					ASTM A197		ANSI B16.3		
Reducing 90° Elbows					Reducing 90° Elbows				
Size	Wt	Blk	Galv		Size	Wt	Blk	Galv	
1/4" -- 3/8" -- 1/2"					1-1/2 x 3/4	1.4	72.77	87.85	
1/4 x 1/8	0.11	19.75	28.95		1-1/2 x 1/2	1.4	72.77	87.85	
3/8 x 1/4	0.19	19.75	28.95		2"				
3/8 x 1/8	0.19	19.75	28.95		2 x 1-1/2	3.6	107.57	129.91	
1/2 x 3/8	0.29	18.13	22.01		2 x 1-1/4	2.3	107.57	129.91	
1/2 x 1/4	0.29	18.13	22.01		2 x 1	2.3	107.57	129.91	
1/2 x 1/8	0.29	18.13	22.01		2 x 3/4	2.3	107.57	129.91	
3/4"					2 x 1/2	2.3	107.57	129.91	
3/4 x 1/2	0.46	23.99	28.95		2-1/2"				
3/4 x 3/8	0.46	23.99	28.95		2-1/2 x 2	3.6	223.22	327.37	
3/4 x 1/4	0.46	23.99	28.95		2-1/2 x 1-1/2	3.6	223.22	327.37	
3/4 x 1/8	0.46	23.99	28.95		2-1/2 x 1-1/4	3.6	223.22	327.37	
1"					2-1/2 x 1	3.6	223.22	327.37	
1 x 3/4	0.71	36.44	44.00		2-1/2 x 3/4	3.6	223.22	327.37	
1 x 1/2	0.71	36.44	44.00		2-1/2 x 1/2	3.6	223.22	327.37	
1 x 3/8	0.71	36.44	44.00						
1 x 1/4	0.71	36.44	44.00		3"				
1-1/4"					3 x 2-1/2	4.4	372.76	744.24	
1-1/4 x 1	0.95	58.71	70.86		3 x 2	4.4	372.76	744.24	
1-1/4 x 3/4	0.95	58.71	70.86		3 x 1-1/2	4.4	372.76	744.24	
1-1/4 x 1/2	0.95	58.71	70.86		4"				
1-1/2"					4 x 3	6.2	745.48		
1-1/2 x 1-1/4	1.4	72.77	87.85		4 x 2-1/2	6.2	745.48		
1-1/2 x 1	1.4	72.77	87.85		4 x 2	6.2	745.48		

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 150 Malleable Iron Reducing Threaded Fittings				ASTM A197				ANSI B16.3			
Reducing Couplings				Reducing Couplings				Reducing Couplings			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4" -- 3/8" -- 1/2"				1-1/4 x 3/4	0.55	38.85	46.90	2-1/2 x 1-1/4	1.6	132.22	159.76
1/4 x 1/8	0.08	14.05	17.02	1-1/4 x 1/2	0.55	38.85	46.90	2-1/2 x 1	1.6	132.22	159.76
3/8 x 1/4	0.11	14.05	17.02	1-1/4 x 3/8	0.55	38.85	46.90	2-1/2 x 3/4	1.6	132.22	159.76
3/8 x 1/8	0.11	14.05	17.02	1-1/2"				2-1/2 x 1/2	1.6	132.22	159.76
1/2 x 3/8	0.18	14.05	17.02	1-1/2 x 1-1/4	0.7	46.34	56.03	3"			
1/2 x 1/4	0.18	14.05	17.02	1-1/2 x 1	0.7	46.34	56.03	3 x 2-1/2	2.4	206.66	249.71
1/2 x 1/8	0.18	14.05	17.02	1-1/2 x 3/4	0.7	46.34	56.03	3 x 2	2.4	206.66	249.71
3/4"				1-1/2 x 1/2	0.7	46.34	56.03	3 x 1-1/2	2.4	206.66	249.71
3/4 x 1/2	0.22	17.88	21.78	1-1/2 x 3/8	0.7	46.34	56.03	3 x 1-1/4	2.4	206.66	249.71
3/4 x 3/8	0.22	19.75	23.97	2"				3 x 1	2.4	206.66	249.71
3/4 x 1/4	0.22	19.75	23.97	2 x 1-1/2	1.0	70.28	84.90	4"			
3/4 x 1/8	0.22	19.75	23.97	2 x 1-1/4	1.0	70.28	84.90	4 x 3	4.2	380.27	459.34
1"				2 x 1	1.0	70.28	84.90	4 x 2-1/2	4.2	380.27	459.34
1 x 3/4	0.35	23.91	29.05	2 x 3/4	1.0	70.28	84.90	4 x 2	4.2	380.27	459.34
1 x 1/2	0.35	26.42	31.89	2 x 1/2	1.0	70.28	84.90	4 x 1-1/2	4.2	380.27	459.34
1 x 3/8	0.35	26.42	31.89	2 x 3/8	1.0	70.28	84.90	4 x 1-1/4	4.2	380.27	459.34
1 x 1/4	0.35	26.42	31.89	2-1/2"				6"			
1-1/4"				2-1/2 x 2	1.6	132.22	159.76	6 x 4	4.9	1287.47	
1-1/4 x 1	0.55	38.85	46.90	2-1/2 x 1-1/2	1.6	132.22	159.76				

Class 150 Malleable Iron Reducing Threaded Fittings				ASTM A197				ANSI B16.3			
Reducing Bushings				Reducing Bushings				Reducing Bushings			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4" -- 3/8" -- 1/2"				1-1/4 x 3/8	0.29	33.10	39.96	2-1/2 x 1	0.7	90.89	109.86
1/4 x 1/8	0.05	21.19	33.11	1-1/4 x 1/4	0.29	33.10	39.96	2-1/2 x 3/4	0.7	90.89	109.86
3/8 x 1/4	0.06	21.19	33.11	1-1/2"				2-1/2 x 1/2	0.7	90.89	109.86
3/8 x 1/8	0.06	21.19	33.11	1-1/2 x 1-1/4	0.31	38.85	46.90	3"			
1/2 x 3/8	0.07	12.39	15.03	1-1/2 x 1	0.31	38.85	46.90	3 x 2-1/2	1.5	132.22	159.76
1/2 x 1/4	0.07	12.39	15.03	1-1/2 x 3/4	0.31	38.85	46.90	3 x 2	1.5	132.22	159.76
1/2 x 1/8	0.07	12.39	15.03	1-1/2 x 1/2	0.31	38.85	46.90	3 x 1-1/2	1.5	132.22	159.76
3/4"				1-1/2 x 3/8	0.31	38.85	46.90	3 x 1-1/4	1.5	132.22	159.76
3/4 x 1/2	0.11	14.05	17.02	1-1/2 x 1/4	0.31	38.85	46.90	3 x 1	1.5	132.22	159.76
3/4 x 3/8	0.11	14.05	17.02	1-1/2 x 1/8	0.31	38.85	46.90	3 x 3/4	1.5	152.98	159.76
3/4 x 1/4	0.11	14.05	17.02	2"				4"			
3/4 x 1/8	0.11	14.05	17.02	2 x 1-1/2	0.7	48.54	59.02	4 x 3	3.1	247.97	299.63
1"				2 x 1-1/4	0.7	48.54	59.02	4 x 2-1/2	3.1	247.97	299.63
1 x 3/4	0.20	18.68	22.67	2 x 1	0.7	53.71	64.82	4 x 2	3.1	247.97	299.63
1 x 1/2	0.20	18.68	22.67	2 x 3/4	0.7	53.71	64.82	4 x 1-1/2	3.1	247.97	299.63
1 x 3/8	0.20	20.74	25.06	2 x 1/2	0.7	53.71	64.82	4 x 1-1/4	3.1	247.97	299.63
1 x 1/4	0.20	20.74	25.06	2 x 3/8	0.7	53.71	64.82	4 x 1	3.1	247.97	299.63
1 x 1/8	0.20	23.74	28.44	2 x 1/4	0.7	53.71	64.82	6"			
1-1/4"				2-1/2"				6 x 4	10.3	677.62	
1-1/4 x 1	0.29	29.79	36.34	2-1/2 x 2	0.7	90.89	109.86	6 x 3	10.3	677.62	
1-1/4 x 3/4	0.29	33.10	39.96	2-1/2 x 1-1/2	0.7	90.89	109.86				
1-1/4 x 1/2	0.29	33.10	39.96	2-1/2 x 1-1/4	0.7	90.89	109.86				

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 150 Malleable Iron Reducing Threaded Fittings								ASTM A197		ANSI B16.3	
Reducing Tees				Reducing Tees				Reducing Tees			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4 -- 3/8 -- 1/2"				1-1/4 x 3/4 x 1-1/4	1.1	78.49	94.85	2 x 1-1/2 x 1-1/2	2.1	140.50	169.80
1/4 x 1/4 x 1/8	0.12	36.07	44.68	1-1/4 x 3/4 x 1	1.1	78.49	94.85	2 x 1-1/2 x 1-1/4	2.1	140.50	169.80
3/8 x 3/8 x 1/4	0.20	33.19	44.68	1-1/4 x 3/4 x 3/4	1.1	78.49	94.85	2 x 1-1/2 x 1	2.1	140.50	169.80
1/2 x 1/2 x 1	0.28	52.06	N/A	1-1/4 x 3/4 x 1/2	1.1	78.49	94.85	2 x 1-1/2 x 3/4	2.1	140.50	169.80
1/2 x 1/2 x 3/4	0.28	33.92	40.94	1-1/4 x 1/2 x 1-1/4	1.1	78.49	94.85	2 x 1-1/2 x 1/2	2.1	140.50	169.80
1/2 x 1/2 x 3/8	0.28	28.14	33.92	1-1/4 x 1/2 x 1	1.1	78.49	94.85	2 x 1-1/4 x 2	2.1	140.50	169.80
1/2 x 1/2 x 1/4	0.28	28.14	33.92	1-1/4 x 1/2 x 3/4	1.1	78.49	94.85	2 x 1-1/4 x 1-1/2	2.1	140.50	169.80
3/4"				1-1/4 x 1/2 x 1/2	1.1	78.49	94.85	2 x 1-1/4 x 1-1/4	2.1	140.50	169.80
3/4 x 3/4 x 1	0.42	52.06	62.93	1-1/2"				2 x 1-1/4 x 1	2.1	140.50	169.80
3/4 x 3/4 x 1/2	0.42	30.61	44.68	1-1/2 x 1-1/2 x 2	1.3	140.50	169.80	2 x 1 x 2	2.1	140.50	169.80
3/4 x 3/4 x 3/8	0.42	35.30	44.68	1-1/2 x 1-1/2 x 1-1/4	1.3	99.13	119.82	2 x 1 x 1-1/2	2.1	140.50	169.80
3/4 x 3/4 x 1/4	0.42	33.92	44.68	1-1/2 x 1-1/2 x 1	1.3	99.13	119.82	2 x 1 x 1	2.1	140.50	169.80
3/4 x 1/2 x 1	0.42	52.06	62.93	1-1/2 x 1-1/2 x 3/4	1.3	89.46	108.99	2 x 3/4 x 2	2.1	140.50	169.80
3/4 x 1/2 x 3/4	0.42	33.92	40.94	1-1/2 x 1-1/2 x 1/2	1.3	99.13	119.82	2 x 1/2 x 2	2.1	140.50	169.80
3/4 x 1/2 x 1/2	0.42	33.92	40.94	1-1/2 x 1-1/4 x 2	1.3	140.50	169.80	2-1/2"			
1"				1-1/2 x 1-1/4 x 1-1/2	1.3	99.13	119.82	2-1/2 x 2-1/2 x 2	3.3	289.39	349.57
1 x 1 x 2	0.62	140.50	169.80	1-1/2 x 1-1/4 x 1-1/4	1.3	99.13	119.82	2-1/2 x 2-1/2 x 1-1/2	3.3	289.39	349.57
1 x 1 x 1-1/2	0.62	99.13	N/A	1-1/2 x 1-1/4 x 1	1.3	99.13	119.82	2-1/2 x 2-1/2 x 1-1/4	3.3	289.39	349.57
1 x 1 x 1-1/4	0.62	78.49	N/A	1-1/2 x 1-1/4 x 3/4	1.3	99.13	119.82	2-1/2 x 2-1/2 x 1	3.3	289.39	349.57
1 x 1 x 3/4	0.62	46.93	57.20	1-1/2 x 1-1/4 x 1/2	1.3	99.13	119.82	2-1/2 x 2-1/2 x 3/4	3.3	289.39	349.57
1 x 1 x 1/2	0.62	46.93	57.20	1-1/2 x 1 x 1-1/2	1.3	99.13	119.82	2-1/2 x 2-1/2 x 1/2	3.3	289.39	349.57
1 x 1 x 3/8	0.62	52.06	62.93	1-1/2 x 1 x 1-1/4	1.3	99.13	119.82	2-1/2 x 2 x 2	3.3	289.39	349.57
1 x 1 x 1/4	0.62	52.06	62.93	1-1/2 x 1 x 1	1.3	99.13	119.82	2-1/2 x 1-1/2 x 2	3.3	289.39	349.57
1 x 3/4 x 1	0.62	52.06	62.93	1-1/2 x 1 x 3/4	1.3	99.13	119.82	3"			
1 x 3/4 x 3/4	0.62	52.06	62.93	1-1/2 x 1 x 1/2	1.3	99.13	119.82	3 x 3 x 2-1/2	4.9	413.33	572.19
1 x 3/4 x 1/2	0.62	52.06	62.93	1-1/2 x 3/4 x 1-1/2	1.3	99.13	119.82	3 x 3 x 2	4.9	413.33	572.19
1 x 1/2 x 1	0.62	52.06	62.93	1-1/2 x 3/4 x 1-1/4	1.3	99.13	119.82	3 x 3 x 1-1/2	4.9	413.33	572.19
1 x 1/2 x 3/4	0.62	52.06	62.93	1-1/2 x 3/4 x 1	1.3	99.13	119.82	3 x 3 x 1-1/4	4.9	413.33	572.19
1 x 1/2 x 1/2	0.62	52.06	62.93	1-1/2 x 3/4 x 3/4	1.3	99.13	119.82	3 x 3 x 1	4.9	413.33	572.19
1-1/4"				1-1/2 x 3/4 x 1/2	1.3	99.13	119.82	3 x 3 x 3/4	4.9	413.33	572.19
1-1/4 x 1-1/4 x 2	1.1	140.50	169.80	1-1/2 x 1/2 x 1-1/2	1.3	99.13	119.82	4"			
1-1/4 x 1-1/4 x 1-1/2	1.1	99.13	119.82	1-1/2 x 1/2 x 1	1.3	99.13	119.82	4 x 4 x 3	9.9	785.33	948.84
1-1/4 x 1-1/4 x 1	1.1	78.49	94.85	1-1/2 x 1/2 x 3/4	1.3	99.13	119.82	4 x 4 x 2-1/2	9.9	785.33	948.84
1-1/4 x 1-1/4 x 3/4	1.1	78.49	94.85	2"				4 x 4 x 2	9.9	785.33	948.84
1-1/4 x 1-1/4 x 1/2	1.1	78.49	94.85	2 x 2 x 2-1/2	2.1	289.39	349.57	4 x 4 x 1-1/2	9.9	785.33	948.84
1-1/4 x 1-1/4 x 3/8	1.1	78.49	94.85	2 x 2 x 1-1/2	2.1	140.50	169.80	4 x 4 x 1-1/4	9.9	785.33	948.84
1-1/4 x 1-1/4 x 1/4	1.1	78.49	94.85	2 x 2 x 1-1/4	2.1	140.50	169.80	4 x 4 x 1	9.9	785.33	948.84
1-1/4 x 1 x 1-1/4	1.1	78.49	94.85	2 x 2 x 1	2.1	126.70	154.35				
1-1/4 x 1 x 1	1.1	78.49	94.85	2 x 2 x 3/4	2.1	126.70	154.35				
1-1/4 x 1 x 3/4	1.1	70.88	94.85	2 x 2 x 1/2	2.1	140.50	169.80				
1-1/4 x 1 x 1/2	1.1	78.49	94.85	2 x 1-1/2 x 2	2.1	140.50	169.80				

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Class 300 Malleable Iron Threaded Fittings								ASTM A197		ANSI B16.3		
	NPS ▲ DN	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
		6	10	15	20	25	32	40	50	65	80	100
90° Elbows	\$ BLACK	22.32	22.32	19.23	22.67	36.26	52.02	74.32	111.46	204.34	350.70	
	\$ GALV			26.86	30.81	47.54	70.70	94.95	375.88		375.88	
	WEIGHT	0.2	0.29	0.5	0.77	1.2	1.8	2.4	3.8	6.3	9.5	
	CRTN QTY	25	25	50	30	25	15	10	6	3	2	
45° Elbows	\$ BLACK	28.26	28.26	31.45	33.57	40.89	63.72	83.85	130.02	250.50	364.35	
	\$ GALV			38.97	43.27	56.73	78.89	100.06	166.53			
	WEIGHT	0.19	0.28	0.44	0.7	1.1	1.7	2.2	3.4	5.6	8.3	
	CRTN QTY	20	50	25	25	10	12	5	15	4	2	
Tees	\$ BLACK	26.93	26.93	28.56	34.01	48.31	78.02	102.16	159.73	318.86	417.89	
	\$ GALV			39.89	47.54	65.05	102.61	136.85	212.55		561.92	
	WEIGHT	0.29	0.42	0.67	1.1	1.7	2.6	3.4	5.3	8.4	12.8	
	CRTN QTY	25	25	25	16	20	14	10	7	15	10	
Coupling	\$ BLACK	17.08	17.08	18.90	20.45	33.69	56.23	72.62	104.03	205.41	300.60	
	\$ GALV			23.50	27.69	30.70	69.78	90.19	143.59		368.37	
	WEIGHT	0.17	0.26	0.44	0.72	1.1	1.7	2.1	3.5	5.4	7.4	
	CRTN QTY	100	50	30	20	15	12	8	16	10	8	
Caps	\$ BLACK			21.87	21.87	29.17	31.90	46.49	64.70			
	\$ GALV			21.47	23.50	30.70	39.58	57.67	80.28			
	WEIGHT			0.26	0.39	0.62	0.98	1.3	1.9			
	CRTN QTY			20	40	25	15	10	6			
Unions Brass To Iron	\$ BLACK	46.43	61.29	49.72	57.56	71.76	116.60	122.20	174.60	480.77	665.17	
	\$ GALV	83.85	85.32	81.20	87.69	116.56	162.51	195.69	234.89	397.07	729.26	
	WEIGHT	0.3	0.4	0.64	0.97	1.5	2.2	2.6	4.2	7.3	10.5	
	CRTN QTY	50	50	50	35	16	12	10	6	5	7	
90° Street Elbows	\$ BLACK			29.17	41.46	48.75	66.96	87.46	129.15			
	\$ GALV											
	WEIGHT			0.39	0.61	0.98	1.49	2.04	3.24			
	CRTN QTY			30	15	10	8	8	5			
Reducing Coupling	\$ BLACK			27.13	27.80	33.69	52.02	64.06	104.03	176.46	309.66	
	\$ GALV				34.45							
	WEIGHT			0.25	0.55	0.83	1.3	1.8	2.8	4.5	5.9	
	CRTN QTY			10	60	30	15	20	14	8	6	
Reducing Tees	\$ BLACK				51.26	62.66	86.55	111.61	167.63			
	\$ GALV											
	WEIGHT				0.85	1.28	2	2.5	4			
	CRTN QTY				15	10	12	8	6			

▲ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45