



CORPORATION

Milwaukee Hammond Valves

PRICE SCHEDULE:	
MV-2015-2	
EFFECTIVE:	December 8, 2015
Subject to change without notice.	

GENERAL NOTES

- MINIMUM INVOICE:** \$50.00 net
- PRICES:** All prices are each.
Taxes extra as applicable
- F.O.B. :** Our plant, stocking warehouse.
- PAYMENT TERMS:** Net 30 days.
- OTHER TERMS:** The "General Terms and Conditions" apply to all orders.

ONTARIO WAREHOUSE 4151 North Service Road Unit #2 Burlington, ON L7L 4X6 PHONE 905-335-5320 FAX 905-335-3140 TOLL FREE 1-888-399-CCTF (2283)	ALBERTA WAREHOUSE 5407 – 53 rd Avenue NW Edmonton, AB T6B 3G2 PHONE 780-463-8700 FAX 780-463-7433 TOLL FREE 1-800-661-3633	BRITISH COLUMBIA WAREHOUSE #4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE 604-540-6177 FAX 604-540-2836 TOLL FREE 1-866-540-6177
	HALIFAX SALES OFFICE PHONE 902-466-CCTF (2283)	QUEBEC TOLL FREE 1-888-399-CCTF (2283)

TABLE OF CONTENTS

BA100	Page 3
BA150	Page 3
BA475B / BA485B	Page 3
"BUTTERBALL™" - Threaded and Solder-Butterfly Valve	Page 4
M-Series - Industrial Butterfly Valve	Pages 5-7
Bronze Gate Valves	Page 8
Bronze Check Valves	Page 9
Bronze Globe/Angle Valves	Page 10
Cast Iron Valves "M" Series	Page 10

BA100/150 Series Ball Valve*

2PC / Standard Port / Bronze Body / Threaded 600# WOG 150# SWP

BRONZE BODY, CHROME PLATED BALL				BRONZE BODY, SS BALL/STEM AND OTHER OPTIONS	
MODEL	BA100	BA100-LD	BA100-LO	BA100-S	BA100-ELD
SIZE	CP BALL	W/ LOCKING HANDLE	W/OVAL LOCKING HANDLE	SS BALL & STEM	BA100E & LOCKING HANDLE
1/4	34.31	43.27	86.53	46.47	55.07
3/8	34.31	43.27	110.13	46.47	55.07
1/2	34.31	43.27	125.87	46.47	55.07
3/4	45.76	70.80	145.53	61.96	74.73
1	53.38	78.67	180.93	85.18	90.47
1-1/4	85.18	118.00		112.29	145.53
1-1/2	118.22	157.33		147.13	177.00
2	148.71	196.67		212.96	204.53
2-1/2	448.64	373.67		526.67	
3	760.76	609.67		795.87	

BRONZE BODY, CHROME PLATED BALL		
MODEL	BA150	BA150-S
SIZE	CP BALL	SS BALL & STEM
3/8	34.31	POA
1/2	34.31	46.47
3/4	45.76	61.96
1	53.38	85.18
1-1/4	85.18	112.29
1-1/2	118.22	147.13
2	148.71	212.96
2-1/2	448.64	POA
3	760.76	POA

* All 1/4" thru 3/4" BA100 and BA400 series products are full port and identical in these sizes

BA475B/BA485B Series Ball Valve

BRASS BODY / FULL PORT / 2PC 600# WOG 150SWP ANSI/NSF 61-8

	THREADED-	SOLDER-HEAVY
MODEL	BA475B	BA485B
SIZE	CP BALL	CP BALL
1/4	14.84	
3/8	14.84	
1/2	14.84	14.84
3/4	23.11	23.11
1	33.00	33.00
1-1/4	56.11	56.11
1-1/2	69.31	69.31
2	105.60	105.60
2-1/2	343.20	343.20
3	526.69	526.69

Milwaukee "BUTTERBALL™" Valves

Milwaukee Valve has been manufacturing the BUTTERBALL™ for over 35 years. The threaded end BUTTERBALL™ is one of the most widely specified gas valves in the industry, as possibly the first valve ever produced that carried AGA/UL/FM/CGA approvals, in addition to complying with FEDERAL SPECIFICATION WW-V-1967. The threaded end BUTTERBALL™ (BB2-100) still complies with AGA/CGA/CSA/UL and FEDERAL SPECIFICATION WW-V-1967, and is produced in our plant in Prairie Du Sac, WI. In addition to LP and natural gas service, the BUTTERBALL™ is ideal for positive shut-off and throttling & balancing air and water systems. (As long as throttling is not in near-closed position or otherwise at excessive pipeline velocity.)

"BUTTERBALL™" RATED FOR INDOOR / OUTDOOR SLOW CLOSE SPRINKLER CONTROL VALVES		
DESCRIPTION	SIZE	PRICE
BBSCS02-W THREADED ENDS / SLOW CLOSE WITH POSITION INDICATOR WITH TAMPER SWITCH	1	611.16
	1-1/4	650.00
	1-1/2	780.78
	2	936.20
	2-1/2	1,190.00
DESCRIPTION	SIZE	PRICE
BBVSCS02-W GROOVED ENDS / SLOW CLOSE WITH POSITION INDICATOR WITH TAMPER SWITCH	2	812.54
	2-1/2	1,056.00

"BUTTERBALL™" BUTTERFLY VALVES AGA/UL/FM FED SPEC WW-V-1978		
DESCRIPTION	SIZE	PRICE
BB2-100 THREADED	1/4	POA
	3/8	POA
	1/2	36.67
	3/4	55.00
	1	73.33
	1-1/4	102.96
	1-1/2	117.51
	2	150.96

ML-SERIES BUTTERFLY VALVES

The M-Series is a rugged design intended for industrial applications.

Lug or Wafer bodies in Cast Iron or Ductile Iron. Disc options include 316 stainless steel (CF8M grade), Aluminum Bronze, or Ductile Iron with either Nickel Plating, Epoxy Coating or Nylon Coating. Liner options include Buna, EPDM, Viton, Hypalon, Viton Hi-Temp, Black Neoprene-FDA, White Neoprene-FDA and PTFE with Buna Backing. Valves are available bare stem, locking lever handle (up to 12"), gear operators and electric or pneumatic actuators. Gear operator options include padlocking devices, memory stops, 2" square operating nuts and chainwheel & guides. Gear operators can also be ordered for special services, such as buried service or submerged service. M-Series are approved for use in category A service as described in Title 46 Code of Federal Regulations 56.20-15.

**CAST & DUCTILE IRON BODY - NP DUCTILE IRON DISC - EPDM (BUNA) LINER
2"- 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

M'-SERIES VALVES ARE APPROVED BY THE U.S. COAST GUARD FOR USE IN CATEGORY 'A' SERVICE AS DESCRIBED IN TITLE 46 CODE OF FEDERAL REGULATIONS 56.20-15 2"-12".

**ML SERIES - LUG PATTERN
CAST IRON BODY
NP DUCTILE DISC**

SIZE	ML122E(B) BARE STEM	ML222E(B) LEVER HANDLE	ML322E(B) GEAR OPERATOR
2	POA	POA	POA
2-1/2	POA	POA	POA
3	POA	POA	POA
4	POA	POA	POA
5	POA	POA	POA
6	POA	POA	POA
8	POA	POA	POA
10	POA	POA	POA
12	POA	POA	POA
14	POA		POA
16	POA		POA
18	POA		POA
20	POA		POA
24	POA		POA
30	POA		POA
36	POA		POA
42	POA		POA
48	POA		POA

**ML SERIES - LUG PATTERN
DUCTILE IRON BODY
NP DUCTILE DISC**

SIZE	ML132E(B) BARE STEM	ML232E(B) LEVER HANDLE	ML332E(B) GEAR OPERATOR
2	POA	POA	POA
2-1/2	POA	POA	POA
3	POA	POA	POA
4	POA	POA	POA
5	POA	POA	POA
6	POA	POA	POA
8	POA	POA	POA
10	POA	POA	POA
12	POA	POA	POA
14	POA		POA
16	POA		POA
18	POA		POA
20	POA		POA
24	POA		POA
30	POA		POA
36	POA		POA
42	POA		POA
48	POA		POA

ML-SERIES BUTTERFLY VALVES

The M-Series is a rugged design intended for industrial applications.

Lug or Wafer bodies in Cast Iron or Ductile Iron. Disc options include 316 stainless steel (CF8M grade), Aluminum Bronze, or Ductile Iron with either Nickel Plating, Epoxy Coating or Nylon Coating. Liner options include Buna, EPDM, Viton, Hypalon, Viton Hi-Temp, Black Neoprene-FDA, White Neoprene-FDA and PTFE with Buna Backing. Valves are available bare stem, locking lever handle (up to 12"), gear operators and electric or pneumatic actuators. Gear operator options include padlocking devices, memory stops, 2" square operating nuts and chainwheel & guides. Gear operators can also be ordered for special services, such as buried service or submerged service. M-Series are approved for use in category A service as described in Title 46 Code of Federal Regulations 56.20-15.

**CAST & DUCTILE IRON BODY - ALUMINIUM/BRONZE DISC - EPDM (BUNA) LINER
2"- 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI**

M'-SERIES VALVES ARE APPROVED BY THE U.S. COAST GUARD FOR USE IN CATEGORY 'A' SERVICE AS DESCRIBED IN TITLE 46 CODE OF FEDERAL REGULATIONS 56.20-15 2"-12".

**ML SERIES - LUG PATTERN
CAST IRON BODY
ALUMINIUM / BRONZE DISC**

SIZE	ML123E(B) BARE STEM	ML223E(B) LEVER HANDLE	ML323E(B) GEAR OPERATOR
2	POA	POA	POA
2-1/2	POA	POA	POA
3	POA	POA	POA
4	POA	POA	POA
5	POA	POA	POA
6	POA	POA	POA
8	POA	POA	POA
10	POA	POA	POA
12	POA	POA	POA
14	POA		POA
16	POA		POA
18	POA		POA
20	POA		POA
24	POA		POA
30	POA		POA
36	POA		POA
42	POA		POA
48	POA		POA

**ML SERIES - LUG PATTERN
DUCTILE IRON BODY
ALUMINIUM / BRONZE DISC**

SIZE	ML133E(B) BARE STEM	ML233E(B) LEVER HANDLE	ML333E(B) GEAR OPERATOR
2	POA	388.67	POA
2-1/2	POA	388.67	POA
3	POA	415.76	POA
4	POA	551.38	POA
5	POA	801.40	POA
6	POA	859.02	POA
8	POA	1,261.13	1,683.40
10	POA	POA	2,073.87
12	POA	POA	2,854.82
14	POA		POA
16	POA		POA
18	POA		POA
20	POA		POA
24	POA		POA
30	POA		POA
36	POA		POA
42	POA		POA
48	POA		POA

ML-SERIES BUTTERFLY VALVES

The M-Series is a rugged design intended for industrial applications.

Lug or Wafer bodies in Cast Iron or Ductile Iron. Disc options include 316 stainless steel (CF8M grade), Aluminum Bronze, or Ductile Iron with either Nickel Plating, Epoxy Coating or Nylon Coating. Liner options include Buna, EPDM, Viton, Hypalon, Viton Hi-Temp, Black Neoprene-FDA, White Neoprene-FDA and PTFE with Buna Backing. Valves are available bare stem, locking lever handle (up to 12"), gear operators and electric or pneumatic actuators. Gear operator options include padlocking devices, memory stops, 2" square operating nuts and chainwheel & guides. Gear operators can also be ordered for special services, such as buried service or submerged service. M-Series are approved for use in category A service as described in Title 46 Code of Federal Regulations 56.20-15.

CAST & DUCTILE IRON BODY - STAINLESS STEEL DISC - EPDM (BUNA) LINER 2" - 12" RATED 200 PSI, 14" AND LARGER RATED 150 PSI

M'-SERIES VALVES ARE APPROVED BY THE U.S. COAST GUARD FOR USE IN CATEGORY 'A' SERVICE AS DESCRIBED IN TITLE 46 CODE OF FEDERAL REGULATIONS 56.20-15 2"-12".

ML SERIES - LUG PATTERN CAST IRON BODY STAINLESS STEEL DISC

SIZE	ML124E(B) BARE STEM	ML224E(B) LEVER HANDLE	ML324E(B) GEAR OPERATOR
2	POA	446.67	POA
2-1/2	POA	446.67	POA
3	POA	537.78	POA
4	POA	684.20	POA
5	POA	1,033.33	POA
6	POA	POA	POA
8	POA	POA	POA
10	POA	POA	POA
12	POA	POA	POA
14	POA		POA
16	POA		POA
18	POA		POA
20	POA		POA
24	POA		POA
30	POA		POA
36	POA		POA
42	POA		POA
48	POA		POA

ML SERIES - LUG PATTERN DUCTILE IRON BODY STAINLESS STEEL DISC

SIZE	ML134E(B) BARE STEM	ML234E(B) LEVER HANDLE	ML334E(B) GEAR OPERATOR
2	POA	446.67	POA
2-1/2	POA	446.67	POA
3	POA	537.78	POA
4	POA	684.20	POA
5	POA	1,004.44	POA
6	POA	1,033.33	POA
8	POA	1,741.24	2,163.53
10	POA	POA	3,227.96
12	POA	POA	4,208.47
14	POA		POA
16	POA		POA
18	POA		POA
20	POA		POA
24	POA		POA
30	POA		POA
36	POA		POA
42	POA		POA
48	POA		POA

Bronze Gate Valves

Milwaukee Valve Brand

SIZE	105	148	1152	1150	1151	1153	1169	1174	1186
		125 WSP 200 WOG THRD-NPT NRS TB MSS SP80	125 WSP 200 WOG THRD-NPT RS TB MSS SP80	125 WSP 200 WOG THRD-NPT NRS UB MSS SP80	150 WSP 300 WOG THRD-NPT RS TB MSS SP80	150 WSP 300 WOG THRD-NPT RS UB MSS SP80	200 WSP 400 WOG THRD-NPT RS/UB BRONZE SEATS MSS SP80	150 WSP 300 WOG SOLDER RS UB MSS SP80	200 WSP 400 WOG THRD-NPT RS/UB STAINLESS SEATS MSS SP80
1/4	50.31	141.22	89.50	60.51	66.82	102.26		84.80	184.82
3/8	50.31	141.22	89.50	60.51	66.82	102.26	58.16	84.80	184.82
1/2	50.31	50.31	89.50	60.51	66.82	102.26	58.16	84.80	184.82
3/4	61.93	69.13	101.00	79.58	76.87	132.10	75.24	108.24	193.89
1	73.56	95.22	129.16	97.09	105.20	175.07	112.87	149.87	289.44
1-1/4	105.20	135.51	182.00	135.14	183.18	230.10	147.07	191.22	364.53
1-1/2	123.89	181.64	221.96	218.07	194.22	263.02	171.02	270.58	455.82
2	151.60	211.04	298.00	298.25	279.02	395.28	249.71	374.67	728.32
2-1/2	POA	POA	POA	POA	POA	POA	POA	POA	
3	POA	POA	POA	POA	POA	POA	POA	POA	
4	POA	POA		POA					

Hammond Valve Brand

SIZE	667	668
		200 WOG BRASS THRD-NPT
1/4	28.80	
3/8	28.80	28.80
1/2	28.80	28.80
3/4	32.40	32.40
1	43.20	43.20
1-1/4	57.60	57.60
1-1/2	79.20	79.20
2	126.00	126.00

Bronze and Brass Check Valves

Milwaukee Valve Brand

SIZE	509	509Y	509T	1509	548T	1548T *	515	515Y	510T	508	507
	125 WSP	125 WSP	125 WSP	125 WSP	250 WOG *	250 WOG	150 WSP	150 WSP	150 WSP	200 WSP	300 WSP
	200 WOG	200 WOG	200 WOG	200 WOG	THRD-NPT	SOLDER	300 WOG	300 WOG	300 WOG	400 WOG	600 WOG
	THRD-NPT	THRD-NPT	THRD-NPT	SOLDER	IN LINE SPRING LOADED LIFT CHECK		THRD-NPT	THRD-NPT	THRD-NPT	THRD-NPT	THRD-NPT
HORIZ	HORIZ	HORIZ	HORIZ	Bronze Body			Bronze Body	Bronze Body	Bronze Body	Bronze Body	
SWING	SWING	SWING	SWING	HORIZ SWING			HORIZ SWING	HORIZ SWING	Y PATTERN	Y PATTERN	
BRONZE	BRZ DISC	TFE	BRONZE	SEAT			BRZ DISC	TFE	BRONZE	BRONZE	
DISC	Y PATTERN	DISC	DISC	& DISC	Y PATTERN	DISC	DISC	DISC	DISC		
MSS SP80	MSS SP80	MSS SP80	MSS SP80	TFE DISC	TFE DISC	MSS SP80	MSS SP80	MSS SP80	MSS SP80	MSS SP80	
1/4	42.58	48.71	44.44			61.96	66.00	60.22	118.54	98.05	
3/8	42.58	48.71	44.44	37.80	55.76	POA	61.96	66.00	60.22	118.54	98.05
1/2	42.58	52.78	63.95	40.02	55.76	POA	61.96	66.00	60.22	86.91	98.05
3/4	49.29	58.97	72.47	54.58	70.00	POA	72.78	80.67	72.78	106.47	121.87
1	65.49	83.27	77.44	80.11	84.50	POA	102.18	95.33	102.96	144.92	165.18
1-1/4	98.24	107.15	101.24	112.80	116.67	POA	132.47	143.73	138.60	189.09	205.40
1-1/2	112.80	140.12	120.09	134.84	134.63	POA	178.11	187.00	184.71	250.59	283.47
2	167.40	254.22	174.67	196.51	190.67	POA	251.09	278.71	273.24	379.93	410.97
2-1/2	POA	POA		POA				POA		POA	POA
3	POA	POA		POA				POA		POA	POA

* International Valve

Hammond Valve Brand

SIZE	967	968
		200 WOG BRASS THRD-NPT
3/8	20.00	
1/2	20.00	
3/4	30.00	30.00
1	36.00	36.00
1-1/4	60.00	60.00
1-1/2	84.00	84.00
2	120.00	120.00
2-1/2	POA	
3	POA	
4	POA	

Bronze Globe Valves

Milwaukee Valve Brand					
SIZE	502	590T	572	592A	593A
		125 WSP 200 WOG THRD-NPT TB BRONZE DISC MSS SP80	150 WSP 300 WOG THRD-NPT UB TFE DISC MSS SP80	300 WSP 600 WOG THRD-NPT UB BRONZE DISC MSS SP80	200 WSP 400 WOG THRD-NPT UB STAINLESS SEAT & DISC MSS SP80
1/8	81.06	71.05			
1/4	81.06	71.05	89.75	POA	POA
3/8	81.06	71.05	89.75	POA	POA
1/2	81.06	142.82	89.75	155.11	155.11
3/4	120.22	168.34	160.92	175.78	175.78
1	164.13	226.52	224.04	215.51	215.51
1-1/4	238.74	366.21	366.92	320.53	320.53
1-1/2	312.92	439.79	418.41	430.00	420.49
2	457.58	669.43	672.76	581.00	541.13
2-1/2	POA	POA			
3	POA	POA			

"M" Series Cast Iron Valves

Milwaukee Valve Brand					
SIZE	2882M	2885M	2894M	2981M	2974M
		GATE-NRS 125 WSP 200 WOG IBBM MSS SP-70	GATE-OS&Y 125 WSP 200 WOG IBBM MSS SP-70	GATE-OS&Y 250 WSP 500 WOG IBBM MSS SP-70	GLOBE 125 WSP 200 WOG IBBM MSS SP-85
2	924.98	952.29	2,404.57	1,943.19	631.82
2-1/2	956.82	984.10	2,777.29	2,056.81	811.38
3	1,085.16	1,097.73	3,097.77	2,420.46	879.56
4	1,556.85	1,600.01	4,572.78	3,468.23	1,397.74
5	2,609.11	2,640.95	7,747.86	6,206.90	2,372.76
6	2,609.11	2,640.95	7,747.86	6,206.90	2,372.76
8	4,559.12	4,636.42	13,341.02	12,138.76	4,475.03
10	8,116.00	8,272.83	19,707.01	19,007.00	7,645.54
12	11,022.84	11,054.63	29,595.74		11,875.12
14	21,818.42	21,391.13			17,913.80
16	32,873.06	32,225.33			23,884.32
18	42,282.23	41,452.66			36,270.80
20	58,921.04	57,766.49			57,711.94
24	87,459.93	85,744.02			79,609.86