

## **ECONOLINE WELDING FLANGES**

<b>PRICE SCHEDULE:</b>	
<b>F-2021</b>	
<b>EFFECTIVE:</b>	April 8  2021
Subject to change without notice.	

### GENERAL NOTES

- MINIMUM INVOICE:** \$50.00 net
- PRICES:** All prices are each.  
Taxes extra as applicable
- F.O.B. :** Our plant, stocking warehouse.
- PAYMENT TERMS:** Net 30 days.
- OTHER TERMS:** The "General Terms and Conditions" apply to all orders.

<p style="text-align: center;"><b>ONTARIO</b></p> <p>4151 North Service Road Unit #2 Burlington, ON L7L 4X6 PHONE <b>905-335-5320</b> FAX <b>905-335-3140</b> TOLL FREE <b>1-888-399-CCTF (2283)</b></p>	<p style="text-align: center;"><b>ALBERTA WAREHOUSE</b></p> <p>5407 – 53<sup>rd</sup> Avenue NW Edmonton, AB T6B 3G2 PHONE <b>780-463-8700</b> FAX <b>780-463-7433</b> TOLL FREE <b>1-800-661-3633</b></p> <p style="text-align: center;"><b>HALIFAX SALES OFFICE</b></p> <p>PHONE <b>902-466-CCTF (2283)</b></p>	<p style="text-align: center;"><b>BRITISH COLUMBIA</b></p> <p>#4 – 480 Audley Boulevard Delta, BC V3M 5S4 PHONE <b>604-540-6177</b> FAX <b>604-540-2836</b> TOLL FREE <b>1-866-540-6177</b></p> <p style="text-align: center;"><b>QUEBEC</b></p> <p>TOLL FREE <b>1-888-399-CCTF (2283)</b></p>
--	---	--

**Carbon Steel Welding Flanges  
Weld Neck Flanges**

**ASME B 16.5 / ANSI B 16.5  
ASTM A105N**

NPS	Raised Face Weld Neck Standard Wall						Raised Face Weld Neck XH Wall					
	#150		#300		#600		#150		#300		#600	
	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS
1/2	13.36	2	26.96	2	POA	3	15.08	2	27.73	2	POA	3
3/4	17.37	2	30.88	3	POA	4	17.91	2	32.58	3	POA	4
1	23.27	3	32.80	4	POA	4	23.76	3	33.61	4	POA	4
1-1/4	29.32	3	41.15	5	POA	6	30.25	3	41.30	5	POA	6
1-1/2	29.69	4	41.70	7	POA	8	31.57	4	43.35	7	POA	8
2	33.90	6	42.59	9	POA	12	34.18	6	47.69	9	POA	12
2-1/2	46.96	8	85.80	12	POA	18	57.85	8	88.72	12	POA	18
3	61.30	10	96.61	15	POA	23	63.18	10	100.63	15	POA	23
3-1/2	131.77	12	POA	18	POA	35	POA	12	POA	18	POA	35
4	86.47	15	125.45	25	POA	42	89.00	15	135.34	25	POA	42
5	119.42	19	233.85	32	POA	73	124.89	19	243.91	32	POA	73
6	128.29	24	236.73	42	POA	81	151.12	24	247.08	42	POA	81
8	244.00	39	388.74	67	POA	120	260.36	39	404.55	67	POA	120
10	305.68	52	588.95	91	POA	190	352.69	52	606.81	91	POA	190
12	466.48	85	887.47	140	POA	225	529.32	85	996.01	140	POA	225
14	698.38	110	1345.90	180	POA	280	833.35	110	1481.42	180	POA	280
16	923.07	140	2096.92	250	POA	390	1129.26	140	2230.25	250	POA	390
18	1090.11	150	2546.30	320	POA	475	1337.21	150	2709.66	320	POA	475
20	1402.84	180	2912.12	400	POA	580	1512.92	180	3226.24	400	POA	580
24	2052.05	260	3990.70	580	POA	830	2312.49	260	4023.13	580	POA	830

**Carbon Steel Welding Flanges  
Slip-On, Blind, Weld Neck and Lap-Joint Flanges**

**ASME B 16.5 / ANSI B 16.5  
ASTM A105N**

NPS	Raised Face Slip-On				Flat Face SO		Flat Face Blind		Flat Face WN		Lap-Joint	
	#150		#300		#150		#150		#150		#150	
	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS
1/2	9.64	1	19.54	2	10.38	1	13.76	1	POA	2	13.19	1
3/4	13.29	2	22.17	3	13.69	2	15.65	2	POA	2	14.69	2
1	15.25	2	22.60	3	15.70	2	16.51	2	24.31	3	15.95	2
1-1/4	19.74	3	31.62	4	20.50	3	24.58	3	34.20	3	22.07	3
1-1/2	20.61	3	34.00	6	22.60	3	24.62	4	36.25	4	27.26	3
2	26.53	5	47.05	7	27.85	5	29.90	5	37.34	6	30.16	5
2-1/2	38.72	7	65.86	10	39.10	7	52.79	7	51.50	8	44.44	7
3	43.69	8	75.02	13	49.40	8	56.36	9	62.74	10	47.05	8
3-1/2	78.57	11	210.55	17	POA	11	POA	13	POA	12	POA	11
4	64.72	13	115.47	22	68.83	13	83.29	17	91.02	15	69.49	13
5	83.55	15	194.77	28	84.54	15	102.75	20	133.22	19	111.30	15
6	84.47	19	206.24	39	86.79	19	136.38	26	155.09	24	125.01	19
8	140.61	30	300.38	58	144.75	30	232.06	45	266.57	39	167.81	30
10	202.06	43	483.19	81	228.19	43	511.02	70	357.34	52	234.24	43
12	305.24	64	660.66	115	328.46	64	555.98	110	534.80	85	373.86	64
14	421.71	90	1054.95	165	451.59	90	821.96	140	951.06	110	811.68	105
16	580.88	98	1360.49	190	610.71	98	1255.08	180	1246.92	140	831.54	140
18	724.06	130	1640.93	250	742.83	130	1361.48	220	1376.46	150	1053.97	160
20	900.73	165	2020.07	315	947.13	165	1781.14	285	1630.63	180	1351.23	195
24	1216.96	220	2866.96	475	1300.02	220	2565.08	430	2464.79	260	1642.27	275

### Carbon Steel Welding Flanges Blind and Threaded Weld Flanges

### ASME B 16.5 / ANSI B 16.5 ASTM A105N

NPS	Raised Face Blind						Raised Face Threaded					
	#150		#300		#600		#150		#300		#600	
	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS
1/2	13.32	1	19.76	2	POA	3	14.03	1	24.62	2	POA	2
3/4	14.46	2	22.17	3	POA	4	16.52	2	25.28	3	POA	3
1	15.63	2	25.65	3	POA	5	18.34	2	26.45	3	POA	4
1-1/4	20.13	3	38.95	4	POA	7	20.52	3	39.88	4	POA	5
1-1/2	22.81	4	40.25	6	POA	8	23.15	3	40.46	6	POA	7
2	27.50	5	44.84	8	POA	10	34.38	5	45.77	7	POA	9
2-1/2	41.75	7	69.16	12	POA	15	46.03	7	83.49	10	POA	13
3	48.76	9	73.17	16	POA	20	53.83	8	85.51	13	POA	16
3-1/2	104.00	13	POA	21	POA	30	POA	11	POA	17	POA	28
4	79.55	17	115.58	27	POA	41	80.70	13	139.43	22	POA	37
5	99.58	20	207.28	35	POA	72	142.04	15	POA	28	POA	65
6	120.63	26	232.25	50	POA	86	144.99	19	POA	39	POA	80
8	191.70	45	377.82	81	POA	140	225.83	30	--	--	--	--
10	297.02	70	637.61	125	POA	230	292.36	43	--	--	--	--
12	445.27	110	897.88	185	POA	295	--	--	--	--	--	--
14	693.02	140	1362.92	250	POA	355	--	--	--	--	--	--
16	893.42	180	1666.51	295	POA	495	--	--	--	--	--	--
18	1227.23	220	2313.35	395	POA	630	--	--	--	--	--	--
20	1459.47	285	2973.75	505	POA	810	--	--	--	--	--	--
24	2317.27	430	4147.86	790	POA	1250	--	--	--	--	--	--

### Carbon Steel Welding Flanges

### ASME B 16.5 / ANSI B 16.5 ASTM A105N

NPS	Raised Face Socket Weld STD Wall				Raised Face Socket Weld XH Wall				Flat Face Thread			
	#150		#300		#150		#300		#150			
	Price	LBS	Price	LBS	Price	LBS	Price	LBS	Price	LBS		
1/2	12.42	1	16.26	2	12.64	1	16.91	2	14.67	1		
3/4	15.89	2	25.10	3	17.19	2	25.88	3	17.42	2		
1	18.85	2	29.25	3	20.47	2	30.58	3	20.76	2		
1-1/4	29.34	3	44.36	4	31.15	3	45.41	4	25.11	3		
1-1/2	30.40	3	48.44	6	32.95	3	50.63	6	28.19	3		
2	40.00	5	50.38	7	43.34	5	52.69	7	37.09	5		
2-1/2	100.42	7	POA	11	POA	7	POA	11	52.58	7		
3	108.95	8	POA	13	POA	8	POA	13	57.42	8		
3-1/2	POA	10	POA	18	POA	10	POA	18	POA	11		
4	151.02	13	POA	22	POA	13	POA	22	89.29	13		
5	POA	16	--	--	POA	16	--	--	151.52	15		
6	268.37	19	--	--	POA	19	--	--	161.04	19		