



CORPORATION

MALLEABLE IRON THREADED FITTINGS

PRICE SCHEDULE:	
M-2025	
EFFECTIVE:	September 25 2025
Subject to change without notice.	

GENERAL NOTES

MINIMUM INVOICE: \$50.00 net

PRICES: All prices are each.
Taxes extra as applicable

F.O.B. : Our plant, stocking warehouse.
Any single order having a total order value of \$1000 or more for shipment to a single destination, will have full freight allowed at the lowest published rate for the most economical way. Shipments to remote locations may, at our option, be subject to less than full freight allowance.

PAYMENT TERMS: Net 30 days.

OTHER TERMS: The "General Terms and Conditions" apply to all orders.

ONTARIO

4151 North Service Road
Unit #2
Burlington, ON L7L 4X6
PHONE
905-335-5320
FAX
905-335-3140
TOLL FREE
1-888-399-CCTF (2283)

ALBERTA WAREHOUSE

5407 – 53rd Avenue NW
Edmonton, AB T6B 3G2
PHONE
780-463-8700
FAX
780-463-7433
TOLL FREE
1-800-661-3633

Class 150 Malleable Iron Threaded Fittings											ASTM A197		ANSI B16.3	
	NPS ▲ DN	1/8" 3	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100	6" 150
90° Eblows	\$ BLACK	44.00	37.91	37.91	30.86	44.63	68.52	102.92	137.16	205.80	399.34	608.45	1103.26	4374.36
	\$ GALV	59.70	45.94	45.94	37.61	54.30	83.62	125.29	167.12	250.73	482.45	735.26	1332.62	
	WEIGHT	0.07	0.11	0.15	0.22	0.35	0.55	0.93	1.1	1.8	2.9	3.9	8.2	8.6
	CRTN QTY	50	35	45	50	30	20	20	10	8	15	10	5	2
45° Elbows	\$ BLACK	46.00	41.73	41.73	30.86	46.41	68.52	111.69	137.16	205.80	475.42	722.84	1236.39	7015.24
	\$ GALV	62.00	50.64	50.64	37.61	56.31	83.62	135.78	167.12	250.73	574.49	873.33	1493.26	
	WEIGHT	0.07	0.11	0.15	0.22	0.31	0.51	0.75	0.97	1.6	2.4	3.3	6.2	6.4
	CRTN QTY	50	35	50	50	40	20	20	15	9	15	10	6	2
Tees	\$ BLACK	56.00	47.73	47.73	39.48	56.48	89.08	133.85	171.53	257.32	608.45	798.81	1445.53	5135.08
	\$ GALV	75.00	57.51	57.51	47.89	68.99	108.61	162.87	209.00	313.31	735.26	964.99	1746.08	
	WEIGHT	0.09	0.11	0.2	0.24	0.42	0.66	1.1	1.3	2	3.6	5	9.3	11.2
	CRTN QTY	75	50	45	40	35	20	14	11	6	10	6	4	1
Coupling	\$ BLACK	30.75	28.49	28.49	24.05	32.55	55.01	77.29	94.38	145.87	285.33	418.39	684.53	2092.12
	\$ GALV	41.00	34.59	34.59	29.40	39.60	66.83	94.01	114.98	177.68	344.84	505.34	827.25	
	WEIGHT	0.07	0.07	0.11	0.18	0.26	0.44	0.62	0.9	1.2	1.9	2.6	4.6	6
	CRTN QTY	60	40	50	60	50	25	32	18	12	16	12	7	1
Caps	\$ BLACK	29.00	26.63	26.63	24.05	29.28	41.15	60.20	78.80	109.61	247.50	342.41	570.49	2182.45
	\$ GALV	38.95	32.55	32.55	29.40	35.47	50.13	73.21	96.22	133.55	298.87	413.65	689.32	
	WEIGHT	0.04	0.04	0.09	0.11	0.18	0.31	0.53	0.57	0.88	1.5	1.9	3.5	4
	CRTN QTY	100	200	50	50	40	35	25	25	18	30	20	14	2
Square Head Plugs	\$ BLACK	32.40	32.40	32.40	32.40	33.39	34.37	51.48	60.20	85.98	190.38	266.41	475.42	1558.93
	\$ GALV	41.73	41.73	41.73	36.64	48.63	55.01	62.83	73.21	104.70	229.64	321.55	574.49	
	WEIGHT	0.02	0.02	0.04	0.09	0.11	0.15	0.26	0.35	0.55	0.97	1.4	2.5	3.4
	CRTN QTY	100	100	100	40	25	40	25	24	15	40	30	8	5
Unions Brass To Iron	\$ BLACK	177.75	171.17	171.17	154.26	197.28	231.78	308.76	411.42	617.30	1141.24	1901.98	3772.71	
	\$ GALV	236.75	206.81	206.81	188.00	240.70	282.00	376.33	493.49	751.78	1378.46	2294.21	4588.27	
	WEIGHT	0.1	0.2	0.31	0.42	0.56	0.93	1.3	1.7	2.6	4.6	5.7	10.1	
	CRTN QTY	30	30	35	30	25	20	18	12	8	10	5	3	
Crosses	\$ BLACK	95.22	95.22	95.22	95.22	132.97	180.57	266.41	361.37	494.55	1075.78	1527.96	2837.25	
	\$ GALV	114.98	114.98	114.98	114.98	160.88	218.20	321.55	436.62	597.41				
	WEIGHT	0.15	0.17	0.31	0.3	0.49	0.79	1.3	1.5	2.4	4.6	6.1	6.7	
	CRTN QTY	80	80	60	45	30	16	9	8	5	6	4	2	
Floor Flanges	\$ BLACK			98.86	98.86	137.05	159.96	228.07	266.41	323.24				
	\$ GALV			119.52	119.52	165.59	192.95	275.64	321.55	390.64				
	WEIGHT			0.5	0.57	0.68	0.82	1.2	1.5	2.1				
	CRTN QTY			25	25	20	20	15	12	8				
Locknuts	\$ BLACK	31.18	31.18	31.18	31.18	24.83	30.68	39.89	51.22	79.88				
	\$ GALV	39.26	39.26	39.26	29.95	29.95	36.94	48.38	75.33	96.47				
	WEIGHT	0.1	0.1	0.1	0.57	0.68	0.82	1.2	1.5	2.1				
	CRTN QTY	250	125	100	100	60	40	30	45	25				

▲ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

	NPS ▲ DN	1/8" 3	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100	6" 150
90° Street Elbows	\$ BLACK	49.50	41.73	41.73	37.91	55.18	81.98	142.74	174.97	247.50	551.72	855.81	1426.43	
	\$ GALV	66.69	50.64	50.64	45.94	66.63	98.97	172.38	211.55	298.87	666.31	1034.04	1723.31	
	WEIGHT	0.07	0.09	0.13	0.22	0.33	0.55	0.88	1.1	1.8	2.9	3.9	8.4	
	CRTN QTY	50	35	40	60	30	30	20	13	7	13	8	4	
45° Street Elbows	\$ BLACK	78.00	57.10	57.10	57.10	87.49	115.94	190.38	228.07	380.39	760.63	1141.24	1711.63	
	\$ GALV	105.15	85.68	85.68	69.07	105.66	140.20	229.64	275.64	459.59				
	WEIGHT	0.06	0.09	0.13	0.17	0.29	0.46	0.79	0.93	1.5	2.3	3.3	6.2	
	CRTN QTY	50	35	45	100	60	30	20	15	9	15	10	6	

Class 150 Malleable Iron Reducing Threaded Fittings					ASTM A197		ANSI B16.3		
Reducing 90° Elbows					Reducing 90° Elbows				
Size		Wt	Blk	Galv	Size		Wt	Blk	Galv
1/4" -- 3/8" -- 1/2"					1-1/2 x 3/4		1.4	167.41	202.10
1/4 x 1/8		0.11	45.43	66.63	1-1/2 x 1/2		1.4	167.41	202.10
3/8 x 1/4		0.19	45.43	66.63	2"				
3/8 x 1/8		0.19	45.43	66.63	2 x 1-1/2		3.6	247.50	298.87
1/2 x 3/8		0.29	41.73	50.64	2 x 1-1/4		2.3	247.50	298.87
1/2 x 1/4		0.29	41.73	50.64	2 x 1		2.3	247.50	298.87
1/2 x 1/8		0.29	41.73	50.64	2 x 3/4		2.3	247.50	298.87
3/4"					2 x 1/2		2.3	247.50	298.87
3/4 x 1/2					2-1/2"				
3/4 x 3/8		0.46	55.18	66.63	2-1/2 x 2		3.6	513.53	753.14
3/4 x 1/4		0.46	55.18	66.63	2-1/2 x 1-1/2		3.6	513.53	753.14
3/4 x 1/8		0.46	55.18	73.60	2-1/2 x 1-1/4		3.6	513.53	753.14
1"					2-1/2 x 1		3.6	513.53	753.14
1 x 3/4		0.71	83.83	101.25	2-1/2 x 3/4		3.6	513.53	753.14
1 x 1/2		0.71	83.83	101.25	2-1/2 x 1/2		3.6	513.53	753.14
1 x 3/8		0.71	83.83	101.25					
1 x 1/4		0.71	83.83	101.25	3"				
1-1/4"					3 x 2-1/2		4.4	857.57	1712.20
1-1/4 x 1		0.95	135.08	163.02	3 x 2		4.4	857.57	1712.20
1-1/4 x 3/4		0.95	135.08	163.02	3 x 1-1/2		4.4	857.57	1712.20
1-1/4 x 1/2		0.95	135.08	163.02	4"				
1-1/2"					4 x 3		6.2	1196.82	
1-1/2 x 1-1/4		1.4	167.41	202.10	4 x 2-1/2		6.2	1486.59	
1-1/2 x 1		1.4	167.41	202.10	4 x 2		6.2	1486.59	

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Reducing Couplings				Reducing Couplings				Reducing Couplings			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4" -- 3/8" -- 1/2"				1-1/4 x 3/4	0.55	89.36	107.92	2-1/2 x 1-1/4	1.6	304.17	367.55
1/4 x 1/8	0.08	32.32	39.16	1-1/4 x 1/2	0.55	89.36	107.92	2-1/2 x 1	1.6	304.17	367.55
3/8 x 1/4	0.11	32.32	39.16	1-1/4 x 3/8	0.55	89.36	107.92	2-1/2 x 3/4	1.6	304.17	367.55
3/8 x 1/8	0.11	32.32	39.16	1-1/2"				2-1/2 x 1/2	1.6	304.17	367.55
1/2 x 3/8	0.18	32.32	39.16	1-1/2 x 1-1/4	0.7	106.62	128.89	3"			
1/2 x 1/4	0.18	32.32	39.16	1-1/2 x 1	0.7	106.62	128.89	3 x 2-1/2	2.4	475.42	574.49
1/2 x 1/8	0.18	32.32	39.16	1-1/2 x 3/4	0.7	106.62	128.89	3 x 2	2.4	475.42	574.49
3/4"				1-1/2 x 1/2	0.7	106.62	128.89	3 x 1-1/2	2.4	475.42	574.49
3/4 x 1/2	0.22	41.15	50.13	1-1/2 x 3/8	0.7	106.62	128.89	3 x 1-1/4	2.4	475.42	574.49
3/4 x 3/8	0.22	45.43	55.15	2"				3 x 1	2.4	475.42	574.49
3/4 x 1/4	0.22	45.43	55.15	2 x 1-1/2	1.0	161.68	195.33	4"			
3/4 x 1/8	0.22	45.43	55.15	2 x 1-1/4	1.0	161.68	195.33	4 x 3	4.2	874.84	1056.75
1"				2 x 1	1.0	161.68	195.33	4 x 2-1/2	4.2	874.84	1056.75
1 x 3/4	0.35	55.01	66.83	2 x 3/4	1.0	161.68	195.33	4 x 2	4.2	874.84	1056.75
1 x 1/2	0.35	60.76	73.36	2 x 1/2	1.0	161.68	195.33	4 x 1-1/2	4.2	874.84	1056.75
1 x 3/8	0.35	60.76	73.36	2 x 3/8	1.0	161.68	195.33	4 x 1-1/4	4.2	874.84	1056.75
1 x 1/4	0.35	60.76	73.36	2-1/2"				6"			
1-1/4"				2-1/2 x 2	1.6	304.17	367.55	6 x 4	4.9	2961.91	
1-1/4 x 1	0.55	89.36	107.92	2-1/2 x 1-1/2	1.6	304.17	367.55				

Class 150 Malleable Iron Reducing Threaded Fittings								ASTM A197		ANSI B16.3				
Reducing Bushings				Reducing Bushings				Reducing Bushings						
Size		WT	Blk	Galv	Size		WT	Blk	Galv	Size		WT	Blk	Galv
1/4" -- 3/8" -- 1/2"					1-1/4 x 3/8		0.29	76.17	91.94	2-1/2 x 1		0.7	209.08	252.75
1/4 x 1/8		0.05	48.75	76.20	1-1/4 x 1/4		0.29	76.17	91.94	2-1/2 x 3/4		0.7	209.08	252.75
3/8 x 1/4		0.06	48.75	76.20	1-1/2"				2-1/2 x 1/2		0.7	209.08	252.75	
3/8 x 1/8		0.06	48.75	76.20	1-1/2 x 1-1/4		0.31	89.36	107.92	3"				
1/2 x 3/8		0.07	28.49	34.59	1-1/2 x 1		0.31	89.36	107.92	3 x 2-1/2		1.5	304.17	367.55
1/2 x 1/4		0.07	28.49	34.59	1-1/2 x 3/4		0.31	89.36	107.92	3 x 2		1.5	304.17	367.55
1/2 x 1/8		0.07	28.49	34.59	1-1/2 x 1/2		0.31	89.36	107.92	3 x 1-1/2		1.5	304.17	367.55
3/4"				1-1/2 x 3/8		0.31	89.36	107.92	3 x 1-1/4		1.5	304.17	367.55	
3/4 x 1/2		0.11	32.32	39.16	1-1/2 x 1/4		0.31	89.36	107.92	3 x 1		1.5	304.17	367.55
3/4 x 3/8		0.11	32.32	39.16	1-1/2 x 1/8		0.31	89.36	107.92	3 x 3/4		1.5	304.17	367.55
3/4 x 1/4		0.11	32.32	39.16	2"				4"					
3/4 x 1/8		0.11	32.32	39.16	2 x 1-1/2		0.7	111.69	135.78	4 x 3		3.1	570.49	367.55
1"				2 x 1-1/4		0.7	111.69	135.78	4 x 2-1/2		3.1	570.49	689.32	
1 x 3/4		0.20	42.95	52.16	2 x 1		0.7	123.57	149.12	4 x 2		3.1	570.49	689.32
1 x 1/2		0.20	42.95	52.16	2 x 3/4		0.7	123.57	149.12	4 x 1-1/2		3.1	570.49	689.32
1 x 3/8		0.20	47.73	57.66	2 x 1/2		0.7	123.57	149.12	4 x 1-1/4		3.1	570.49	689.32
1 x 1/4		0.20	47.73	57.66	2 x 3/8		0.7	123.57	149.12	4 x 1		3.1	570.49	689.32
1 x 1/8		0.20	54.62	78.77	2 x 1/4		0.7	123.57	149.12	6"				
1-1/4"				2-1/2"				6 x 4		10.3	1558.93			
1-1/4 x 1		0.29	68.52	83.62	2-1/2 x 2		0.7	209.08	252.75	6 x 3		10.3	1558.93	
1-1/4 x 3/4		0.29	76.17	91.94	2-1/2 x 1-1/2		0.7	209.08	252.75					
1-1/4 x 1/2		0.29	76.17	91.94	2-1/2 x 1-1/4		0.7	209.08	252.75					

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

Reducing Tees				Reducing Tees				Reducing Tees			
Size	WT	Blk	Galv	Size	WT	Blk	Galv	Size	WT	Blk	Galv
1/4 -- 3/8 -- 1/2"				1-1/4 x 3/4 x 1-1/4	1.1	180.57	218.20	2 x 1-1/2 x 1-1/2	2.1	323.24	390.64
1/4 x 1/4 x 1/8	0.12	82.98	102.79	1-1/4 x 3/4 x 1	1.1	180.57	218.20	2 x 1-1/2 x 1-1/4	2.1	323.24	390.64
3/8 x 3/8 x 1/4	0.20	76.37	102.79	1-1/4 x 3/4 x 3/4	1.1	180.57	218.20	2 x 1-1/2 x 1	2.1	323.24	390.64
1/2 x 1/2 x 1	0.28	119.76	N/A	1-1/4 x 3/4 x 1/2	1.1	163.05	218.20	2 x 1-1/2 x 3/4	2.1	323.24	390.64
1/2 x 1/2 x 3/4	0.28	78.04	94.19	1-1/4 x 1/2 x 1-1/4	1.1	180.57	218.20	2 x 1-1/2 x 1/2	2.1	323.24	390.64
1/2 x 1/2 x 3/8	0.28	64.75	78.04	1-1/4 x 1/2 x 1	1.1	180.57	218.20	2 x 1-1/4 x 2	2.1	323.24	390.64
1/2 x 1/2 x 1/4	0.28	64.75	78.04	1-1/4 x 1/2 x 3/4	1.1	180.57	218.20	2 x 1-1/4 x 1-1/2	2.1	323.24	390.64
3/4"				1-1/4 x 1/2 x 1/2	1.1	180.57	218.20	2 x 1-1/4 x 1-1/4	2.1	323.24	390.64
3/4 x 3/4 x 1	0.42	119.76	144.79	1-1/2"				2 x 1-1/4 x 1	2.1	323.24	390.64
3/4 x 3/4 x 1/2	0.42	70.40	102.79	1-1/2 x 1-1/2 x 2	1.3	323.24	390.64	2 x 1 x 2	2.1	323.24	390.64
3/4 x 3/4 x 3/8	0.42	81.22	102.79	1-1/2 x 1-1/2 x 1-1/4	1.3	228.07	275.64	2 x 1 x 1-1/2	2.1	323.24	390.64
3/4 x 3/4 x 1/4	0.42	78.04	102.79	1-1/2 x 1-1/2 x 1	1.3	228.07	275.64	2 x 1 x 1	2.1	323.24	390.64
3/4 x 1/2 x 1	0.42	119.76	144.79	1-1/2 x 1-1/2 x 3/4	1.3	205.80	250.73	2 x 3/4 x 2	2.1	323.24	390.64
3/4 x 1/2 x 3/4	0.42	78.04	94.19	1-1/2 x 1-1/2 x 1/2	1.3	228.07	275.64	2 x 1/2 x 2	2.1	323.24	390.64
3/4 x 1/2 x 1/2	0.42	78.04	94.19	1-1/2 x 1-1/4 x 2	1.3	228.07	390.64	2-1/2"			
1"				1-1/2 x 1-1/4 x 1-1/2	1.3	228.07	275.64	2-1/2 x 2-1/2 x 2	3.3	665.80	804.23
1 x 1 x 2	0.62	323.24	390.64	1-1/2 x 1-1/4 x 1-1/4	1.3	228.07	275.64	2-1/2 x 2-1/2 x 1-1/2	3.3	665.80	804.23
1 x 1 x 1-1/2	0.62	228.07	N/A	1-1/2 x 1-1/4 x 1	1.3	228.07	275.64	2-1/2 x 2-1/2 x 1-1/4	3.3	665.80	804.23
1 x 1 x 1-1/4	0.62	180.57	N/A	1-1/2 x 1-1/4 x 3/4	1.3	228.07	275.64	2-1/2 x 2-1/2 x 1	3.3	665.80	804.23
1 x 1 x 3/4	0.62	107.96	131.60	1-1/2 x 1-1/4 x 1/2	1.3	228.07	275.64	2-1/2 x 2-1/2 x 3/4	3.3	665.80	804.23
1 x 1 x 1/2	0.62	107.96	131.60	1-1/2 x 1 x 1-1/2	1.3	228.07	275.64	2-1/2 x 2-1/2 x 1/2	3.3	665.80	804.23
1 x 1 x 3/8	0.62	119.76	144.79	1-1/2 x 1 x 1-1/4	1.3	228.07	275.64	2-1/2 x 2 x 2	3.3	665.80	804.23
1 x 1 x 1/4	0.62	119.76	144.79	1-1/2 x 1 x 1	1.3	228.07	275.64	2-1/2 x 1-1/2 x 2	3.3	665.80	804.23
1 x 3/4 x 1	0.62	119.76	144.79	1-1/2 x 1 x 3/4	1.3	228.07	275.64	3"			
1 x 3/4 x 3/4	0.62	119.76	144.79	1-1/2 x 1 x 1/2	1.3	228.07	275.64	3 x 3 x 2-1/2	4.9	950.91	1148.81
1 x 3/4 x 1/2	0.62	119.76	144.79	1-1/2 x 3/4 x 1-1/2	1.3	228.07	275.64	3 x 3 x 2	4.9	950.91	1148.81
1 x 1/2 x 1	0.62	119.76	144.79	1-1/2 x 3/4 x 1-1/4	1.3	228.07	275.64	3 x 3 x 1-1/2	4.9	950.91	1148.81
1 x 1/2 x 3/4	0.62	119.76	144.79	1-1/2 x 3/4 x 1	1.3	228.07	275.64	3 x 3 x 1-1/4	4.9	950.91	1148.81
1 x 1/2 x 1/2	0.62	119.76	144.79	1-1/2 x 3/4 x 3/4	1.3	228.07	275.64	3 x 3 x 1	4.9	950.91	1148.81
1-1/4"				1-1/2 x 3/4 x 1/2	1.3	228.07	275.64	3 x 3 x 3/4	4.9	950.91	1148.81
1-1/4 x 1-1/4 x 2	1.1	323.24	390.64	1-1/2 x 1/2 x 1-1/2	1.3	228.07	275.64	4"			
1-1/4 x 1-1/4 x 1-1/2	1.1	228.07	275.64	1-1/2 x 1/2 x 1	1.3	228.07	275.64	4 x 4 x 3	9.9	1806.73	2182.88
1-1/4 x 1-1/4 x 1	1.1	180.57	218.20	1-1/2 x 1/2 x 3/4	1.3	228.07	275.64	4 x 4 x 2-1/2	9.9	1806.73	2182.88
1-1/4 x 1-1/4 x 3/4	1.1	180.57	218.20	2"				4 x 4 x 2	9.9	1806.73	2182.88
1-1/4 x 1-1/4 x 1/2	1.1	180.57	218.20	2 x 2 x 2-1/2	2.1	665.80	804.23	4 x 4 x 1-1/2	9.9	1806.73	2182.88
1-1/4 x 1-1/4 x 3/8	1.1	180.57	218.20	2 x 2 x 1-1/2	2.1	323.24	390.64	4 x 4 x 1-1/4	9.9	1806.73	2182.88
1-1/4 x 1-1/4 x 1/4	1.1	180.57	218.20	2 x 2 x 1-1/4	2.1	323.24	390.64	4 x 4 x 1	9.9	1806.73	2182.88
1-1/4 x 1 x 1-1/4	1.1	180.57	218.20	2 x 2 x 1	2.1	291.48	355.13				
1-1/4 x 1 x 1	1.1	180.57	218.20	2 x 2 x 3/4	2.1	291.48	355.13				
1-1/4 x 1 x 3/4	1.1	163.05	218.20	2 x 2 x 1/2	2.1	323.24	390.64				
1-1/4 x 1 x 1/2	1.1	180.57	218.20	2 x 1-1/2 x 2	2.1	323.24	390.64				

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45

	NPS ▲ DN	1/4" 6	3/8" 10	1/2" 15	3/4" 20	1" 25	1-1/4" 32	1-1/2" 40	2" 50	2-1/2" 65	3" 80	4" 100
90° Elbows	\$ BLACK	23.56	23.56	20.31	23.95	38.29	54.92	78.47	117.67	215.74	370.25	
	\$ GALV			28.36	32.53	50.20	74.64	100.25	396.84		396.84	
	WEIGHT	0.2	0.29	0.5	0.77	1.2	1.8	2.4	3.8	6.3	9.5	
	CRTN QTY	25	25	50	30	25	15	10	6	3	2	
45° Elbows	\$ BLACK	29.85	29.85	33.20	35.43	43.17	67.28	88.52	137.26	264.47	384.67	
	\$ GALV			41.14	45.68	59.89	83.30	105.64	175.82			
	WEIGHT	0.19	0.28	0.44	0.7	1.1	1.7	2.2	3.4	5.6	8.3	
	CRTN QTY	20	50	25	25	10	12	5	15	4	2	
Tees	\$ BLACK	28.43	28.43	30.16	35.91	51.00	82.37	107.86	168.64	336.65	441.20	
	\$ GALV			42.11	50.20	68.67	108.34	144.48	224.40		593.25	
	WEIGHT	0.29	0.42	0.67	1.1	1.7	2.6	3.4	5.3	8.4	12.8	
	CRTN QTY	25	25	25	16	20	14	10	7	15	10	
Coupling	\$ BLACK	18.03	18.03	19.95	21.59	35.57	59.37	76.68	109.83	216.87	317.36	
	\$ GALV			24.82	29.24	32.41	73.68	95.22	151.59		388.91	
	WEIGHT	0.17	0.26	0.44	0.72	1.1	1.7	2.1	3.5	5.4	7.4	
	CRTN QTY	100	50	30	20	15	12	8	16	10	8	
Caps	\$ BLACK			23.09	23.09	30.80	33.69	49.08	68.32			
	\$ GALV			22.67	24.82	32.41	41.79	60.88	84.75			
	WEIGHT			0.26	0.93	0.62	0.98	1.3	1.9			
	CRTN QTY			20	40	25	15	10	6			
Unions Brass To Iron	\$ BLACK	49.03	64.71	52.50	60.77	75.75	123.11	129.02	184.34	507.59	702.27	
	\$ GALV	88.52	90.08	85.74	92.60	123.05	171.58	206.60	247.98	419.21	769.94	
	WEIGHT	0.3	0.4	0.64	0.97	1.5	2.2	2.6	4.2	7.3	10.5	
	CRTN QTY	50	50	50	35	16	12	10	6	5	7	
90° Street Elbows	\$ BLACK			30.80	43.77	51.47	70.68	92.34	136.34			
	\$ GALV											
	WEIGHT			0.39	0.61	0.98	1.49	2.04	3.24			
	CRTN QTY			30	15	10	8	8	5			
Reducing Coupling	\$ BLACK			28.64	29.34	35.57	54.92	67.62	109.83	186.30	326.93	
	\$ GALV				36.36							
	WEIGHT			0.25	0.55	0.83	1.3	1.8	2.8	4.5	5.9	
	CRTN QTY			10	60	30	15	20	14	8	6	
Reducing Tees	\$ BLACK				54.12	66.15	91.38	117.83	176.98			
	\$ GALV											
	WEIGHT				0.85	1.28	2	2.5	4			
	CRTN QTY				15	10	12	8	6			

Δ = Diameter Nominal, metre equivalent of NPS

* = Carton Quantities for Individual reducing fittings are available on request.

Note: Weights are given in pounds per piece. To convert to kilograms, multiply pounds by 0.45